

# Field hospitals

## Field hospitals

The decision to deploy field hospitals depends on the location, the number of casualties and the speed with which evacuation can be organised ( Figure 33.8 ). Whether the traditional tented structure or the modular type, housed in containers, is employed, the facility must be equipped with radiograph capability , operating rooms, vital signs monitors, sterilising equipment, a blood bank, ventilator s and basic laboratory facilities. Field hospitals

The decision to deploy field hospitals depends on the location, the number of casualties and the speed with which evacuation can be organised ( Figure 33.8 ). Whether the traditional tented structure or the modular type, housed in containers, is employed, the facility must be equipped with radiograph capability , operating rooms, vital signs monitors, sterilising equipment, a blood bank, ventilator s and basic laboratory facilities. Field hospitals

The decision to deploy field hospitals depends on the location, the number of casualties and the speed with which evacuation can be organised ( Figure 33.8 ). Whether the traditional tented structure or the modular type, housed in containers, is employed, the facility must be equipped with radiograph capability , operating rooms, vital signs monitors, sterilising equipment, a blood bank, ventilator s and basic laboratory facilities.

---

Revision #1

Created 2025-12-31 15:13:55 UTC by Omar Ayman

Updated 2025-12-31 15:13:55 UTC by Omar Ayman