

III IVb I

III IVb I

Figure 8.42 (a) Surgical lobes of the liver (after Couinaud). IVC, inferior vena cava; LHV, left hepatic vein; LT, ligamentum teres; MHV, middle hepatic vein; RHV, right hepatic vein. (b) Segmental anatomy on computed tomography scan at the level of the hepatic veins. (c) Segmental anatomy at the level of the portal veins. (d) Segmental anatomy below the level of the portal veins. Figure 8.43 Positron emission tomography shows ^{18}F -FDG uptake in a carcinoma of the lung (short arrow) and mediastinal lymph nodes (long arrow).

III IVb I

Figure 8.42 (a) Surgical lobes of the liver (after Couinaud). IVC, inferior vena cava; LHV, left hepatic vein; LT, ligamentum teres; MHV, middle hepatic vein; RHV, right hepatic vein. (b) Segmental anatomy on computed tomography scan at the level of the hepatic veins. (c) Segmental anatomy at the level of the portal veins. (d) Segmental anatomy below the level of the portal veins. Figure 8.43 Positron emission tomography shows ^{18}F -FDG uptake in a carcinoma of the lung (short arrow) and mediastinal lymph nodes (long arrow).

III IVb I

Figure 8.42 (a) Surgical lobes of the liver (after Couinaud). IVC, inferior vena cava; LHV, left hepatic vein; LT, ligamentum teres; MHV, middle hepatic vein; RHV, right hepatic vein. (b) Segmental anatomy on computed tomography scan at the level of the hepatic veins. (c) Segmental anatomy at the level of the portal veins. (d) Segmental anatomy below the level of the portal veins. Figure 8.43 Positron emission tomography shows ^{18}F -FDG uptake in a carcinoma of the lung (short arrow) and mediastinal lymph nodes (long arrow).

Revision #1

Created 2025-12-31 15:28:47 UTC by Omar Ayman

Updated 2025-12-31 15:28:47 UTC by Omar Ayman