

TREATMENT

TREATMENT

The main principle of extremity fracture management builds on the classical concept of reduction and stabilisation of the fracture. Treatment can be considered under the following headings (see Apley's system of orthopaedics and fractures [Further reading]): reduce; hold; heal; rehabilitate. The main objective of any treatment is to return the patient to normal function as soon and as safely as possible. Broadly speaking, treatment may be operative or non-operative, with differing risks and benefits (Table 32.3).

The main principle of extremity fracture management builds on the classical concept of reduction and stabilisation of the fracture. Treatment can be considered under the following headings (see Apley's system of orthopaedics and fractures [Further reading]): reduce; hold; heal; rehabilitate. The main objective of any treatment is to return the patient to normal function as soon and as safely as possible. Broadly speaking, treatment may be operative or non-operative, with differing risks and benefits (Table 32.3).

The main principle of extremity fracture management builds on the classical concept of reduction and stabilisation of the fracture. Treatment can be considered under the following headings (see Apley's system of orthopaedics and fractures [Further reading]): reduce; hold; heal; rehabilitate. The main objective of any treatment is to return the patient to normal function as soon and as safely as possible. Broadly speaking, treatment may be operative or non-operative, with differing risks and benefits (Table 32.3).

Revision #1

Created 2025-12-31 15:13:41 UTC by Omar Ayman

Updated 2025-12-31 15:13:41 UTC by Omar Ayman