

06 - DSM 5 TR Classification

- [01 - DSM 5 TR Classification](#)

01 - DSM 5 TR Classification

DSM-5-TR Classification

xxvii DSM-5-TR Classification Before each disorder name, ICD-10-CM codes are provided. Blank lines indicate that the ICD10-CM code depends on the applicable subtype, specifier, or class of substance. For periodic DSM-5-TR coding and other updates, see www.dsm5.org. Following chapter titles and disorder names, page numbers for the corresponding text or criteria are included in parentheses. Note for all mental disorders due to another medical condition: Insert the name of the etiological medical condition within the name of the mental disorder due to [the medical condition]. The code and name for the etiological medical condition should be listed first immediately before the mental disorder due to the medical condition. Neurodevelopmental Disorders (35) Intellectual Developmental Disorders (37) _ . Intellectual Developmental Disorder (Intellectual Disability) (37) Specify current severity: F70 Mild F71 Moderate F72 Severe F73 Profound F88 Global Developmental Delay (46) F79 Unspecified Intellectual Developmental Disorder (Intellectual Disability) (46) Communication Disorders (46) F80.2 Language Disorder (47) F80.0 Speech Sound Disorder (50) F80.81 Childhood-Onset Fluency Disorder (Stuttering) (51) Note: Later-onset cases are diagnosed as F98.5 adult-onset fluency disorder. F80.82 Social (Pragmatic) Communication Disorder (54) F80.9 Unspecified Communication Disorder (56) xxviii Autism Spectrum Disorder (56)

F84.0 Autism Spectrum Disorder (56) Specify current severity: Requiring very substantial support, Requiring substantial support, Requiring support Specify if: With or without accompanying intellectual impairment, With or without accompanying language impairment Specify if: Associated with a known genetic or other medical condition or environmental factor (Coding note: Use additional code to identify the associated genetic or other medical condition); Associated with a neurodevelopmental, mental, or behavioral problem Specify if: With catatonia (use additional code F06.1) Attention-Deficit/Hyperactivity Disorder (68) _ . Attention-Deficit/Hyperactivity Disorder (68) Specify if: In partial remission Specify current severity: Mild, Moderate, Severe Specify whether: F90.2 Combined presentation F90.0 Predominantly inattentive presentation F90.1 Predominantly hyperactive/impulsive presentation F90.8 Other Specified Attention-Deficit/Hyperactivity Disorder (76) F90.9 Unspecified Attention-Deficit/Hyperactivity Disorder (76) Specific Learning Disorder (76) _ . Specific Learning Disorder (76) Specify current severity: Mild, Moderate, Severe Specify if: F81.0 With impairment in reading (specify if with word reading accuracy, reading rate or fluency, reading comprehension) F81.81 With impairment in written expression (specify if with spelling accuracy, grammar and punctuation accuracy, clarity or organization of written expression) F81.2 With impairment in mathematics (specify if with number sense, memorization of arithmetic facts, accurate or fluent calculation, accurate math reasoning) Motor Disorders (85) F82 Developmental Coordination Disorder (85) F98.4 Stereotypic Movement Disorder (89) Specify if: With self-injurious behavior, Without self-injurious behavior Specify if: Associated with a known genetic or other medical condition, neurodevelopmental disorder, or environmental factor Specify current severity:

Mild, Moderate, Severe Tic Disorders F95.2 Tourette's Disorder (93) F95.1 Persistent (Chronic) Motor or Vocal Tic Disorder (93) Specify if: With motor tics only, With vocal tics only

xxix F95.0 Provisional Tic Disorder (93) F95.8 Other Specified Tic Disorder (98) F95.9 Unspecified Tic Disorder (98) Other Neurodevelopmental Disorders (99) F88 Other Specified Neurodevelopmental Disorder (99) F89 Unspecified Neurodevelopmental Disorder (99) Schizophrenia Spectrum and Other Psychotic Disorders (101) The following specifiers apply to Schizophrenia Spectrum and Other Psychotic Disorders where indicated: aSpecify if: The following course specifiers are only to be used after a 1-year duration of the disorder: First episode, currently in acute episode; First episode, currently in partial remission; First episode, currently in full remission; Multiple episodes, currently in acute episode; Multiple episodes, currently in partial remission; Multiple episodes, currently in full remission; Continuous; Unspecified bSpecify if: With catatonia (use additional code F06.1) cSpecify current severity of delusions, hallucinations, disorganized speech, abnormal psychomotor behavior, negative symptoms, impaired cognition, depression, and mania symptoms F21 Schizotypal (Personality) Disorder (104) F22 Delusional Disorders^{a,c} (104) Specify whether: Erotomanic type, Grandiose type, Jealous type, Persecutory type, Somatic type, Mixed type, Unspecified type Specify if: With bizarre content F23 Brief Psychotic Disorder^{b,c} (108) Specify if: With marked stressor(s), Without marked stressor(s), With peripartum onset F20.81 Schizophreniform Disorder^{b,c} (111) Specify if: With good prognostic features, Without good prognostic features F20.9 Schizophrenia^{a,b,c} (113) . Schizoaffective Disorders^{a,b,c} (121) Specify whether: F25.0 Bipolar type F25.1 Depressive type . Substance/Medication-Induced Psychotic Disorder^c (126) Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced psychotic disorder. See also the criteria set and corresponding recording procedures in the manual for more information. Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given. Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use xxx

 . Psychotic Disorder Due to Another Medical Condition^c (131) Specify whether: F06.2 With delusions F06.0 With hallucinations F06.1 Catatonia Associated With Another Mental Disorder (Catatonia Specifier) (135) F06.1 Catatonic Disorder Due to Another Medical Condition (136) F06.1 Unspecified Catatonia (137) Note: Code first R29.818 other symptoms involving nervous and musculoskeletal systems. F28 Other Specified Schizophrenia Spectrum and Other Psychotic Disorder (138) F29 Unspecified Schizophrenia Spectrum and Other Psychotic Disorder (138) Bipolar and Related Disorders (139) The following specifiers apply to Bipolar and Related Disorders where indicated: aSpecify: With anxious distress (specify current severity: mild, moderate, moderate-severe, severe); With mixed features; With rapid cycling; With melancholic features; With atypical features; With mood-congruent psychotic features; With moodincongruent psychotic features; With catatonia (use additional code F06.1); With peripartum onset; With seasonal pattern bSpecify: With anxious distress (specify current severity: mild, moderate, moderate-severe, severe); With mixed features; With rapid cycling; With peripartum onset; With seasonal pattern . Bipolar I Disorders^a (139) . Current or most recent episode manic F31.11 Mild F31.12 Moderate F31.13 Severe F31.2 With psychotic features F31.73 In partial remission F31.74 In full remission F31.9 Unspecified F31.0 Current or most recent episode hypomanic F31.71 In partial remission F31.72 In full remission

F31.9 Unspecified _ . Current or most recent episode depressed F31.31 Mild F31.32 Moderate F31.4 Severe

F31.5 With psychotic features F31.75 In partial remission F31.76 In full remission F31.9 Unspecified F31.9 Current or most recent episode unspecified xxxi F31.81 Bipolar II Disorder (150) Specify current or most recent episode: Hypomanicb, Depresseda Specify course if full criteria for a mood episode are not currently met: In partial remission, In full remission Specify severity if full criteria for a major depressive episode are currently met: Mild, Moderate, Severe F34.0 Cyclothymic Disorder (159) Specify if: With anxious distress (specify current severity: mild, moderate, moderate-severe, severe) _ . Substance/Medication-Induced Bipolar and Related Disorder (162) Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced bipolar and related disorder. See also the criteria set and corresponding recording procedures in the manual for more information. Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given. Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use _ . Bipolar and Related Disorder Due to Another Medical Condition (166) Specify if: F06.33 With manic features F06.33 With manic- or hypomanic-like episode F06.34 With mixed features F31.89 Other Specified Bipolar and Related Disorder (168) F31.9 Unspecified Bipolar and Related Disorder (169) F39 Unspecified Mood Disorder (169) Depressive Disorders (177) F34.81 Disruptive Mood Dysregulation Disorder (178) _ . Major Depressive Disorder (183) Specify: With anxious distress (specify current severity: mild, moderate, moderate-severe, severe); With mixed features; With melancholic features; With atypical features; With mood-congruent psychotic features; With mood-incongruent psychotic features; With catatonia (use additional code F06.1); With peripartum onset; With seasonal pattern _ . Single episode

F32.0 Mild F32.1 Moderate F32.2 Severe F32.3 With psychotic features F32.4 In partial remission F32.5 In full remission F32.9 Unspecified xxxii _ . Recurrent episode F33.0 Mild F33.1 Moderate F33.2 Severe F33.3 With psychotic features F33.41 In partial remission F33.42 In full remission F33.9 Unspecified F34.1 Persistent Depressive Disorder (193) Specify: With anxious distress (specify current severity: mild, moderate, moderate-severe, severe); With atypical features Specify if: In partial remission, In full remission Specify if: Early onset, Late onset Specify if: With pure dysthymic syndrome; With persistent major depressive episode; With intermittent major depressive episodes, with current episode; With intermittent major depressive episodes, without current episode Specify current severity: Mild, Moderate, Severe F32.81 Premenstrual Dysphoric Disorder (197) _ . Substance/Medication-Induced Depressive Disorder (201) Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced depressive disorder. See also the criteria set and corresponding recording procedures in the manual for more information. Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given. Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use _ . Depressive Disorder Due to Another Medical Condition (206) Specify if: F06.31 With depressive features F06.32 With major depressive-like episode F06.34 With mixed features

F32.89 Other Specified Depressive Disorder (209) F32.A Unspecified Depressive Disorder (210) F39 Unspecified Mood Disorder (210) Anxiety Disorders (215) F93.0 Separation Anxiety Disorder (217) F94.0 Selective Mutism (222) _ . Specific Phobia (224) Specify if: F40.218 Animal F40.228 Natural environment _ . Blood-injection-injury xxxiii F40.230 Fear of blood F40.231 Fear of injections and transfusions F40.232 Fear of other medical care F40.233 Fear of injury F40.248 Situational F40.298 Other F40.10 Social Anxiety Disorder (229) Specify if: Performance only F41.0 Panic Disorder (235) _ . Panic Attack Specifier (242) F40.00 Agoraphobia (246) F41.1 Generalized Anxiety Disorder (250) _ . Substance/Medication-Induced Anxiety Disorder (255) Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced anxiety disorder. See also the criteria set and corresponding recording procedures in the manual for more information. Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given. Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use F06.4 Anxiety Disorder Due to Another Medical Condition (258) F41.8 Other Specified Anxiety Disorder (261)

F41.9 Unspecified Anxiety Disorder (261) Obsessive-Compulsive and Related Disorders (263) The following specifier applies to Obsessive-Compulsive and Related Disorders where indicated: aSpecify if: With good or fair insight, With poor insight, With absent insight/delusional beliefs F42.2 Obsessive-Compulsive Disorder (265) Specify if: Tic-related F45.22 Body Dysmorphic Disorder (271) Specify if: With muscle dysmorphia F42.3 Hoarding Disorder (277) Specify if: With excessive acquisition F63.3 Trichotillomania (Hair-Pulling Disorder) (281) F42.4 Excoriation (Skin-Picking) Disorder (284) _ . Substance/Medication-Induced Obsessive-Compulsive and Related Disorder (287) Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced obsessive-compulsive and related disorder. See also the criteria set and corresponding recording procedures in the manual for more information. xxxiv Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given. Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use F06.8 Obsessive-Compulsive and Related Disorder Due to Another Medical Condition (291) Specify if: With obsessive-compulsive disorder-like symptoms, With appearance preoccupations, With hoarding symptoms, With hair-pulling symptoms, With skin-picking symptoms F42.8 Other Specified Obsessive-Compulsive and Related Disorder (293) F42.9 Unspecified Obsessive-Compulsive and Related Disorder (294) Trauma- and Stressor-Related Disorders (295) F94.1 Reactive Attachment Disorder (295) Specify if: Persistent Specify current severity: Severe F94.2 Disinhibited Social Engagement Disorder (298) Specify if: Persistent Specify current severity: Severe F43.10 Posttraumatic Stress Disorder (301) Specify whether: With dissociative symptoms Specify if: With delayed expression

_ . Posttraumatic Stress Disorder in Individuals Older Than 6 Years (301) _ . Posttraumatic Stress Disorder in Children 6 Years and Younger (303) F43.0 Acute Stress Disorder (313) _ . Adjustment Disorders (319) Specify if: Acute, Persistent (chronic) Specify whether: F43.21 With depressed mood F43.22 With anxiety F43.23 With mixed anxiety and depressed mood F43.24 With disturbance of conduct F43.25 With mixed disturbance of emotions and conduct F43.20

Unspecified F43.8 Prolonged Grief Disorder (322) F43.8 Other Specified Trauma- and Stressor-Related Disorder (327) F43.9 Unspecified Trauma- and Stressor-Related Disorder (328) Dissociative Disorders (329) F44.81 Dissociative Identity Disorder (330) F44.0 Dissociative Amnesia (337) xxxv Specify if: F44.1 With dissociative fugue F48.1 Depersonalization/Derealization Disorder (343) F44.89 Other Specified Dissociative Disorder (347) F44.9 Unspecified Dissociative Disorder (348) Somatic Symptom and Related Disorders (349) F45.1 Somatic Symptom Disorder (351) Specify if: With predominant pain Specify if: Persistent Specify current severity: Mild, Moderate, Severe F45.21 Illness Anxiety Disorder (357) Specify whether: Care-seeking type, Care-avoidant type

_. Functional Neurological Symptom Disorder (Conversion Disorder) (360) Specify if: Acute episode, Persistent Specify if: With psychological stressor (specify stressor), Without psychological stressor Specify symptom type: F44.4 With weakness or paralysis F44.4 With abnormal movement F44.4 With swallowing symptoms F44.4 With speech symptom F44.5 With attacks or seizures F44.6 With anesthesia or sensory loss F44.6 With special sensory symptom F44.7 With mixed symptoms F54 Psychological Factors Affecting Other Medical Conditions (364) Specify current severity: Mild, Moderate, Severe, Extreme _ . Factitious Disorder (367) Specify: Single episode, Recurrent episodes F68.10 Factitious Disorder Imposed on Self F68.A Factitious Disorder Imposed on Another F45.8 Other Specified Somatic Symptom and Related Disorder (370) F45.9 Unspecified Somatic Symptom and Related Disorder (370) Feeding and Eating Disorders (371) The following specifiers apply to Feeding and Eating Disorders where indicated: aSpecify if: In remission bSpecify if: In partial remission, In full remission cSpecify current severity: Mild, Moderate, Severe, Extreme _ . Pica (371) F98.3 In children F50.89 In adults xxxvi F98.21 Rumination Disorder (374) F50.82 Avoidant/Restrictive Food Intake Disorder (376) _ . Anorexia Nervosa^{a,b,c} (381) Specify whether: F50.01 Restricting type

F50.02 Binge-eating/purging type F50.2 Bulimia Nervosa^{a,b,c} (387) F50.81 Binge-Eating Disorder^{b,c} (392) F50.89 Other Specified Feeding or Eating Disorder (396) F50.9 Unspecified Feeding or Eating Disorder (397) Elimination Disorders (399) F98.0 Enuresis (399) Specify whether: Nocturnal only, Diurnal only, Nocturnal and diurnal F98.1 Encopresis (402) Specify whether: With constipation and overflow incontinence, Without constipation and overflow incontinence _ . Other Specified Elimination Disorder (405) N39.498 With urinary symptoms R15.9 With fecal symptoms _ . Unspecified Elimination Disorder (405) R32 With urinary symptoms R15.9 With fecal symptoms Sleep-Wake Disorders (407) The following specifiers apply to Sleep-Wake Disorders where indicated: aSpecify if: Episodic, Persistent, Recurrent bSpecify if: Acute, Subacute, Persistent cSpecify current severity: Mild, Moderate, Severe F51.01 Insomnia Disorder (409) Specify if: With mental disorder, With medical condition, With another sleep disorder F51.11 Hypersomnolence Disorder^{b,c} (417) Specify if: With mental disorder, With medical condition, With another sleep disorder _ . Narcolepsy^a (422) Specify whether: G47.411 Narcolepsy with cataplexy or hypocretin deficiency (type 1) G47.419 Narcolepsy without cataplexy and either without hypocretin deficiency or hypocretin unmeasured (type 2) xxxvii G47.421 Narcolepsy with cataplexy or hypocretin deficiency due to a medical

condition G47.429 Narcolepsy without cataplexy and without hypocretin deficiency due to a medical condition Breathing-Related Sleep Disorders (429) G47.33 Obstructive Sleep Apnea Hypopnea^a (429) _ . Central Sleep Apnea (435) Specify current severity Specify whether: G47.31 Idiopathic central sleep apnea R06.3 Cheyne-Stokes breathing G47.37 Central sleep apnea

comorbid with opioid use Note: First code opioid use disorder, if present. . Sleep-Related Hypoventilation (439) Specify current severity Specify whether: G47.34 Idiopathic hypoventilation G47.35 Congenital central alveolar hypoventilation G47.36 Comorbid sleep-related hypoventilation . Circadian Rhythm Sleep-Wake Disordersa (443) Specify whether: G47.21 Delayed sleep phase type (444) Specify if: Familial, Overlapping with non-24-hour sleep-wake type G47.22 Advanced sleep phase type (446) Specify if: Familial G47.23 Irregular sleep-wake type (447) G47.24 Non-24-hour sleep-wake type (448) G47.26 Shift work type (450) G47.20 Unspecified type Parasomnias (451) . Non-Rapid Eye Movement Sleep Arousal Disorders (452) Specify whether: F51.3 Sleepwalking type Specify if: With sleep-related eating, With sleep-related sexual behavior (sexsomnia) F51.4 Sleep terror type

F51.5 Nightmare Disorderb,c (457) Specify if: During sleep onset Specify if: With mental disorder, With medical condition, With another sleep disorder G47.52 Rapid Eye Movement Sleep Behavior Disorder (461) G25.81 Restless Legs Syndrome (464) xxxviii . Substance/Medication-Induced Sleep Disorder (468) Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced sleep disorder. See also the criteria set and corresponding recording procedures in the manual for more information. Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given. Specify whether: Insomnia type, Daytime sleepiness type, Parasomnia type, Mixed type Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use G47.09 Other Specified Insomnia Disorder (475) G47.00 Unspecified Insomnia Disorder (475) G47.19 Other Specified Hypersomnolence Disorder (475) G47.10 Unspecified Hypersomnolence Disorder (476) G47.8 Other Specified Sleep-Wake Disorder (476) G47.9 Unspecified Sleep-Wake Disorder (476) Sexual Dysfunctions (477) The following specifiers apply to Sexual Dysfunctions where indicated: aSpecify whether: Lifelong, Acquired bSpecify whether: Generalized, Situational cSpecify current severity: Mild, Moderate, Severe F52.32 Delayed Ejaculationa,b,c (478) F52.21 Erectile Disordera,b,c (481) F52.31 Female Orgasmic Disordera,b,c (485) Specify if: Never experienced an orgasm under any situation F52.22 Female Sexual Interest/Arousal Disordera,b,c (489) F52.6 Genito-Pelvic Pain/Penetration Disordera,c (493) F52.0 Male Hypoactive Sexual Desire Disordera,b,c (498) F52.4 Premature (Early) Ejaculationa,b,c (501) . Substance/Medication-Induced Sexual Dysfunctionc (504)

Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced sexual dysfunction. See also the criteria set and corresponding recording procedures in the manual for more information. Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given. Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use F52.8 Other Specified Sexual Dysfunction (509) F52.9 Unspecified Sexual Dysfunction (509) xxxix Gender Dysphoria (511) The following specifier and note apply to Gender Dysphoria where indicated: aSpecify if: With a disorder/difference of sex development bNote: Code the disorder/difference of sex development if present, in addition to gender dysphoria. . Gender Dysphoria (512) F64.2 Gender Dysphoria in Childrena,b F64.0 Gender Dysphoria in Adolescents and Adultsa,b Specify if: Posttransition F64.8 Other Specified Gender

Dysphoria (520) F64.9 Unspecified Gender Dysphoria (520) Disruptive, Impulse-Control, and Conduct Disorders (521) F91.3 Oppositional Defiant Disorder (522) Specify current severity: Mild, Moderate, Severe F63.81 Intermittent Explosive Disorder (527) . Conduct Disorder (530) Specify if: With limited prosocial emotions Specify current severity: Mild, Moderate, Severe Specify whether: F91.1 Childhood-onset type F91.2 Adolescent-onset type F91.9 Unspecified onset F60.2 Antisocial Personality Disorder (537) F63.1 Pyromania (537) F63.2 Kleptomania (539)

F91.8 Other Specified Disruptive, Impulse-Control, and Conduct Disorder (541) F91.9 Unspecified Disruptive, Impulse-Control, and Conduct Disorder (541) Substance-Related and Addictive Disorders (543) Substance-Related Disorders (544) Alcohol-Related Disorders (553) . Alcohol Use Disorder (553) Specify if: In a controlled environment Specify current severity/remission: F10.10 Mild F10.11 In early remission F10.11 In sustained remission xl F10.20 Moderate F10.21 In early remission F10.21 In sustained remission F10.20 Severe F10.21 In early remission F10.21 In sustained remission . Alcohol Intoxication (561) F10.120 With mild use disorder F10.220 With moderate or severe use disorder F10.920 Without use disorder . Alcohol Withdrawal (564) Without perceptual disturbances F10.130 With mild use disorder F10.230 With moderate or severe use disorder F10.930 Without use disorder With perceptual disturbances F10.132 With mild use disorder F10.232 With moderate or severe use disorder F10.932 Without use disorder . Alcohol-Induced Mental Disorders (567) Note: Disorders are listed in their order of appearance in the manual.

aSpecify With onset during intoxication, With onset during withdrawal bSpecify if: Acute, Persistent cSpecify if: Hyperactive, Hypoactive, Mixed level of activity . Alcohol-Induced Psychotic Disordersa (126) F10.159 With mild use disorder F10.259 With moderate or severe use disorder F10.959 Without use disorder . Alcohol-Induced Bipolar and Related Disordersa (162) F10.14 With mild use disorder F10.24 With moderate or severe use disorder F10.94 Without use disorder . Alcohol-Induced Depressive Disordersa (201) F10.14 With mild use disorder F10.24 With moderate or severe use disorder F10.94 Without use disorder . Alcohol-Induced Anxiety Disordersa (255) F10.180 With mild use disorder F10.280 With moderate or severe use disorder F10.980 Without use disorder . Alcohol-Induced Sleep Disordersa (468) Specify whether Insomnia type F10.182 With mild use disorder xli F10.282 With moderate or severe use disorder F10.982 Without use disorder . Alcohol-Induced Sexual Dysfunctiona (504) Specify if: Mild, Moderate, Severe F10.181 With mild use disorder F10.281 With moderate or severe use disorder F10.981 Without use disorder . Alcohol Intoxication Deliriumb,c (672) F10.121 With mild use disorder F10.221 With moderate or severe use disorder

F10.921 Without use disorder . Alcohol Withdrawal Deliriumb,c (673) F10.131 With mild use disorder F10.231 With moderate or severe use disorder F10.931 Without use disorder . Alcohol-Induced Major Neurocognitive Disorder (712) Specify if: Persistent . Amnestic-confabulatory type F10.26 With moderate or severe use disorder F10.96 Without use disorder . Nonamnestic-confabulatory type F10.27 With moderate or severe use disorder F10.97 Without use disorder . Alcohol-Induced Mild Neurocognitive Disorder (712) Specify if: Persistent F10.188 With mild use disorder F10.288 With moderate or severe use disorder F10.988 Without use disorder F10.99 Unspecified Alcohol-Related Disorder (568) Caffeine-Related Disorders (569) F15.920 Caffeine Intoxication (569) F15.93 Caffeine Withdrawal (571) . Caffeine-Induced Mental Disorders (574) Note: Disorders are listed in their order of appearance in the manual. Specify With onset during

intoxication, With onset during withdrawal, With onset after medication use. Note: When taken over the counter, substances in this class can also induce the relevant substance-induced mental disorder. F15.980 Caffeine-Induced Anxiety Disorder (255) F15.982 Caffeine-Induced Sleep Disorder (468) Specify whether Insomnia type, Daytime sleepiness type, Mixed type F15.99 Unspecified Caffeine-Related Disorder (574) xlii Cannabis-Related Disorders (575) _ . Cannabis Use Disorder (575) Specify if: In a controlled environment

Specify current severity/remission: F12.10 Mild F12.11 In early remission F12.11 In sustained remission F12.20 Moderate F12.21 In early remission F12.21 In sustained remission F12.20 Severe F12.21 In early remission F12.21 In sustained remission _ . Cannabis Intoxication (582) Without perceptual disturbances F12.120 With mild use disorder F12.220 With moderate or severe use disorder F12.920 Without use disorder With perceptual disturbances F12.122 With mild use disorder F12.222 With moderate or severe use disorder F12.922 Without use disorder _ . Cannabis Withdrawal (584) F12.13 With mild use disorder F12.23 With moderate or severe use disorder F12.93 Without use disorder _ . Cannabis-Induced Mental Disorders (586) Note: Disorders are listed in their order of appearance in the manual. aSpecify With onset during intoxication, With onset during withdrawal, With onset after medication use. Note: When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder. bSpecify if: Acute, Persistent cSpecify if: Hyperactive, Hypoactive, Mixed level of activity _ . Cannabis-Induced Psychotic Disorders (126) F12.159 With mild use disorder F12.259 With moderate or severe use disorder F12.959 Without use disorder _ . Cannabis-Induced Anxiety Disorders (255) F12.180 With mild use disorder

F12.280 With moderate or severe use disorder F12.980 Without use disorder _ . Cannabis-Induced Sleep Disorders (468) Specify whether Insomnia type, Daytime sleepiness type, Mixed type F12.188 With mild use disorder F12.288 With moderate or severe use disorder xliii F12.988 Without use disorder _ . Cannabis Intoxication Delirium^{b,c} (672) F12.121 With mild use disorder F12.221 With moderate or severe use disorder F12.921 Without use disorder F12.921 Pharmaceutical Cannabis Receptor Agonist-Induced Delirium^{b,c} (674) Note: When pharmaceutical cannabis receptor agonist medication taken as prescribed. The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium. F12.99 Unspecified Cannabis-Related Disorder (586) Hallucinogen-Related Disorders (587) _ . Phencyclidine Use Disorder (587) Specify if: In a controlled environment Specify current severity/remission: F16.10 Mild F16.11 In early remission F16.11 In sustained remission F16.20 Moderate F16.21 In early remission F16.21 In sustained remission F16.20 Severe F16.21 In early remission F16.21 In sustained remission _ . Other Hallucinogen Use Disorder (590) Specify the particular hallucinogen Specify if: In a controlled environment Specify current severity/remission:

F16.10 Mild F16.11 In early remission F16.11 In sustained remission F16.20 Moderate F16.21 In early remission F16.21 In sustained remission F16.20 Severe F16.21 In early remission F16.21 In sustained remission _ . Phencyclidine Intoxication (594) F16.120 With mild use disorder F16.220 With moderate or severe use disorder F16.920 Without use disorder _ . Other Hallucinogen Intoxication (596) F16.120 With mild use disorder F16.220 With moderate or severe use disorder F16.920 Without use disorder xliv F16.983 Hallucinogen Persisting Perception Disorder (598) _ . Phencyclidine-Induced Mental Disorders (600) Note: Disorders are listed in their order of appearance in the manual. aSpecify With onset during intoxication, With onset after medication

use. Note: When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder. . Phencyclidine-Induced Psychotic Disordersa (126) F16.159 With mild use disorder F16.259 With moderate or severe use disorder F16.959 Without use disorder . Phencyclidine-Induced Bipolar and Related Disordersa (162) F16.14 With mild use disorder F16.24 With moderate or severe use disorder F16.94 Without use disorder . Phencyclidine-Induced Depressive Disordersa (201) F16.14 With mild use disorder F16.24 With moderate or severe use disorder

F16.94 Without use disorder . Phencyclidine-Induced Anxiety Disordersa (255) F16.180 With mild use disorder F16.280 With moderate or severe use disorder F16.980 Without use disorder . Phencyclidine Intoxication Delirium (672) Specify if: Acute, Persistent Specify if: Hyperactive, Hypoactive, Mixed level of activity F16.121 With mild use disorder F16.221 With moderate or severe use disorder F16.921 Without use disorder . Hallucinogen-Induced Mental Disorders (600) Note: Disorders are listed in their order of appearance in the manual. aSpecify With onset during intoxication, With onset after medication use. Note: When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder. bSpecify if: Acute, Persistent cSpecify if: Hyperactive, Hypoactive, Mixed level of activity . Other Hallucinogen-Induced Psychotic Disordersa (126) F16.159 With mild use disorder F16.259 With moderate or severe use disorder F16.959 Without use disorder . Other Hallucinogen-Induced Bipolar and Related Disordersa (162) F16.14 With mild use disorder F16.24 With moderate or severe use disorder F16.94 Without use disorder . Other Hallucinogen-Induced Depressive Disordersa (201) F16.14 With mild use disorder F16.24 With moderate or severe use disorder F16.94 Without use disorder xlv . Other Hallucinogen-Induced Anxiety Disordersa (255) F16.180 With mild use disorder F16.280 With moderate or severe use disorder

F16.980 Without use disorder . Other Hallucinogen Intoxication Deliriumb,c (672) F16.121 With mild use disorder F16.221 With moderate or severe use disorder F16.921 Without use disorder F16.921 Ketamine or Other Hallucinogen-Induced Deliriumb,c (674) Note: When ketamine or other hallucinogen medication taken as prescribed. The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium. F16.99 Unspecified Phencyclidine-Related Disorder (600) F16.99 Unspecified Hallucinogen-Related Disorder (601) Inhalant-Related Disorders (601) . Inhalant Use Disorder (601) Specify the particular inhalant Specify if: In a controlled environment Specify current severity/remission: F18.10 Mild F18.11 In early remission F18.11 In sustained remission F18.20 Moderate F18.21 In early remission F18.21 In sustained remission F18.20 Severe F18.21 In early remission F18.21 In sustained remission . Inhalant Intoxication (605) F18.120 With mild use disorder F18.220 With moderate or severe use disorder F18.920 Without use disorder . Inhalant-Induced Mental Disorders (607) Note: Disorders are listed in their order of appearance in the manual. aSpecify With onset during intoxication . Inhalant-Induced Psychotic Disordersa (126) F18.159 With mild use disorder

F18.259 With moderate or severe use disorder F18.959 Without use disorder . Inhalant-Induced Depressive Disordersa (201) F18.14 With mild use disorder F18.24 With moderate or severe use disorder F18.94 Without use disorder xlvii . Inhalant-Induced Anxiety Disordersa (255) F18.180 With mild use disorder F18.280 With moderate or severe use disorder F18.980 Without use disorder . Inhalant Intoxication Delirium (672) Specify if: Acute, Persistent Specify if: Hyperactive, Hypoactive, Mixed level of activity F18.121 With mild use disorder F18.221 With moderate or severe use

disorder F18.921 Without use disorder _ . Inhalant-Induced Major Neurocognitive Disorder (712) Specify if: Persistent F18.17 With mild use disorder F18.27 With moderate or severe use disorder F18.97 Without use disorder _ . Inhalant-Induced Mild Neurocognitive Disorder (712) Specify if: Persistent F18.188 With mild use disorder F18.288 With moderate or severe use disorder F18.988 Without use disorder F18.99 Unspecified Inhalant-Related Disorder (608) Opioid-Related Disorders (608) _ . Opioid Use Disorder (608) Specify if: On maintenance therapy, In a controlled environment Specify current severity/remission: F11.10 Mild F11.11 In early remission

F11.11 In sustained remission F11.20 Moderate F11.21 In early remission F11.21 In sustained remission F11.20 Severe F11.21 In early remission F11.21 In sustained remission _ . Opioid Intoxication (615) Without perceptual disturbances F11.120 With mild use disorder F11.220 With moderate or severe use disorder F11.920 Without use disorder With perceptual disturbances F11.122 With mild use disorder F11.222 With moderate or severe use disorder F11.922 Without use disorder xlvii _ . Opioid Withdrawal (617) F11.13 With mild use disorder F11.23 With moderate or severe use disorder F11.93 Without use disorder _ . Opioid-Induced Mental Disorders (619) Note: Disorders are listed in their order of appearance in the manual. aSpecify With onset during intoxication, With onset during withdrawal, With onset after medication use. Note: When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder. bSpecify if: Acute, Persistent cSpecify if: Hyperactive, Hypoactive, Mixed level of activity _ . Opioid-Induced Depressive Disorders (201) F11.14 With mild use disorder F11.24 With moderate or severe use disorder F11.94 Without use disorder _ . Opioid-Induced Anxiety Disorders (255) F11.180 With mild use disorder F11.280 With moderate or severe use disorder

F11.980 Without use disorder _ . Opioid-Induced Sleep Disorders (468) Specify whether Insomnia type, Daytime sleepiness type, Mixed type F11.182 With mild use disorder F11.282 With moderate or severe use disorder F11.982 Without use disorder _ . Opioid-Induced Sexual Dysfunction (504) Specify if: Mild, Moderate, Severe F11.181 With mild use disorder F11.281 With moderate or severe use disorder F11.981 Without use disorder _ . Opioid Intoxication Delirium^{b,c} (672) F11.121 With mild use disorder F11.221 With moderate or severe use disorder F11.921 Without use disorder _ . Opioid Withdrawal Delirium^{b,c} (673) F11.188 With mild use disorder F11.288 With moderate or severe use disorder F11.988 Without use disorder _ . Opioid-Induced Delirium^{b,c} (674) Note: The designation "taken as prescribed" is used to differentiate medication-induced delirium from substance intoxication delirium and substance withdrawal delirium. F11.921 When opioid medication taken as prescribed (674) F11.988 During withdrawal from opioid medication taken as prescribed (674) F11.99 Unspecified Opioid-Related Disorder (619) xlviii Sedative-, Hypnotic-, or Anxiolytic-Related Disorders (620) _ . Sedative, Hypnotic, or Anxiolytic Use Disorder (620) Specify if: In a controlled environment Specify current severity/remission: F13.10 Mild F13.11 In early remission

F13.11 In sustained remission F13.20 Moderate F13.21 In early remission F13.21 In sustained remission F13.20 Severe F13.21 In early remission F13.21 In sustained remission _ . Sedative, Hypnotic, or Anxiolytic Intoxication (626) F13.120 With mild use disorder F13.220 With moderate or severe use disorder F13.920 Without use disorder _ . Sedative, Hypnotic, or Anxiolytic Withdrawal (628) Without perceptual disturbances F13.130 With mild use disorder F13.230 With moderate or severe use disorder F13.930 Without use disorder With perceptual disturbances F13.132 With mild use disorder F13.232 With moderate or severe use disorder F13.932 Without use disorder _ .

Sedative-, Hypnotic-, or Anxiolytic-Induced Mental Disorders (631) Note: Disorders are listed in their order of appearance in the manual. aSpecify With onset during intoxication, With onset during withdrawal, With onset after medication use. Note: When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder. bSpecify if: Acute, Persistent cSpecify if: Hyperactive, Hypoactive, Mixed level of activity _ . Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorders (126) F13.159 With mild use disorder F13.259 With moderate or severe use disorder F13.959 Without use disorder _ . Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorders (162) F13.14 With mild use disorder xlix F13.24

With moderate or severe use disorder F13.94 Without use disorder _ . Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorders (201) F13.14 With mild use disorder F13.24 With moderate or severe use disorder F13.94 Without use disorder _ . Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorders (255) F13.180 With mild use disorder F13.280 With moderate or severe use disorder F13.980 Without use disorder _ . Sedative-, Hypnotic-, or Anxiolytic-Induced Sleep Disorders (468) Specify whether Insomnia type, Daytime sleepiness type, Parasomnia type, Mixed type F13.182 With mild use disorder F13.282 With moderate or severe use disorder F13.982 Without use disorder _ . Sedative-, Hypnotic-, or Anxiolytic-Induced Sexual Dysfunctiona (504) Specify if: Mild, Moderate, Severe F13.181 With mild use disorder F13.281 With moderate or severe use disorder F13.981 Without use disorder _ . Sedative-, Hypnotic-, or Anxiolytic Intoxication Deliriumb,c (672) F13.121 With mild use disorder F13.221 With moderate or severe use disorder F13.921 Without use disorder _ . Sedative-, Hypnotic-, or Anxiolytic Withdrawal Deliriumb,c (673) F13.131 With mild use disorder F13.231 With moderate or severe use disorder F13.931 Without use disorder _ . Sedative-, Hypnotic-, or Anxiolytic-Induced Deliriumb,c (674) Note: The designation "taken as prescribed" is used to differentiate medication-induced delirium from substance intoxication delirium and substance withdrawal delirium. F13.921 When sedative, hypnotic, or anxiolytic medication taken as prescribed

(674) F13.931 During withdrawal from sedative, hypnotic, or anxiolytic medication taken as prescribed (674) _ . Sedative-, Hypnotic-, or Anxiolytic-Induced Major Neurocognitive Disorder (712) Specify if: Persistent F13.27 With moderate or severe use disorder F13.97 Without use disorder _ . Sedative-, Hypnotic-, or Anxiolytic-Induced Mild Neurocognitive Disorder (712) Specify if: Persistent F13.188 With mild use disorder F13.288 With moderate or severe use disorder F13.988 Without use disorder F13.99 Unspecified Sedative-, Hypnotic-, or Anxiolytic-Related Disorder (632) | Stimulant-Related Disorders (632) _ . Stimulant Use Disorder (632) Specify if: In a controlled environment Specify current severity/remission: _ . Mild F15.10 Amphetamine-type substance F14.10 Cocaine F15.10 Other or unspecified stimulant _ . Mild, In early remission F15.11 Amphetamine-type substance F14.11 Cocaine F15.11 Other or unspecified stimulant _ . Mild, In sustained remission F15.11 Amphetamine-type substance F14.11 Cocaine F15.11 Other or unspecified stimulant _ . Moderate F15.20 Amphetamine-type substance

F14.20 Cocaine F15.20 Other or unspecified stimulant _ . Moderate, In early remission F15.21 Amphetamine-type substance F14.21 Cocaine F15.21 Other or unspecified stimulant _ . Moderate, In sustained remission F15.21 Amphetamine-type substance F14.21 Cocaine F15.21 Other or unspecified stimulant _ . Severe F15.20 Amphetamine-type substance F14.20 Cocaine F15.20 Other or unspecified stimulant _ . Severe, In early remission F15.21 Amphetamine-type substance F14.21 Cocaine F15.21 Other or unspecified stimulant _ . Severe, In sustained remission F15.21

Amphetamine-type substance F14.21 Cocaine F15.21 Other or unspecified stimulant _ . Stimulant Intoxication (640) Specify the particular intoxicant Without perceptual disturbances li _ . Amphetamine-type substance or other stimulant intoxication F15.120 With mild use disorder F15.220 With moderate or severe use disorder F15.920 Without use disorder _ . Cocaine intoxication F14.120 With mild use disorder F14.220 With moderate or severe use disorder

F14.920 Without use disorder With perceptual disturbances _ . Amphetamine-type substance or other stimulant intoxication F15.122 With mild use disorder F15.222 With moderate or severe use disorder F15.922 Without use disorder _ . Cocaine intoxication F14.122 With mild use disorder F14.222 With moderate or severe use disorder F14.922 Without use disorder _ . Stimulant Withdrawal (643) Specify the particular substance that causes the withdrawal syndrome _ . Amphetamine-type substance or other stimulant withdrawal F15.13 With mild use disorder F15.23 With moderate or severe use disorder F15.93 Without use disorder _ . Cocaine withdrawal F14.13 With mild use disorder F14.23 With moderate or severe use disorder F14.93 Without use disorder _ . Stimulant-Induced Mental Disorders (644) Note: Disorders are listed in their order of appearance in the manual. aSpecify With onset during intoxication, With onset during withdrawal, With onset after medication use. Note: When prescribed as medication, amphetamine-type substances and other stimulants can also induce the relevant substance-induced mental disorder. bSpecify if: Acute, Persistent cSpecify if: Hyperactive, Hypoactive, Mixed level of activity _ . Amphetamine-Type Substance (or Other Stimulant)-Induced Psychotic Disorders (126) F15.159 With mild use disorder F15.259 With moderate or severe use disorder F15.959 Without use disorder _ . Cocaine-Induced Psychotic Disorders (126) F14.159 With mild use disorder F14.259 With moderate or severe use disorder

F14.959 Without use disorder lii _ . Amphetamine-Type Substance (or Other Stimulant)-Induced Bipolar and Related Disorders (162) F15.14 With mild use disorder F15.24 With moderate or severe use disorder F15.94 Without use disorder _ . Cocaine-Induced Bipolar and Related Disorders (162) F14.14 With mild use disorder F14.24 With moderate or severe use disorder F14.94 Without use disorder _ . Amphetamine-Type Substance (or Other Stimulant)-Induced Depressive Disorders (201) F15.14 With mild use disorder F15.24 With moderate or severe use disorder F15.94 Without use disorder _ . Cocaine-Induced Depressive Disorders (201) F14.14 With mild use disorder F14.24 With moderate or severe use disorder F14.94 Without use disorder _ . Amphetamine-Type Substance (or Other Stimulant)-Induced Anxiety Disorders (255) F15.180 With mild use disorder F15.280 With moderate or severe use disorder F15.980 Without use disorder _ . Cocaine-Induced Anxiety Disorders (255) F14.180 With mild use disorder F14.280 With moderate or severe use disorder F14.980 Without use disorder _ . Amphetamine-Type Substance (or Other Stimulant)-Induced ObsessiveCompulsive and Related Disorders (287) F15.188 With mild use disorder F15.288 With moderate or severe use disorder

F15.988 Without use disorder _ . Cocaine-Induced Obsessive-Compulsive and Related Disorders (287) F14.188 With mild use disorder F14.288 With moderate or severe use disorder F14.988 Without use disorder _ . Amphetamine-Type Substance (or Other Stimulant)-Induced Sleep Disorders (468) Specify whether Insomnia type, Daytime sleepiness type, Mixed type F15.182 With mild use disorder F15.282 With moderate or severe use disorder F15.982 Without use disorder _ . Cocaine-Induced Sleep Disorders (468) Specify whether Insomnia type, Daytime sleepiness type, Mixed type F14.182 With mild use disorder F14.282 With moderate or severe use disorder liii

F14.982 Without use disorder _ . Amphetamine-Type Substance (or Other Stimulant)-Induced Sexual Dysfunctiona (504) Specify if: Mild, Moderate, Severe F15.181 With mild use disorder F15.281 With moderate or severe use disorder F15.981 Without use disorder _ . Cocaine-Induced Sexual Dysfunctiona (504) Specify if: Mild, Moderate, Severe F14.181 With mild use disorder F14.281 With moderate or severe use disorder F14.981 Without use disorder _ . Amphetamine-Type Substance (or Other Stimulant) Intoxication Deliriumb,c (672) F15.121 With mild use disorder F15.221 With moderate or severe use disorder F15.921 Without use disorder

_ . Cocaine Intoxication Deliriumb,c (672) F14.121 With mild use disorder F14.221 With moderate or severe use disorder F14.921 Without use disorder F15.921 Amphetamine-Type (or Other Stimulant) Medication-Induced Deliriumb,c (674) Note: When amphetamine-type or other stimulant medication taken as prescribed. The designation "taken as prescribed" is used to differentiate medication-induced delirium from substance intoxication delirium. _ . Amphetamine-Type Substance (or Other Stimulant)-Induced Mild Neurocognitive Disorder (712) Specify if: Persistent F15.188 With mild use disorder F15.288 With moderate or severe use disorder F15.988 Without use disorder _ . Cocaine-Induced Mild Neurocognitive Disorder (712) Specify if: Persistent F14.188 With mild use disorder F14.288 With moderate or severe use disorder F14.988 Without use disorder _ . Unspecified Stimulant-Related Disorder (644) F15.99 Amphetamine-type substance or other stimulant F14.99 Cocaine Tobacco-Related Disorders (645) _ . Tobacco Use Disorder (645) Specify if: On maintenance therapy, In a controlled environment Specify current severity/remission: Z72.0 Mild liv F17.200 Moderate F17.201 In early remission F17.201 In sustained remission F17.200 Severe In early remission

F17.201 F17.201 In sustained remission F17.203 Tobacco Withdrawal (649) Note: The ICD-10-CM code indicates the comorbid presence of a moderate or severe tobacco use disorder, which must be present in order to apply the code for tobacco withdrawal. _ . Tobacco-Induced Mental Disorders (651) F17.208 Tobacco-Induced Sleep Disorder, With moderate or severe use disorder (468) Specify whether Insomnia type, Daytime sleepiness type, Mixed type Specify With onset during withdrawal, With onset after medication use F17.209 Unspecified Tobacco-Related Disorder (651) Other (or Unknown) Substance-Related Disorders (652) _ . Other (or Unknown) Substance Use Disorder (652) Specify if: In a controlled environment Specify current severity/remission: F19.10 Mild F19.11 In early remission F19.11 In sustained remission F19.20 Moderate F19.21 In early remission F19.21 In sustained remission F19.20 Severe F19.21 In early remission F19.21 In sustained remission _ . Other (or Unknown) Substance Intoxication (656) Without perceptual disturbances F19.120 With mild use disorder F19.220 With moderate or severe use disorder F19.920 Without use disorder With perceptual disturbances F19.122 With mild use disorder F19.222 With moderate or severe use disorder F19.922 Without use disorder _ . Other (or Unknown) Substance Withdrawal (658) Without perceptual disturbances

F19.130 With mild use disorder F19.230 With moderate or severe use disorder F19.930 Without use disorder lv With perceptual disturbances F19.132 With mild use disorder F19.232 With moderate or severe use disorder F19.932 Without use disorder _ . Other (or Unknown) Substance-Induced Mental Disorders (660) Note: Disorders are listed in their order of appearance in the manual. aSpecify With onset during intoxication, With onset during withdrawal, With onset after medication use. Note: When prescribed as medication or taken over the counter, substances in this class can also induce the relevant substance-induced mental disorder. bSpecify if: Acute, Persistent cSpecify

if: Hyperactive, Hypoactive, Mixed level of activity Other (or Unknown) Substance-Induced Psychotic Disorders (126) F19.159 With mild use disorder F19.259 With moderate or severe use disorder F19.959 Without use disorder Other (or Unknown) Substance-Induced Bipolar and Related Disorders (162) F19.14 With mild use disorder F19.24 With moderate or severe use disorder F19.94 Without use disorder Other (or Unknown) Substance-Induced Depressive Disorders (201) F19.14 With mild use disorder F19.24 With moderate or severe use disorder F19.94 Without use disorder Other (or Unknown) Substance-Induced Anxiety Disorders (255) F19.180 With mild use disorder F19.280 With moderate or severe use disorder F19.980 Without use disorder Other (or Unknown) Substance-Induced Obsessive-Compulsive and Related Disorders (287) F19.188 With mild use disorder

F19.288 With moderate or severe use disorder F19.988 Without use disorder Other (or Unknown) Substance-Induced Sleep Disorders (468) Specify whether Insomnia type, Daytime sleepiness type, Parasomnia type, Mixed type F19.182 With mild use disorder F19.282 With moderate or severe use disorder F19.982 Without use disorder Other (or Unknown) Substance-Induced Sexual Dysfunction (504) Specify if: Mild, Moderate, Severe F19.181 With mild use disorder F19.281 With moderate or severe use disorder F19.981 Without use disorder Other (or Unknown) Substance Intoxication Delirium (672) F19.121 With mild use disorder F19.221 With moderate or severe use disorder F19.921 Without use disorder Other (or Unknown) Substance Withdrawal Delirium (673) F19.131 With mild use disorder F19.231 With moderate or severe use disorder F19.931 Without use disorder Other (or Unknown) Medication-Induced Delirium (674) Note: The designation "taken as prescribed" is used to differentiate medication-induced delirium from substance intoxication delirium and substance withdrawal delirium. F19.921 When other (or unknown) medication taken as prescribed (674) F19.931 During withdrawal from other (or unknown) medication taken as prescribed (674) Other (or Unknown) Substance-Induced Major Neurocognitive Disorder (712) Specify if: Persistent F19.17 With mild use disorder

F19.27 With moderate or severe use disorder F19.97 Without use disorder Other (or Unknown) Substance-Induced Mild Neurocognitive Disorder (712) Specify if: Persistent F19.188 With mild use disorder F19.288 With moderate or severe use disorder F19.988 Without use disorder F19.99 Unspecified Other (or Unknown) Substance-Related Disorder (660) Non-Substance-Related Disorders (661) F63.0 Gambling Disorder (661) Specify if: Episodic, Persistent Specify if: In early remission, In sustained remission Specify current severity: Mild, Moderate, Severe Neurocognitive Disorders (667) Delirium (672) Specify if: Acute, Persistent Specify if: Hyperactive, Hypoactive, Mixed level of activity aNote: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced delirium. See also the criteria set and corresponding recording procedures in the manual for more information. Specify whether: Substance intoxication delirium Substance withdrawal delirium Medication-induced delirium F05 Delirium due to another medical condition F05 Delirium due to multiple etiologies R41.0 Other Specified Delirium (678) R41.0 Unspecified Delirium (678) Major and Mild Neurocognitive Disorders (679) Specify whether due to [any of the following medical etiologies]: Alzheimer's disease, Frontotemporal degeneration, Lewy body disease, Vascular disease, Traumatic brain injury, Substance/medication use, HIV infection, Prion disease, Parkinson's disease, Huntington's disease, Another medical condition, Multiple etiologies, Unspecified etiology aSpecify current severity: Mild, Moderate, Severe. This specifier applies only to major neurocognitive disorders (including probable and possible).

bSpecify: Without behavioral disturbance, With behavioral disturbance. For all mild neurocognitive disorders, substance/medication-induced major neurocognitive disorder, and unspecified neurocognitive disorder, behavioral disturbance cannot be coded but should still be recorded. Note: As indicated for each subtype, an additional medical code is needed for most major neurocognitive disorders, including those due to probable and possible medical etiologies. The medical etiology should be coded first, before the code for the major neurocognitive disorder. An additional medical code should not be used for any mild neurocognitive disorder and is not used for major or mild vascular neurocognitive disorder, substance/medication-induced major or mild neurocognitive disorder, and unspecified neurocognitive disorder. Coding note: For major and mild neurocognitive disorders: Use additional code(s) to indicate clinically significant psychiatric symptoms due to the same medical condition causing the major NCD (e.g., F06.2 psychotic disorder due to Alzheimer's disease with delusions; F06.32 depressive disorder due to Parkinson's disease, with major depressive-like episode.) Note: The additional codes for mental disorders due to another medical condition are included with disorders with which they share phenomenology (e.g., for depressive disorders due to another medical condition, see "Depressive Disorders"). Major or Mild Neurocognitive Disorder Due to Alzheimer's Disease (690) _ . Major Neurocognitive Disorder Due to Probable Alzheimer's Diseasea Note: Code first G30.9 Alzheimer's disease. F02.81 With behavioral disturbance F02.80 Without behavioral disturbance _ . Major Neurocognitive Disorder Due to Possible Alzheimer's Diseasea Note: Code first G30.9 Alzheimer's disease. F02.81 With behavioral disturbance F02.80 Without behavioral disturbance G31.84 Mild Neurocognitive Disorder Due to Alzheimer's Diseaseb Major or Mild Frontotemporal Neurocognitive Disorder (695) _ . Major Neurocognitive Disorder Due to Probable Frontotemporal Degenerationa Note: Code first G31.09 frontotemporal degeneration. F02.81 With behavioral disturbance F02.80 Without behavioral disturbance lviii _ . Major Neurocognitive Disorder Due to Possible Frontotemporal Degenerationa Note: Code first G31.09 frontotemporal degeneration. F02.81 With behavioral disturbance F02.80 Without behavioral disturbance G31.84 Mild Neurocognitive Disorder Due to Frontotemporal Degenerationb Major or Mild Neurocognitive Disorder With Lewy Bodies (699) _ . Major Neurocognitive Disorder With Probable Lewy Bodiesa Note: Code first G31.83 Lewy body disease. F02.81 With behavioral disturbance F02.80 Without behavioral disturbance _ . Major Neurocognitive Disorder With Possible Lewy Bodiesa Note: Code first G31.83 Lewy body disease.

F02.81 With behavioral disturbance F02.80 Without behavioral disturbance G31.84 Mild Neurocognitive Disorder With Lewy Bodiesb Major or Mild Vascular Neurocognitive Disorder (702) _ . Major Neurocognitive Disorder Probably Due to Vascular Diseasea Note: No additional medical code for vascular disease. F01.51 With behavioral disturbance F01.50 Without behavioral disturbance _ . Major Neurocognitive Disorder Possibly Due to Vascular Diseasea Note: No additional medical code for vascular disease. F01.51 With behavioral disturbance F01.50 Without behavioral disturbance G31.84 Mild Neurocognitive Disorder Due to Vascular Diseaseb Major or Mild Neurocognitive Disorder Due to Traumatic Brain Injury (706) _ . Major Neurocognitive Disorder Due to Traumatic Brain Injurya Note: For ICD-10-CM, code first S06.2X9S diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela. F02.81 With behavioral disturbance F02.80 Without behavioral disturbance G31.84 Mild Neurocognitive Disorder Due to Traumatic Brain Injuryb Substance/Medication-Induced Major or Mild Neurocognitive Disorder (712) Note: No additional medical code. For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced major or mild neurocognitive disorder. See also the criteria set and corresponding recording procedures in the

manual for more information. Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given. ix Specify if: Persistent _ . Substance/Medication-Induced Major Neurocognitive Disorder^{a,b} Note: If a substance use disorder is present, record mild substance use disorder (ICD-10-CM code not available if mild substance use disorder does not cause a major neurocognitive disorder) or moderate or severe substance use disorder; if no substance use disorder is present, record only [specific substance]-induced major neurocognitive disorder. . Substance/Medication-Induced Mild Neurocognitive Disorder^b Note: If a substance use disorder is present, record mild substance use disorder or moderate or severe substance use disorder; if no substance use disorder is present, record only [specific substance]-induced mild neurocognitive disorder. Major or Mild Neurocognitive Disorder Due to HIV Infection (717) _ . Major Neurocognitive Disorder Due to HIV Infection^a Note: Code first B20 HIV infection.

F02.81 With behavioral disturbance F02.80 Without behavioral disturbance G31.84 Mild Neurocognitive Disorder Due to HIV Infection^b Major or Mild Neurocognitive Disorder Due to Prion Disease (721) _ . Major Neurocognitive Disorder Due to Prion Disease^a Note: Code first A81.9 prion disease. F02.81 With behavioral disturbance F02.80 Without behavioral disturbance G31.84 Mild Neurocognitive Disorder Due to Prion Disease^b Major or Mild Neurocognitive Disorder Due to Parkinson's Disease (723) _ . Major Neurocognitive Disorder Probably Due to Parkinson's Disease^a Note: Code first G20 Parkinson's disease. F02.81 With behavioral disturbance F02.80 Without behavioral disturbance _ . Major Neurocognitive Disorder Possibly Due to Parkinson's Disease^a Note: Code first G20 Parkinson's disease. F02.81 With behavioral disturbance F02.80 Without behavioral disturbance G31.84 Mild Neurocognitive Disorder Due to Parkinson's Disease^b Major or Mild Neurocognitive Disorder Due to Huntington's Disease (726) _ . Major Neurocognitive Disorder Due to Huntington's Disease^a Note: Code first G10 Huntington's disease. F02.81 With behavioral disturbance F02.80 Without behavioral disturbance G31.84 Mild Neurocognitive Disorder Due to Huntington's Disease^b ix Major or Mild Neurocognitive Disorder Due to Another Medical Condition (729) _ . Major Neurocognitive Disorder Due to Another Medical Condition^a Note: Code first the other medical condition. F02.81 With behavioral disturbance F02.80 Without behavioral disturbance G31.84 Mild Neurocognitive Disorder Due to Another Medical Condition^b Major or Mild Neurocognitive Disorder Due to Multiple Etiologies (731) _ . Major Neurocognitive Disorder Due to Multiple Etiologies^a Note: Code first all the etiological medical conditions (with the exception of vascular disease, which is not coded).

F02.81 With behavioral disturbance F02.80 Without behavioral disturbance Note: If vascular disease is among the multiple etiological medical conditions, code either F01.51 for major vascular neurocognitive disorder, with behavioral disturbance, or F01.50 for major vascular neurocognitive disorder, without behavioral disturbance. G31.84 Mild Neurocognitive Disorder Due to Multiple Etiologies^b Unspecified Neurocognitive Disorder^b (732) Note: No additional medical code. R41.9 Unspecified Neurocognitive Disorder^b Personality Disorders (733) Cluster A Personality Disorders F60.0 Paranoid Personality Disorder (737) F60.1 Schizoid Personality Disorder (741) F21 Schizotypal Personality Disorder (744) Cluster B Personality Disorders F60.2 Antisocial Personality Disorder (748) F60.3 Borderline Personality Disorder (752) F60.4 Histrionic Personality Disorder (757) F60.81 Narcissistic Personality Disorder (760) Cluster C Personality Disorders F60.6 Avoidant Personality Disorder (764) F60.7 Dependent Personality Disorder (768) F60.5 Obsessive-Compulsive Personality Disorder (771) lxi Other Personality Disorders F07.0 Personality Change

Due to Another Medical Condition (775) Specify whether: Labile type, Disinhibited type, Aggressive type, Apathetic type, Paranoid type, Other type, Combined type, Unspecified type F60.89 Other Specified Personality Disorder (778) F60.9 Unspecified Personality Disorder (778) Paraphilic Disorders (779) The following specifier applies to Paraphilic Disorders where indicated:

aSpecify if: In a controlled environment, In full remission F65.3 Voyeuristic Disorder (780) F65.2 Exhibitionistic Disorder (783) Specify whether: Sexually aroused by exposing genitals to prepubertal children, Sexually aroused by exposing genitals to physically mature individuals, Sexually aroused by exposing genitals to prepubertal children and to physically mature individuals F65.81 Frotteuristic Disorder (785) F65.51 Sexual Masochism Disorder (788) Specify if: With asphyxiophilia F65.52 Sexual Sadism Disorder (790) F65.4 Pedophilic Disorder (792) Specify whether: Exclusive type, Nonexclusive type Specify if: Sexually attracted to males, Sexually attracted to females, Sexually attracted to both Specify if: Limited to incest F65.0 Fetishistic Disorder (796) Specify: Body part(s), Nonliving object(s), Other F65.1 Transvestic Disorder (798) Specify if: With fetishism, With autogynephilia F65.89 Other Specified Paraphilic Disorder (801) F65.9 Unspecified Paraphilic Disorder (801) Other Mental Disorders and Additional Codes (803) F06.8 Other Specified Mental Disorder Due to Another Medical Condition (803) F09 Unspecified Mental Disorder Due to Another Medical Condition (804) F99 Other Specified Mental Disorder (804) F99 Unspecified Mental Disorder (805) Z03.89 No Diagnosis or Condition (805) Ixii Medication-Induced Movement Disorders and Other Adverse Effects of Medication (807) _ . Medication-Induced Parkinsonism (807) G21.11 Antipsychotic Medication- and Other Dopamine Receptor Blocking Agent-Induced Parkinsonism (807) G21.19 Other Medication-Induced Parkinsonism (807)

G21.0 Neuroleptic Malignant Syndrome (810) G24.02 Medication-Induced Acute Dystonia (812) G25.71 Medication-Induced Acute Akathisia (813) G24.01 Tardive Dyskinesia (814) G24.09 Tardive Dystonia (816) G25.71 Tardive Akathisia (816) G25.1 Medication-Induced Postural Tremor (817) G25.79 Other Medication-Induced Movement Disorder (818) _ . Antidepressant Discontinuation Syndrome (818) T43.205A Initial encounter T43.205D Subsequent encounter T43.205S Sequelae _ . Other Adverse Effect of Medication (819) T50.905A Initial encounter T50.905D Subsequent encounter T50.905S Sequelae Other Conditions That May Be a Focus of Clinical Attention (821) Suicidal Behavior and Nonsuicidal Self-Injury (822) Suicidal Behavior (822) _ . Current Suicidal Behavior (822) T14.91A Initial encounter T14.91D Subsequent encounter Z91.51 History of Suicidal Behavior (822) Nonsuicidal Self-Injury (822) R45.88 Current Nonsuicidal Self-Injury (822) Z91.52 History of Nonsuicidal Self-Injury (822) Ixiii Abuse and Neglect (822) Child Maltreatment and Neglect Problems (823) Child Physical Abuse (823) _ . Child Physical Abuse, Confirmed (823)

T74.12XA Initial encounter T74.12XD Subsequent encounter _ . Child Physical Abuse, Suspected (823) T76.12XA Initial encounter T76.12XD Subsequent encounter _ . Other Circumstances Related to Child Physical Abuse (823) Z69.010 Encounter for mental health services for victim of child physical abuse by parent Z69.020 Encounter for mental health services for victim of nonparental child physical abuse Z62.810 Personal history (past history) of physical abuse in childhood Z69.011 Encounter for mental health services for perpetrator of parental child physical abuse Z69.021 Encounter for mental health services for perpetrator of nonparental child physical abuse Child Sexual Abuse (823) _ . Child Sexual Abuse, Confirmed (824) T74.22XA Initial encounter T74.22XD Subsequent encounter _ . Child Sexual Abuse, Suspected (824) T76.22XA Initial encounter T76.22XD Subsequent encounter _ . Other Circumstances Related to Child Sexual Abuse (824)

Z69.010 Encounter for mental health services for victim of child sexual abuse by parent Z69.020 Encounter for mental health services for victim of nonparental child sexual abuse Z62.810 Personal history (past history) of sexual abuse in childhood Z69.011 Encounter for mental health services for perpetrator of parental child sexual abuse Z69.021 Encounter for mental health services for perpetrator of nonparental child sexual abuse Ixiv Child Neglect (824) _ . Child Neglect, Confirmed (824)

T74.02XA Initial encounter T74.02XD Subsequent encounter _ . Child Neglect, Suspected (824) T76.02XA Initial encounter T76.02XD Subsequent encounter _ . Other Circumstances Related to Child Neglect (824) Z69.010 Encounter for mental health services for victim of child neglect by parent Z69.020 Encounter for mental health services for victim of nonparental child neglect Z62.812 Personal history (past history) of neglect in childhood Z69.011 Encounter for mental health services for perpetrator of parental child neglect Z69.021 Encounter for mental health services for perpetrator of nonparental child neglect Child Psychological Abuse (825) _ . Child Psychological Abuse, Confirmed (825) T74.32XA Initial encounter T74.32XD Subsequent encounter _ . Child Psychological Abuse, Suspected (825) T76.32XA Initial encounter T76.32XD Subsequent encounter _ . Other Circumstances Related to Child Psychological Abuse (825) Z69.010 Encounter for mental health services for victim of child psychological abuse by parent Z69.020 Encounter for mental health services for victim of nonparental child psychological abuse Z62.811 Personal history (past history) of psychological abuse in childhood Z69.011 Encounter for mental health services for perpetrator of parental child psychological abuse Z69.021 Encounter for mental health services for perpetrator of nonparental child psychological abuse Adult Maltreatment and Neglect Problems (825) Spouse or Partner Violence, Physical (825) _ . Spouse or Partner Violence, Physical, Confirmed (825) T74.11XA Initial encounter

T74.11XD Subsequent encounter Ixv _ . Spouse or Partner Violence, Physical, Suspected (826) T76.11XA Initial encounter T76.11XD Subsequent encounter _ . Other Circumstances Related to Spouse or Partner Violence, Physical (826) Z69.11 Encounter for mental health services for victim of spouse or partner violence, physical Z91.410 Personal history (past history) of spouse or partner violence, physical Z69.12 Encounter for mental health services for perpetrator of spouse or partner violence, physical Spouse or Partner Violence, Sexual (826) _ . Spouse or Partner Violence, Sexual, Confirmed (826) T74.21XA Initial encounter T74.21XD Subsequent encounter _ . Spouse or Partner Violence, Sexual, Suspected (826) T76.21XA Initial encounter T76.21XD Subsequent encounter _ . Other Circumstances Related to Spouse or Partner Violence, Sexual (826) Z69.81 Encounter for mental health services for victim of spouse or partner violence, sexual Z91.410 Personal history (past history) of spouse or partner violence, sexual Z69.12 Encounter for mental health services for perpetrator of spouse or partner violence, sexual Spouse or Partner Neglect (826) _ . Spouse or Partner Neglect, Confirmed (826) T74.01XA Initial encounter T74.01XD Subsequent encounter _ . Spouse or Partner Neglect, Suspected (827) T76.01XA Initial encounter T76.01XD Subsequent encounter _ . Other Circumstances Related to Spouse or Partner Neglect (827) Z69.11 Encounter for mental health services for victim of spouse or partner neglect

Z91.412 Personal history (past history) of spouse or partner neglect Z69.12 Encounter for mental health services for perpetrator of spouse or partner neglect Spouse or Partner Abuse, Psychological (827) _ . Spouse or Partner Abuse, Psychological, Confirmed (827) T74.31XA Initial encounter T74.31XD Subsequent encounter Ixvi _ . Spouse or Partner Abuse, Psychological, Suspected (827)

T76.31XA Initial encounter T76.31XD Subsequent encounter _ . Other Circumstances Related to Spouse or Partner Abuse, Psychological (827) Z69.11 Encounter for mental health services for victim of spouse or partner psychological abuse Z91.411 Personal history (past history) of spouse or partner psychological abuse Z69.12 Encounter for mental health services for perpetrator of spouse or partner psychological abuse Adult Abuse by Nonspouse or Nonpartner (827) _ . Adult Physical Abuse by Nonspouse or Nonpartner, Confirmed (828) T74.11XA Initial encounter T74.11XD Subsequent encounter _ . Adult Physical Abuse by Nonspouse or Nonpartner, Suspected (828) T76.11XA Initial encounter T76.11XD Subsequent encounter _ . Adult Sexual Abuse by Nonspouse or Nonpartner, Confirmed (828) T74.21XA Initial encounter T74.21XD Subsequent encounter _ . Adult Sexual Abuse by Nonspouse or Nonpartner, Suspected (828) T76.21XA Initial encounter T76.21XD Subsequent encounter _ . Adult Psychological Abuse by Nonspouse or Nonpartner, Confirmed (828) T74.31XA Initial encounter T74.31XD Subsequent encounter

_ . Adult Psychological Abuse by Nonspouse or Nonpartner, Suspected (828) T76.31XA Initial encounter T76.31XD Subsequent encounter _ . Other Circumstances Related to Adult Abuse by Nonspouse or Nonpartner (828) Z69.81 Encounter for mental health services for victim of nonspousal or nonpartner adult abuse Z69.82 Encounter for mental health services for perpetrator of nonspousal or nonpartner adult abuse Relational Problems (828) _ . Parent-Child Relational Problem (829) Z62.820 Parent-Biological Child (829) Z62.821 Parent-Adopted Child (829) Ixvii Z62.822 Parent-Foster Child (829) Z62.898 Other Caregiver-Child (829) Z62.891 Sibling Relational Problem (829) Z63.0 Relationship Distress With Spouse or Intimate Partner (829) Problems Related to the Family Environment (829) Z62.29 Upbringing Away From Parents (829) Z62.898 Child Affected by Parental Relationship Distress (830) Z63.5 Disruption of Family by Separation or Divorce (830) Z63.8 High Expressed Emotion Level Within Family (830) Educational Problems (830) Z55.0 Illiteracy and Low-Level Literacy (830) Z55.1 Schooling Unavailable and Unattainable (830) Z55.2 Failed School Examinations (830) Z55.3 Underachievement in School (830) Z55.4 Educational Maladjustment and Discord With Teachers and Classmates (830) Z55.8 Problems Related to Inadequate Teaching (830) Z55.9 Other Problems Related to Education and Literacy (830) Occupational Problems (830) Z56.82 Problem Related to Current Military Deployment Status (830) Z56.0 Unemployment (831)

Z56.1 Change of Job (831) Z56.2 Threat of Job Loss (831) Z56.3 Stressful Work Schedule (831) Z56.4 Discord With Boss and Workmates (831) Z56.5 Uncongenial Work Environment (831) Z56.6 Other Physical and Mental Strain Related to Work (831) Z56.81 Sexual Harassment on the Job (831) Z56.9 Other Problem Related to Employment (831) Housing Problems (831) Z59.01 Sheltered Homelessness (831) Z59.02 Unsheltered Homelessness (831) Z59.1 Inadequate Housing (831) Z59.2 Discord With Neighbor, Lodger, or Landlord (831) Z59.3 Problem Related to Living in a Residential Institution (831) Z59.9 Other Housing Problem (831) Economic Problems (831) Z59.41 Food Insecurity (832) Z58.6 Lack of Safe Drinking Water (832) Z59.5 Extreme Poverty (832) Z59.6 Low Income (832) Z59.7 Insufficient Social or Health Insurance or Welfare Support (832) Z59.9 Other Economic Problem (832) Problems Related to the Social Environment (832) Z60.2 Problem Related to Living Alone (832) Z60.3 Acculturation Difficulty (832) Z60.4 Social Exclusion or Rejection (832) Z60.5 Target of (Perceived) Adverse Discrimination or Persecution (832) Z60.9 Other Problem Related to Social Environment (832) Problems Related to Interaction With the Legal System (832) Z65.0 Conviction in Criminal Proceedings Without Imprisonment (833) Z65.1 Imprisonment or Other Incarceration (833) Problems Related to Release From Prison (833) Ixviii

Z65.2 Z65.3 Problems Related to Other Legal Circumstances (833) Problems Related to Other Psychosocial, Personal, and Environmental Circumstances (833) Z72.9 Problem Related to Lifestyle (833) Z64.0 Problems Related to Unwanted Pregnancy (833) Z64.1 Problems Related to Multiparity (833) Z64.4 Discord With Social Service Provider, Including Probation Officer, Case Manager, or Social Services Worker (833) Z65.4 Victim of Crime (833) Z65.4 Victim of Terrorism or Torture (833) Z65.5 Exposure to Disaster, War, or Other Hostilities (833) Problems Related to Access to Medical and Other Health Care (833) Z75.3 Unavailability or Inaccessibility of Health Care Facilities (833) Z75.4 Unavailability or Inaccessibility of Other Helping Agencies (833) Circumstances of Personal History (833) Z91.49 Personal History of Psychological Trauma (833) Z91.82 Personal History of Military Deployment (833) Ixix Other Health Service Encounters for Counseling and Medical Advice (833) Z31.5 Genetic Counseling (833) Z70.9 Sex Counseling (834) Z71.3 Dietary Counseling (834) Z71.9 Other Counseling or Consultation (834) Additional Conditions or Problems That May Be a Focus of Clinical Attention (834) Z91.83 Wandering Associated With a Mental Disorder (834) Z63.4 Uncomplicated Bereavement (834) Z60.0 Phase of Life Problem (834) Z65.8 Religious or Spiritual Problem (834) Z72.811 Adult Antisocial Behavior (835) Z72.810 Child or Adolescent Antisocial Behavior (835) Z91.19 Nonadherence to Medical Treatment (835) Overweight or Obesity (835)

E66.9 Z76.5 Malingering (835) R41.81 Age-Related Cognitive Decline (835) R41.83 Borderline Intellectual Functioning (836)