

09 - Crosswalk from ICD 11 mental, behavioural and neur

- [01 - Crosswalk from ICD 11 mental, behavioural and](#)

01 - Crosswalk from ICD 11 mental, behavioural and Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10

753 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use This table provides a crosswalk or mapping specifically designed for use by clinicians from categories in this ICD-11 chapter on mental, behavioural and neurodevelopmental disorders to the nearest equivalent ICD-10 category. This will be useful, for example, in settings where there has been a shift to use of ICD-11 for clinical purposes, but where data or health reporting systems are still in transition and require the use of ICD-10 codes. Use of this table assumes that the clinician has already made their diagnosis according to the ICD-11 CDDR. This table is not valid for mapping categories from the ICD-10 mental and behavioural disorders to ICD-11 because it does not reflect the full content of the ICD-10 mental and behavioural disorders. This crosswalk is not intended for use in health statistics or in the coding of medical records because, in a substantial number of instances, selecting among multiple possible ICD-10 categories depends on clinical information that will not be available in those contexts. Additional information to assist clinicians in making these distinctions is provided in the “Notes” column on the right. In the table that follows, the ICD-11 categories are listed in the left column in the order in which they appear in the classification. The closest available ICD-10 category to represent that ICD-11 disorder (i.e. the preferred code) is provided as the first entry in the middle column. Many of these are 4-character ICD-10 codes (e.g. F80.1), but in other instances a 3-character code (e.g. F20) or a 5-character code (e.g. F10.24) best captures the ICD-11 category. Where ICD-10 5-character codes appear, these are taken from The ICD-10 classification of mental and behavioural disorders: clinical descriptions and diagnostic guidelines, which in some cases include more detailed coding options than the statistical version of ICD-10. Data systems and/or reporting requirements in some health

systems and countries may require that 4-character ICD-10 codes are used if they are available, so that a 3-character code is not accepted if a 4-character subcategory exists. Similarly, many data systems do not accept 5-character ICD-10 codes, allowing a maximum of 4 characters. In situations in which the nearest equivalent ICD-10 category is not a 4-character code, a 4-character coding option is also provided. Additional coding or reporting requirements vary widely across settings and countries. The mappings provided here may therefore require adjustment based on the requirements of the specific clinical setting. This crosswalk is not intended to contravene any guidance that may be provided by the relevant health system or government. In a couple of specific instances (e.g. ICD-11 Body dysmorphic disorder), coding information provided in The ICD-10 classification of mental and behavioural disorders: clinical descriptions and diagnostic guidelines is not consistent with current evidence. The mappings provided in the table are consistent with the ICD-11 conceptualizations in these cases, with such deviations described in the "Notes" column.

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes Neurodevelopmental disorders 6A00 Disorders of intellectual development 6A00.0 Disorder of intellectual development, mild F70 Mild mental retardation 4-character code: F70.9 Mild mental retardation without mention of impairment of behaviour 6A00.1 Disorder of intellectual development, moderate F71 Moderate mental retardation 4-character code: F71.9 Moderate mental retardation without mention of impairment of behaviour 6A00.2 Disorder of intellectual development, severe F72 Severe mental retardation 4-character code: F72.9 Severe mental retardation without mention of impairment of behaviour 6A00.3 Disorder of intellectual development, profound F73 Profound mental retardation 4-character code: F73.9 Profound mental retardation without mention of impairment of behaviour 6A00.4 Disorder of intellectual development, provisional F78 Other mental retardation 4-character code: F78.9 Other mental retardation without mention of impairment of behaviour 6A00.Z Disorder of intellectual development, unspecified F79 Unspecified mental retardation 4-character code: F79.9 Unspecified mental retardation without mention of impairment of behaviour 6A01 Developmental speech and language disorders F80 Specific developmental disorders of speech and language 6A01.0 Developmental speech sound disorder F80.0 Specific speech articulation disorder 6A01.1 Developmental speech fluency disorder F98.5 Stuttering [stammering] AND/OR F98.6 Cluttering Select the appropriate category based on clinical presentation. There is no diagnostic distinction in ICD11 between the forms of speech dysfluency described in ICD-10 as stuttering and cluttering.

755 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6A01.2 Developmental language disorder See below For clinical purposes, the type of language impairment (e.g. receptive, expressive, other) should be specified. If no information is available about the type of language impairment, F80.9 Developmental disorder of speech or language, unspecified, can be used. 6A01.20 Developmental language disorder with impairment of receptive and expressive language F80.1 Expressive language disorder AND F80.2 Receptive language disorder 6A01.21 Developmental language disorder with impairment of mainly expressive language F80.1 Expressive language disorder 6A01.22 Developmental language disorder with impairment of mainly pragmatic language F80.8 Other developmental disorders of speech and language 6A01.23 Developmental language disorder with other specified language impairment F80.8 Other developmental disorders of speech and language 6A01.Y Other specified developmental speech or language disorder F80.8 Other developmental disorders of speech and

language 6A01.Z Developmental speech or language disorder, unspecified F80.9 Developmental disorder of speech and language, unspecified 6A02 Autism spectrum disorder F84.0 Childhood autism OR F84.1 Atypical autism OR F84.5 Asperger syndrome Use F84.1 if it is unclear that onset was prior to the age of 3 years (keeping in mind that people may come to clinical attention much later). Regardless of onset, use F84.5 if there is no general impairment in intellectual functioning or functional language. 6A02.0 Autism spectrum disorder without disorder of intellectual development and with mild or no impairment of functional language F84.5 Asperger syndrome 6A02.1 Autism spectrum disorder with disorder of intellectual development and with mild or no impairment of functional language F84.0 Childhood autism OR F84.1 Atypical autism Use F84.1 if it is unclear that onset was prior to the age of 3 years (keeping in mind that people may come to clinical attention much later). 6A02.2 Autism spectrum disorder without disorder of intellectual development and with impaired functional language F84.0 Childhood autism OR F84.1 Atypical autism Use F84.1 if it is unclear that onset was prior to the age of 3 years (keeping in mind that people may come to clinical attention much later). 6A02.3 Autism spectrum disorder with disorder of intellectual development and with impaired functional language F84.0 Childhood autism OR F84.1 Atypical autism Use F84.1 if it is unclear that onset was prior to the age of 3 years (keeping in mind that people may come to clinical attention much later).

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6A02.5 Autism spectrum disorder with disorder of intellectual development and with complete, or almost complete, absence of functional language F84.0 Childhood autism OR F84.1 Atypical autism Use F84.1 if it is unclear that onset was prior to the age of 3 years (keeping in mind that people may come to clinical attention much later). 6A02.Y Other specified autism spectrum disorder F84.0 Childhood autism OR F84.1 Atypical autism OR F84.5 Asperger syndrome Use F84.1 if it is unclear that onset was prior to the age of 3 years (keeping in mind that people may come to clinical attention much later). Regardless of onset, use F84.5 if there is no general impairment in intellectual functioning or functional language. 6A02.Z Autism spectrum disorder, unspecified F84.9 Pervasive developmental disorder, unspecified 6A03 Developmental learning disorder F81 Specific developmental disorders of scholastic skills 6A03.0 Developmental learning disorder with impairment in reading F81.0 Specific reading disorder 6A03.1 Developmental learning disorder with impairment in written expression F81.1 Specific spelling disorder AND/OR F81.8 Other developmental disorders of scholastic skills ICD-11 6A03.1 also includes expressive writing impairment. If the impairment is in an area other than spelling, then F81.8 Other developmental disorders of scholastic skills may be used instead. Both ICD-10 diagnoses may be assigned if appropriate. 6A03.2 Developmental learning disorder with impairment in mathematics F81.2 Specific disorder of arithmetical skills 6A03.3 Developmental learning disorder with other specified impairment of learning F81.8 Other developmental disorders of scholastic skills 6A03.Z Developmental learning disorder, unspecified F81.9 Developmental disorder of scholastic skills, unspecified 6A04 Developmental motor coordination disorder F82 Specific developmental disorder or motor function 6A05 Attention deficit hyperactivity disorder F90 Hyperkinetic disorders OR F98.8 Other specified behavioural and emotional disorders with onset usually occurring in childhood and adolescence Use F98.8 if there are no hyperactive/impulsive symptoms. 6A05.0 Attention deficit hyperactivity disorder with predominantly inattentive presentation F90 Hyperkinetic disorders OR F98.8 Other specified behavioural and emotional disorders with onset usually occurring in childhood and adolescence Use F98.8 if there are no hyperactive/impulsive symptoms. 6A05.1 Attention deficit hyperactivity disorder with predominantly

hyperactive-impulsive presentation F90.8 Other hyperkinetic disorder 6A05.2 Attention deficit hyperactivity disorder with combined presentation F90.0 Hyperkinetic disorder with disturbance of activity and attention

757 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6A05.Y Attention deficit hyperactivity disorder with other specified presentation F90.8 Other hyperkinetic disorders OR F98.8 Other specified behavioural and emotional disorders with onset usually occurring in childhood and adolescence Use F98.8 if there are no hyperactive/impulsive symptoms. 6A05.Z Attention deficit hyperactivity disorder, presentation unspecified F98.9 Unspecified behavioural and emotional disorders with onset usually occurring in childhood and adolescence 6A06 Stereotyped movement disorder F98.4 Stereotyped movement disorders 6A06.0 Stereotyped movement disorder without self-injury F98.4 Stereotyped movement disorders 6A06.1 Stereotyped movement disorder with self-injury F98.4 Stereotyped movement disorders 6A06.Z Stereotyped movement disorder, unspecified F98.4 Stereotyped movement disorders 8A05.0 Primary tics and tic disorders F95 Tic disorders 8A05.00 Tourette syndrome F95.2 Combined vocal and multiple motor tic disorder [de la Tourette] 8A05.01 Chronic motor tic disorder F95.1 Chronic motor or vocal tic disorder 8A05.02 Chronic phonic tic disorder F95.1 Chronic motor or vocal tic disorder 8A05.0Y Other specified primary tics and tic disorder F95.8 Other tic disorders 8A05.0Z Primary tics and tic disorder, unspecified F95.9 Tic disorder, unspecified 6A0Y Other specified neurodevelopmental disorder F88 Other disorders of psychological development No 4-character code available 6A0Z Neurodevelopmental disorder, unspecified F89 Unspecified disorder of psychological development No 4-character code available Schizophrenia and other primary psychotic disorders 6A20 Schizophrenia F20 Schizophrenia 4-character code: F20.9 Schizophrenia, unspecified 6A20.0 Schizophrenia, first episode (including all subcategories 6A20.00–6A20.0Z) F20 Schizophrenia 4-character code: F20.8 Other schizophrenia 6A20.1 Schizophrenia, multiple episodes (including all subcategories 6A20.10–6A20.1Z) F20 Schizophrenia 4-character code: F20.8 Other schizophrenia

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6A20.2 Schizophrenia, continuous (including all subcategories 6A20.20–6A20.2Z) F20 Schizophrenia 4-character code: F20.8 Other schizophrenia 6A20.Y Other specified episode of schizophrenia F20 Schizophrenia 4-character code: F20.8 Other schizophrenia 6A20.Z Schizophrenia, episode unspecified F20 Schizophrenia 4-character code: F20.8 Other schizophrenia 6A21 Schizoaffective disorder F25 Schizoaffective disorders 4-character code: F25.9 Schizoaffective disorder, unspecified 6A21.0 Schizoaffective disorder, first episode (including all subcategories 6A21.00–6A21.0Z) F25 Schizoaffective disorders 4-character code: F25.8 Other schizoaffective disorders 6A21.1 Schizoaffective disorder, multiple episodes (including all subcategories 6A21.10–6A21.1Z) F25 Schizoaffective disorders 4-character code: F25.8 Other schizoaffective disorders 6A21.2 Schizoaffective disorder, continuous (including all subcategories 6A21.20–6A21.2Z) F25 Schizoaffective disorders 4-character code: F25.8 Other schizoaffective disorders 6A21.Y Other specified schizoaffective disorder F25 Schizoaffective disorders 4-character code: F25.8 Other schizoaffective disorders 6A21.Z Schizoaffective disorder, unspecified F25 Schizoaffective disorders 4-character code: F25.8 Other schizoaffective disorders 6A22 Schizotypal disorder F21 Schizotypal disorder No 4-character code available 6A23 Acute and transient psychotic disorder F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia 6A23.0 Acute and transient psychotic disorder, first episode (including all

subcategories 6A23.00–6A23.0Z) F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia 6A23.1 Acute and transient psychotic disorder, multiple episodes (including all subcategories 6A23.10–6A23.1Z) F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia 6A23.Y Other specified acute and transient psychotic disorder F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia

759 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6A23.Z Acute and transient psychotic disorder, unspecified F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia 6A24 Delusional disorder F22.0 Delusional disorder 6A24.0 Delusional disorder, currently symptomatic F22.0 Delusional disorder 6A24.1 Delusional disorder, in partial remission F22.0 Delusional disorder 6A24.2 Delusional disorder, in full remission F22.0 Delusional disorder 6A24.Z Delusional disorder, unspecified F22.0 Delusional disorder 6A2Y Other specified primary psychotic disorder F28 Other nonorganic psychotic disorders No 4-character code available 6A2Z Schizophrenia or other primary psychotic disorder, unspecified F29 Unspecified nonorganic psychosis No 4-character code available Catatonia 6A40 Catatonia associated with another mental disorder F20.2 Catatonic schizophrenia OR F99 Mental disorder, not otherwise specified F20.2 should only be used when the associated mental disorder is schizophrenia. 6A41 Catatonia induced by substances or medications F19.8 Other mental and behavioural disorders due to multiple drug use and use of other psychoactive substances 6A4Z Catatonia, unspecified F99 Mental disorder, not otherwise specified Mood disorders Bipolar and related disorders 6A60 Bipolar type I disorder F31 Bipolar affective disorder 4-character code: F31.9 Bipolar affective disorder, unspecified 6A60.0 Bipolar type I disorder, current episode manic, without psychotic symptoms F31.1 Bipolar affective disorder, current episode manic without psychotic symptoms 6A60.1 Bipolar type I disorder, current episode manic, with psychotic symptoms F31.2 Bipolar affective disorder, current episode manic with psychotic symptoms 6A60.2 Bipolar type I disorder, current episode hypomanic F31.0 Bipolar affective disorder, current episode hypomanic 6A60.3 Bipolar type I disorder, current episode depressive, mild F31.3 Bipolar affective disorder, current episode mild or moderate depression 6A60.4 Bipolar type I disorder, current episode depressive, moderate without psychotic symptoms F31.3 Bipolar affective disorder, current episode mild or moderate depression 6A60.5 Bipolar type I disorder, current episode depressive, moderate with psychotic symptoms F31.5 Bipolar affective disorder, current episode severe depression with psychotic symptoms In ICD-10, the presence of psychotic symptoms in the context of a depressive episode means that the episode is automatically rated as severe.

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6A60.6 Bipolar type I disorder, current episode depressive, severe without psychotic symptoms F31.4 Bipolar affective disorder, current episode severe depression without psychotic symptoms 6A60.7 Bipolar type I disorder, current episode depressive, severe with psychotic symptoms F31.5 Bipolar affective disorder, current episode severe depression with psychotic symptoms 6A60.8 Bipolar type I disorder, current episode depressive, unspecified severity F31.9 Bipolar affective disorder, unspecified 6A60.9 Bipolar type I disorder, current episode mixed, without psychotic symptoms F31.6 Bipolar affective disorder, current episode mixed 6A60.A Bipolar type I disorder, current episode mixed, with psychotic symptoms F31.6 Bipolar affective disorder, current episode mixed 6A60.B Bipolar type I disorder, currently in partial remission, most recent episode manic or hypomanic F31.8 Other bipolar

affective disorders 6A60.C Bipolar type I disorder, currently in partial remission, most recent episode depressive F31.8 Other bipolar affective disorders 6A60.D Bipolar type I disorder, currently in partial remission, most recent episode mixed F31.8 Other bipolar affective disorders 6A60.E Bipolar type I disorder, currently in partial remission, most recent episode unspecified F31.8 Other bipolar affective disorders 6A60.F Bipolar type I disorder, currently in full remission F31.7 Bipolar affective disorder, currently in remission 6A60.Y Other specified bipolar type I disorder F31.8 Other bipolar affective disorders 6A60.Z Bipolar type I disorder, unspecified F31.9 Bipolar affective disorder, unspecified 6A61 Bipolar type II disorder F31 Bipolar affective disorder 6A61.0 Bipolar type II disorder, current episode hypomanic F31.0 Bipolar affective disorder, current episode hypomanic 6A61.1 Bipolar type II disorder, current episode depressive, mild F31.3 Bipolar affective disorder, current episode mild or moderate depression 6A61.2 Bipolar type II disorder, current episode depressive, moderate without psychotic symptoms F31.3 Bipolar affective disorder, current episode mild or moderate depression 6A61.3 Bipolar type II disorder, current episode depressive, moderate with psychotic symptoms F31.5 Bipolar affective disorder, current episode severe depression with psychotic symptoms In ICD-10, the presence of psychotic symptoms in the context of a depressive episode means that the episode is automatically rated as severe. 6A61.4 Bipolar type II disorder, current episode depressive, severe without psychotic symptoms F31.4 Bipolar affective disorder, current episode severe depression without psychotic symptoms 6A61.5 Bipolar type II disorder, current episode depressive, severe with psychotic symptoms F31.5 Bipolar affective disorder, current episode severe depression with psychotic symptoms 6A61.6 Bipolar type II disorder, current episode depressive, unspecified severity F31.9 Bipolar affective disorder, unspecified 6A61.7 Bipolar type II disorder, currently in partial remission, most recent episode hypomanic F31.8 Other bipolar affective disorders 6A61.8 Bipolar type II disorder, currently in partial remission, most recent episode depressive F31.8 Other bipolar affective disorders 6A61.9 Bipolar type II disorder, currently in partial remission, most recent episode unspecified F31.8 Other bipolar affective disorders 6A61.A Bipolar type II disorder, currently in full remission F31.7 Bipolar affective disorder, currently in remission 6A61.Y Other specified bipolar type II disorder F31.8 Other bipolar affective disorders

761 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6A61.Z Bipolar type II disorder, unspecified F31.9 Bipolar affective disorder, unspecified 6A62 Cyclothymic disorder F34.0 Cyclothymia 6A6Y Other specified bipolar or related disorder F31.8 Other bipolar affective disorders 6A6Z Bipolar or related disorder, unspecified F31.9 Bipolar affective disorder, unspecified Depressive disorders 6A70 Single episode depressive disorder F32 Depressive episode 4-character code: F32.9 Depressive episode, unspecified 6A70.0 Single episode depressive disorder, mild F32.0 Mild depressive episode 6A70.1 Single episode depressive disorder, moderate, without psychotic symptoms F32.1 Moderate depressive episode 6A70.2 Single episode depressive disorder, moderate, with psychotic symptoms F32.3 Severe depressive episode with psychotic symptoms In ICD-10, the presence of psychotic symptoms in the context of a depressive episode means that the episode is automatically rated as severe. 6A70.3 Single episode depressive disorder, severe, without psychotic symptoms F32.2 Severe depressive episode without psychotic symptoms 6A70.4 Single episode depressive disorder, severe, with psychotic symptoms F32.3 Severe depressive episode with psychotic symptoms 6A70.5 Single episode depressive disorder, unspecified severity F32.9 Depressive episode, unspecified 6A70.6 Single episode depressive disorder, currently in partial remission F32.8 Other depressive episodes 6A70.7 Single episode depressive disorder, currently in

full remission No diagnosis In ICD-10, remission can only apply to recurrent depressive disorder. If an ICD-10 code must be provided, the most appropriate option would be F32.9 Depressive episode, unspecified. 6A70.Y Other specified single episode depressive disorder F32.8 Other depressive episodes 6A70.Z Single episode depressive disorder, unspecified F32.9 Depressive episode, unspecified 6A71 Recurrent depressive disorder F33.0 Recurrent depressive disorder OR F33.9 Recurrent depressive disorder, unspecified 6A71.0 Recurrent depressive disorder, current episode mild F33.0 Recurrent depressive disorder, current episode mild 6A71.1 Recurrent depressive disorder, current episode moderate, without psychotic symptoms F33.1 Recurrent depressive disorder, current episode moderate

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6A71.2 Recurrent depressive disorder, current episode moderate, with psychotic symptoms F33.3 Recurrent depressive disorder, current episode severe with psychotic symptoms In ICD-10, the presence of psychotic symptoms in the context of a depressive episode means that the episode is automatically rated as severe. 6A71.3 Recurrent depressive disorder, current episode severe, without psychotic symptoms F33.2 Recurrent depressive disorder, current episode severe without psychotic symptoms 6A71.4 Recurrent depressive disorder, current episode severe, with psychotic symptoms F33.3 Recurrent depressive disorder, current episode severe with psychotic symptoms 6A71.5 Recurrent depressive disorder, current episode, unspecified severity F33.9 Recurrent depressive disorder, unspecified 6A71.6 Recurrent depressive disorder, currently in partial remission F33.8 Other recurrent depressive disorders 6A71.7 Recurrent depressive disorder, currently in full remission F33.4 Recurrent depressive disorder, currently in remission 6A71.Y Other specified recurrent depressive disorder F33.8 Other recurrent depressive disorders 6A71.Z Recurrent depressive disorder, unspecified F33.9 Recurrent depressive disorder, unspecified 6A72 Dysthymic disorder F34.1 Dysthymia 6A73 Mixed depressive and anxiety disorder F41.2 Mixed anxiety and depressive disorder 6A7Y Other specified depressive disorder F38.8 Other specified mood [affective] disorder 6A7Z Depressive disorder, unspecified F39 Unspecified mood [affective] disorder No 4-character code available 6A8Y Other specified mood disorder F38.8 Other specified mood [affective] disorder 6A8Z Mood disorder, unspecified F39 Unspecified mood [affective] disorder No 4-character code available Anxiety and fear-related disorders 6B00 Generalized anxiety disorder F41.1 Generalized anxiety disorder 6B01 Panic disorder F41.0 Panic disorder [episodic paroxysmal anxiety] 6B02 Agoraphobia F40.0 Agoraphobia 6B03 Specific phobia F40.2 Specific (isolated) phobias OR F93.1 Phobic anxiety disorder of childhood Use F93.1 if the individual is less than 18 years of age. 6B04 Social anxiety disorder F40.1 Social phobias OR F93.2 Social anxiety disorder of childhood Use F93.2 if the individual is less than 6 years of age. 6B05 Separation anxiety disorder F41.8 Other specified anxiety disorders OR F93.0 Separation anxiety disorder of childhood Use F93.0 if the individual is less than 6 years of age. 6B06 Selective mutism F94.0 Elective mutism

763 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6B0Y Other specified anxiety or fear-related disorder F40.8 Other phobic anxiety disorders OR F41.8 Other specified anxiety disorders Use F40.8 if there is a specific external stimulus or situation that triggers the anxiety symptoms; otherwise, use 41.8. 6B0Z Anxiety or fear-related disorder, unspecified F40.9 Phobic anxiety disorder, unspecified OR F41.9 Anxiety disorder, unspecified Use F40.9 if there is a specific external stimulus or situation that triggers the anxiety symptoms; otherwise, use 41.9. Obsessive-compulsive and related

disorders 6B20 Obsessive-compulsive disorder F42 Obsessive-compulsive disorder 4-character code: F42.9 Obsessive-compulsive disorder, unspecified 6B20.0 Obsessive-compulsive disorder with fair to good insight F42 Obsessive-compulsive disorder 4-character code: F42.9 Obsessive-compulsive disorder, unspecified 6B20.1 Obsessive-compulsive disorder with poor to absent insight F42 Obsessive-compulsive disorder 4-character code: F42.9 Obsessive-compulsive disorder, unspecified 6B20.Z Obsessive-compulsive disorder, unspecified F42.9 Obsessive-compulsive disorder, unspecified 6B21 Body dysmorphic disorder F42.8 Other obsessive-compulsive disorders Mapping to F45.2 Hypochondriacal disorder is inconsistent with the ICD-11 conceptualization of body dysmorphic disorder. 6B21.0 Body dysmorphic disorder with fair to good insight F42.8 Other obsessive-compulsive disorders 6B21.1 Body dysmorphic disorder with poor to absent insight F42.8 Other obsessive-compulsive disorders Mapping to F22.8 Other persistent delusional disorders is inconsistent with the ICD-11 conceptualization of body dysmorphic disorder. 6B21.Z Body dysmorphic disorder, unspecified F42.8 Other obsessive-compulsive disorders 6B22 Olfactory reference disorder F42.8 Other obsessive-compulsive disorders 6B22.0 Olfactory reference disorder with fair to good insight F42.8 Other obsessive-compulsive disorders 6B22.1 Olfactory reference disorder with poor to absent insight F42.8 Other obsessive-compulsive disorders 6B22.Z Olfactory reference disorder, unspecified F42.8 Other obsessive-compulsive disorders 6B23 Hypochondriasis F45.2 Hypochondriacal disorder 6B23.0 Hypochondriasis with fair to good insight F45.2 Hypochondriacal disorder

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6B23.1 Hypochondriasis with poor to absent insight F45.2 Hypochondriacal disorder 6B23.Z Hypochondriasis, unspecified F45.2 Hypochondriacal disorder 6B24 Hoarding disorder F42.8 Other obsessive-compulsive disorders 6B24.0 Hoarding disorder with fair to good insight F42.8 Other obsessive-compulsive disorders 6B24.1 Hoarding disorder with poor to absent insight F42.8 Other obsessive-compulsive disorders 6B24.Z Hoarding disorder, unspecified F42.8 Other obsessive-compulsive disorders 6B25 Body-focused repetitive behaviour disorders F63.8 Other habit and impulse disorders 6B25.0 Trichotillomania (hair-pulling disorder) F63.3 Trichotillomania 6B25.1 Excoriation (skin-picking) disorder F63.8 Other habit and impulse disorders 6B25.Y Other specified body-focused repetitive behaviour disorder F63.8 Other habit and impulse disorders 6B25.Z Body-focused repetitive behaviour disorder, unspecified F63.9 Habit and impulse disorder, unspecified 6B2Y Other specified obsessive-compulsive or related disorder F42.8 Other obsessive-compulsive disorders 6B2Z Obsessive-compulsive or related disorder, unspecified F42.9 Obsessive-compulsive disorder, unspecified Disorders specifically associated with stress 6B40 Post-traumatic stress disorder F43.1 Post-traumatic stress disorder 6B41 Complex post-traumatic stress disorder F43.1 Post-traumatic stress disorder AND F62.0 Enduring personality change after catastrophic experience 6B42 Prolonged grief disorder F43.8 Other reactions to severe stress Mapping to F43.2 Adjustment disorders is inconsistent with the ICD-11 conceptualization of prolonged grief disorder. 6B43 Adjustment disorder F43.2 Adjustment disorders 6B44 Reactive attachment disorder F94.1 Reactive attachment disorder of childhood 6B45 Disinhibited social engagement disorder F94.2 Disinhibited attachment disorder of childhood 6B4Y Other specified disorder specifically associated with stress F43.8 Other reactions to severe stress 6B4Z Disorder specifically associated with stress, unspecified F43.9 Reaction to severe stress, unspecified QE84 Acute stress reaction F43.0 Acute stress reaction Dissociative disorders 6B60 Dissociative neurological symptom disorder F44.9 Dissociative [conversion] disorder, unspecified 6B60.0 Dissociative neurological symptom disorder

with visual disturbance F44.6 Dissociative anaesthesia and sensory loss 6B60.1 Dissociative neurological symptom disorder with auditory disturbance F44.6 Dissociative anaesthesia and sensory loss 6B60.2 Dissociative neurological symptom disorder with vertigo or dizziness F44.6 Dissociative anaesthesia and sensory loss

765 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6B60.3 Dissociative neurological symptom disorder with other sensory disturbance F44.6 Dissociative anaesthesia and sensory loss 6B60.4 Dissociative neurological symptom disorder with non-epileptic seizures F44.5 Dissociative convulsions 6B60.5 Dissociative neurological symptom disorder with speech disturbance F44.4 Dissociative motor disorders 6B60.6 Dissociative neurological symptom disorder with paresis or weakness F44.4 Dissociative motor disorders 6B60.7 Dissociative neurological symptom disorder with gait disturbance F44.4 Dissociative motor disorders 6B60.8 Dissociative neurological symptom disorder with movement disturbance F44.4 Dissociative motor disorders 6B60.80 Dissociative neurological symptom disorder with chorea F44.4 Dissociative motor disorders 6B60.81 Dissociative neurological symptom disorder with myoclonus F44.4 Dissociative motor disorders 6B60.82 Dissociative neurological symptom disorder with tremor F44.4 Dissociative motor disorders 6B60.83 Dissociative neurological symptom disorder with dystonia F44.4 Dissociative motor disorders 6B60.84 Dissociative neurological symptom disorder with facial spasm F44.4 Dissociative motor disorders 6B60.85 Dissociative neurological symptom disorder with parkinsonism F44.4 Dissociative motor disorders 6B60.8Y Dissociative neurological symptom disorder with other specified movement disturbance F44.4 Dissociative motor disorders 6B60.8Z Dissociative neurological symptom disorder with unspecified movement disturbance F44.4 Dissociative motor disorders 6B60.9 Dissociative neurological symptom disorder with cognitive symptoms F44.8 Other dissociative [conversion] disorders 6B60.Y Dissociative neurological symptom disorder with other specified symptoms F44.8 Other dissociative [conversion] disorders 6B60.Z Dissociative neurological symptom disorder with unspecified symptoms F44.9 Dissociative [conversion] disorder, unspecified 6B61 Dissociative amnesia F44.0 Dissociative amnesia 6B61.0 Dissociative amnesia with dissociative fugue F44.1 Dissociative fugue 6B61.1 Dissociative amnesia without dissociative fugue F44.0 Dissociative amnesia 6B61.Z Dissociative amnesia, unspecified F44.0 Dissociative amnesia 6B62 Trance disorder F44.3 Trance and possession disorders 6B63 Possession trance disorder F44.3 Trance and possession disorders 6B64 Dissociative identity disorder F44.81 Multiple personality disorder 4-character code: F44.8 Other dissociative [conversion] disorder 6B65 Partial dissociative identity disorder F44.8 Other dissociative [conversion] disorder 6B66 Depersonalization-derealization disorder F48.1 Depersonalization-derealization syndrome 6B6Y Other specified dissociative disorder F44.8 Other dissociative [conversion] disorders 6B6Z Dissociative disorder, unspecified F44.9 Dissociative [conversion] disorder, unspecified

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes Feeding and eating disorders 6B80 Anorexia nervosa F50.0 Anorexia nervosa OR F50.1 Atypical anorexia nervosa For ICD-10 F50.0, diagnostic requirements include BMI of less than 17.5, plus: amenorrhoea in women; loss of sexual interest and erectile dysfunction in men; or delayed puberty in adolescents. Otherwise, use F50.1. 6B80.0 Anorexia nervosa with significantly low body weight F50.0 Anorexia nervosa OR F50.1 Atypical anorexia nervosa See 6B80. 6B80.00 Anorexia nervosa with significantly low body weight,

restricting pattern F50.0 Anorexia nervosa OR F50.1 Atypical anorexia nervosa See 6B80.
6B80.01 Anorexia nervosa with significantly low body weight, binge-purge pattern F50.0 Anorexia nervosa OR F50.1 Atypical anorexia nervosa See 6B80. 6B80.0Z Anorexia nervosa with significantly low body weight, unspecified F50.0 Anorexia nervosa OR F50.1 Atypical anorexia nervosa See 6B80. 6B80.1 Anorexia nervosa with dangerously low body weight F50.0 Anorexia nervosa 6B80.10 Anorexia nervosa with dangerously low body weight, restricting pattern F50.0 Anorexia nervosa 6B80.11 Anorexia nervosa with dangerously low body weight, binge-pure pattern F50.0 Anorexia nervosa 6B80.1Z Anorexia nervosa with dangerously low body weight, unspecified F50.0 Anorexia nervosa 6B80.2 Anorexia nervosa in recovery with normal body weight F50.1 Atypical anorexia nervosa 6B80.Y Other specified anorexia nervosa F50.1 Atypical anorexia nervosa 6B80.Z Anorexia nervosa, unspecified F50.0 Anorexia nervosa OR F50.1 Atypical anorexia nervosa For ICD-10 F50.0, diagnostic requirements include BMI of less than 17.5, plus: amenorrhoea in women; loss of sexual interest and erectile dysfunction in men; or delayed puberty in adolescents. Otherwise, use F50.1. 6B81 Bulimia nervosa F50.2 Bulimia nervosa 6B82 Binge-eating disorder F50.8 Other eating disorders 6B83 Avoidant-restrictive food intake disorder F98.2 Feeding disorder of infancy or childhood OR F50.8 Other eating disorders Use F98.2 if the individual is less than 12 years of age; otherwise, use F50.8.

767 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6B84 Pica F98.3 Pica of infancy and childhood OR F50.8 Other eating disorders Use F98.3 if the individual is less than 12 years of age; otherwise, use F50.8. 6B85 Rumination-regurgitation disorder F98.2 Feeding disorder of infancy and childhood OR F50.8 Other eating disorders Use F98.2 if the individual is less than 12 years of age; otherwise, use F50.8. 6B8Y Other specified feeding or eating disorder F50.8 Other eating disorders 6B8Z Feeding or eating disorder, unspecified F50.9 Eating disorder, unspecified Elimination disorders 6C00 Enuresis F98.0 Nonorganic enuresis 6C00.0 Nocturnal enuresis F98.0 Nonorganic enuresis 6C00.1 Diurnal enuresis F98.0 Nonorganic enuresis 6C00.2 Nocturnal and diurnal enuresis F98.0 Nonorganic enuresis 6C00.Z Enuresis, unspecified F98.0 Nonorganic enuresis 6C01 Encopresis F98.1 Nonorganic encopresis 6C01.0 Encopresis with constipation or overflow incontinence F98.1 Nonorganic encopresis 6C01.1 Encopresis without constipation or overflow incontinence F98.1 Nonorganic encopresis 6C01.Z Encopresis, unspecified F98.1 Nonorganic encopresis 6C0Z Elimination disorder, unspecified F98.1 Nonorganic encopresis Disorders of bodily distress or bodily experience 6C20 Bodily distress disorder F45.9 Somatoform disorder, unspecified 6C20.0 Mild bodily distress disorder F45.4 Persistent somatoform pain disorder OR F45.9 Somatoform disorder, unspecified Use F45.4 if the primary symptom is pain. 6C20.1 Moderate bodily distress disorder F45.4 Persistent somatoform pain disorder OR F45.9 Somatoform disorder, unspecified Use F45.4 if the primary symptom is pain. 6C20.2 Severe bodily distress disorder F45.0 Somatization disorder OR F45.4 Persistent somatoform pain disorder OR F45.9 Somatoform disorder, unspecified Use F45.4 if the primary symptom is pain. Use F45.0 if there is a history of multiple and variable bodily symptoms. 6C20.Z Bodily distress disorder, unspecified F45.9 Somatoform disorder, unspecified 6C21 Body integrity dysphoria F99 Unspecified mental disorder

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C2Y Other specified disorder of bodily distress or bodily experience F99 Unspecified mental disorder No 4-character code available 6C2Z Disorder of bodily distress or bodily experience, unspecified F99 Unspecified mental disorder

No 4-character code available Disorders due to substance use or addictive behaviours Disorders due to substance use 6C40 Disorders due to use of alcohol F10 Mental and behavioural disorders due to use of alcohol 6C40.0 Episode of harmful use of alcohol F10.8 Mental and behavioural disorders due to use of alcohol: other mental and behavioural disorders 6C40.1 Harmful pattern of use of alcohol F10.1 Mental and behavioural disorders due to use of alcohol: harmful use 6C40.10 Harmful pattern of use of alcohol, episodic F10.1 Mental and behavioural disorders due to use of alcohol: harmful use 6C40.11 Harmful pattern of use of alcohol, continuous F10.1 Mental and behavioural disorders due to use of alcohol: harmful use 6C40.1Z Harmful pattern of use of alcohol, unspecified F10.1 Mental and behavioural disorders due to use of alcohol: harmful use 6C40.2 Alcohol dependence F10.2 Mental and behavioural disorders due to use of alcohol: dependence syndrome 6C40.20 Alcohol dependence, current use, continuous F10.25 Mental and behavioural disorders due to use of alcohol: dependence syndrome, continuous use 4-character code: F10.2 Mental and behavioural disorders due to use of alcohol: dependence syndrome 6C40.21 Alcohol dependence, current use, episodic F10.26 Mental and behavioural disorders due to use of alcohol: dependence syndrome episodic use 4-character code: F10.2 Mental and behavioural disorders due to use of alcohol: dependence syndrome 6C40.22 Alcohol dependence, early full remission F10.20 Mental and behavioural disorders due to use of alcohol: dependence syndrome, currently abstinent OR F10.21 Mental and behavioural disorders due to use of alcohol: dependence syndrome, currently abstinent, but in a protected environment OR F10.23 Mental and behavioural disorders due to use of alcohol: dependence syndrome, currently abstinent, but receiving treatment with aversive or blocking drugs (e.g. naltrexone or disulfiram) 4-character code: F10.2 Mental and behavioural disorders due to use of alcohol: dependence syndrome Select the appropriate category based on clinical context.

769 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C40.23 Alcohol dependence, sustained partial remission F10.24 Mental and behavioural disorders due to use of alcohol: dependence syndrome, currently using the substance [active dependence] 4-character code: F10.2 Mental and behavioural disorders due to use of alcohol: dependence syndrome 6C40.24 Alcohol dependence, sustained full remission F10.20 Mental and behavioural disorders due to use of alcohol: dependence syndrome, currently abstinent 4-character code: F10.2 Mental and behavioural disorders due to use of alcohol: dependence syndrome 6C40.2Z Alcohol dependence, unspecified F10.2 Mental and behavioural disorders due to use of alcohol: dependence syndrome 6C40.3 Alcohol intoxication F10.0 Mental and behavioural disorders due to use of alcohol: acute intoxication 6C40.4 Alcohol withdrawal F10.3 Mental and behavioural disorders due to use of alcohol withdrawal state 6C40.40 Alcohol withdrawal, uncomplicated F10.30 Mental and behavioural disorders due to use of alcohol withdrawal state, uncomplicated 4-character code: F10.3 Mental and behavioural disorders due to use of alcohol withdrawal state 6C40.41 Alcohol withdrawal with perceptual disturbances F10.3 Mental and behavioural disorders due to use of alcohol withdrawal state 6C40.42 Alcohol withdrawal with seizures F10.31 Mental and behavioural disorders due to use of alcohol withdrawal state, with convulsions 4-character code: F10.3 Mental and behavioural disorders due to use of alcohol withdrawal state 6C40.43 Alcohol withdrawal with perceptual disturbances and seizures F10.31 Mental and behavioural disorders due to use of alcohol withdrawal state, with convulsions 4-character code: F10.3 Mental and behavioural disorders due to use of alcohol withdrawal state 6C40.4Z Alcohol withdrawal, unspecified F10.3 Mental and behavioural disorders due to use of alcohol withdrawal state 6C40.5 Alcohol-induced delirium F10.03 Mental and behavioural disorders

due to use of alcohol: acute intoxication with delirium 4-character code: F10.0 Mental and behavioural disorders due to use of alcohol: acute intoxication OR F10.4 Mental and behavioural disorders due to use of alcohol withdrawal state with delirium OR F10.8 Mental and behavioural disorders due to use of alcohol: other mental and behavioural disorders Use F10.8 if intoxication/withdrawal status is unknown.

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C40.6 Alcohol-induced psychotic disorder F10.5 Mental and behavioural disorders due to use of alcohol: psychotic disorder 6C40.60 Alcohol-induced psychotic disorder with hallucinations F10.52 Mental and behavioural disorders due to use of alcohol: psychotic disorder, predominantly hallucinatory (includes alcoholic hallucinosis) 4-character code: F10.5 Mental and behavioural disorders due to use of alcohol: psychotic disorder 6C40.61 Alcohol-induced psychotic disorder with delusions F10.51 Mental and behavioural disorders due to use of alcohol: psychotic disorder, predominantly delusional 4-character code: F10.5 Mental and behavioural disorders due to use of alcohol: psychotic disorder 6C40.62 Alcohol-induced psychotic disorder with mixed psychotic symptoms F10.56 Mental and behavioural disorders due to use of alcohol: psychotic disorder, mixed 4-character code: F10.5 Mental and behavioural disorders due to use of alcohol: psychotic disorder 6C40.6Z Alcohol-induced psychotic disorder, unspecified F10.5 Mental and behavioural disorders due to use of alcohol: psychotic disorder 6C40.70 Alcohol-induced mood disorder F10.8 Mental and behavioural disorders due to use of alcohol: other mental and behavioural disorders 6C40.71 Alcohol-induced anxiety disorder F10.8 Mental and behavioural disorders due to use of alcohol: other mental and behavioural disorders 6C40.Y Other specified disorder due to use of alcohol F10.8 Mental and behavioural disorders due to use of alcohol: other mental and behavioural disorders 6C40.Z Disorder due to use of alcohol, unspecified F10.9 Mental and behavioural disorders due to use of alcohol: unspecified mental and behavioural disorder 6C41 Disorders due to use of cannabis F12 Mental and behavioural disorders due to use of cannabinoids 6C41.0 Episode of harmful use of cannabis F12.8 Mental and behavioural disorders due to use of cannabinoids: other mental and behavioural disorders 6C41.1 Harmful pattern of use of cannabis F12.1 Mental and behavioural disorders due to use of cannabinoids: harmful use 6C41.10 Harmful pattern of use of cannabis, episodic F12.1 Mental and behavioural disorders due to use of cannabinoids: harmful use 6C41.11 Harmful pattern of use of cannabis, continuous F12.1 Mental and behavioural disorders due to use of cannabinoids: harmful use 6C41.1Z Harmful pattern of use of cannabis, unspecified F12.1 Mental and behavioural disorders due to use of cannabinoids: harmful use 6C41.2 Cannabis dependence F12.2 Mental and behavioural disorders due to use of cannabinoids: dependence syndrome

771 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C41.20 Cannabis dependence, current use F12.24 Mental and behavioural disorders due to use of cannabinoids: dependence syndrome, currently using the substance [active dependence] 4-character code: F12.2 Mental Behavioural disorders due to use of cannabinoids: dependence syndrome 6C41.21 Cannabis dependence, early full remission F12.20 Mental and behavioural disorders due to use of cannabinoids: dependence syndrome, currently abstinent OR F12.21 Mental and behavioural disorders due to use of cannabinoids: dependence syndrome, currently abstinent but in a protected environment 4-character code: F12.2 Mental and behavioural disorders due to use of cannabinoids: dependence syndrome Select the appropriate category based on clinical context. 6C41.22 Cannabis dependence, sustained partial remission

F12.24 Mental and behavioural disorders due to use of cannabinoids: dependence syndrome, currently using the substance [active dependence] 4-character code: F12.2 Mental and behavioural disorders due to use of cannabinoids: dependence syndrome 6C41.23 Cannabis dependence, sustained full remission F12.20 Mental and behavioural disorders due to use of cannabinoids: dependence syndrome, currently abstinent 4-character code: F12.2 Mental and behavioural disorders due to use of cannabinoids: dependence syndrome 6C41.2Z Cannabis dependence, unspecified F12.9 Mental and behavioural disorders due to use of cannabinoids: unspecified mental and behavioural disorder 6C41.3 Cannabis intoxication F12.0 Mental and behavioural disorders due to use of cannabinoids: acute intoxication 6C41.4 Cannabis withdrawal F12.3 Mental and behavioural disorders due to use of cannabinoids withdrawal state 6C41.5 Cannabis-induced delirium F12.03 Mental and behavioural disorders due to use of cannabinoids: acute intoxication with delirium 4-character code: F12.0 Mental and behavioural disorders due to use of cannabinoids: acute intoxication OR F12.4 Mental and behavioural disorders due to use of cannabinoids withdrawal state with delirium OR F12.8 Mental and behavioural disorders due to use of cannabinoids: other mental and behavioural disorders Use F12.8 if intoxication/ withdrawal status is unknown.

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C41.6 Cannabis-induced psychotic disorder F12.5 Mental and behavioural disorders due to use of cannabinoids: psychotic disorder 6C41.70 Cannabis-induced mood disorder F12.8 Mental and behavioural disorders due to use of cannabinoids: other mental and behavioural disorders 6C41.71 Cannabis-induced anxiety disorder F12.8 Mental and behavioural disorders due to use of cannabinoids: other mental and behavioural disorders 6C41.Y Other specified disorder due to use of cannabis F12.8 Mental and behavioural disorders due to use of cannabinoids: other mental and behavioural disorders 6C41.Z Disorder due to use of cannabis, unspecified F12.9 Mental and behavioural disorders due to use of cannabinoids: unspecified mental and behavioural disorder 6C42 Disorders due to use of synthetic cannabinoids F19 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances 6C42.0 Episode of harmful use of synthetic cannabinoids F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C42.1 Harmful pattern of use of synthetic cannabinoids F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C42.10 Harmful pattern of use of synthetic cannabinoids, episodic F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C42.11 Harmful pattern of use of synthetic cannabinoids, continuous F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C42.1Z Harmful pattern of use of synthetic cannabinoids, unspecified F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C42.2 Synthetic cannabinoid dependence F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C42.20 Synthetic cannabinoid dependence, current use F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C42.21 Synthetic cannabinoid dependence, early full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances:

dependence syndrome, currently abstinent OR F19.21 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent, but in a protected environment 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome Select the appropriate category based on clinical context. 6C42.22 Synthetic cannabinoid dependence, sustained partial remission F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome

773 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C42.23 Synthetic cannabinoid dependence, sustained full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C42.2Z Synthetic cannabinoid dependence, unspecified F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C42.3 Synthetic cannabinoid intoxication F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication 6C42.4 Synthetic cannabinoid withdrawal F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C42.5 Synthetic cannabinoid-induced delirium F19.03 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication with delirium 4-character code: F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication OR F19.4 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state with delirium OR F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders Use F19.8 if intoxication/ withdrawal status is unknown. 6C42.6 Synthetic cannabinoid-induced psychotic disorder F19.5 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder 6C42.70 Synthetic cannabinoid-induced mood disorder F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C42.71 Synthetic cannabinoid-induced anxiety disorder F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C42.Y Other specified disorder due to use of synthetic cannabinoids F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C42.Z Disorder due to use of synthetic cannabinoids, unspecified F19.9 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: unspecified mental and behavioural disorder 6C43 Disorders due to use of opioids F11 Mental and behavioural disorders due to use of opioids 6C43.0 Episode of harmful use of opioids F11.8 Mental and behavioural disorders due to use of opioids: other mental and behavioural disorders 6C43.1 Harmful pattern of use of opioids F11.1 Mental and behavioural disorders due to use of opioids: harmful use 6C43.10 Harmful pattern of use of opioids, episodic F11.1 Mental and behavioural disorders due to use of opioids: harmful use

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C43.11 Harmful pattern of use of opioids, continuous F11.1 Mental and behavioural disorders due to use of opioids: harmful use 6C43.1Z Harmful pattern of use of opioids, unspecified F11.1 Mental and behavioural disorders due to use of opioids: harmful use 6C43.2 Opioid dependence F11.2 Mental and behavioural disorders due to use of opioids: dependence syndrome 6C43.20 Opioid dependence, current use F11.24 Mental and behavioural disorders due to use of opioids: dependence syndrome, currently using the substance [active dependence] 4-character code: F11.2 Mental and behavioural disorders due to use of opioids: dependence syndrome 6C43.21 Opioid dependence, early full remission F11.20 Mental and behavioural disorders due to use of opioids: dependence syndrome, currently abstinent OR F11.21 Mental and behavioural disorders due to use of opioids: dependence syndrome, currently abstinent, but in a protected environment OR F11.23 Mental and behavioural disorders due to use of opioids: dependence syndrome, currently abstinent, but receiving treatment with aversive or blocking drugs (e.g. naltrexone or disulfiram) 4-character code: F11.2 Mental and behavioural disorders due to use of opioids: dependence syndrome Select the appropriate category based on clinical context. 6C43.22 Opioid dependence, sustained partial remission F11.24 Mental and behavioural disorders due to use of opioids: dependence syndrome, currently using the substance [active dependence] 4-character code: F11.2 Mental and behavioural disorders due to use of opioids: dependence syndrome 6C43.23 Opioid dependence, sustained full remission F11.20 Mental and behavioural disorders due to use of opioids: dependence syndrome, currently abstinent 4-character code: F11.2 Mental and behavioural disorders due to use of opioids: dependence syndrome 6C43.2Z Opioid dependence, unspecified F11.2 Mental and behavioural disorders due to use of opioids: dependence syndrome 6C43.3 Opioid intoxication F11.0 Mental and behavioural disorders due to use of opioids: acute intoxication 6C43.4 Opioid withdrawal F11.3 Mental and behavioural disorders due to use of opioids withdrawal state

775 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C43.5 Opioid-induced delirium F11.03 Mental and behavioural disorders due to use of opioids: acute intoxication with delirium 4-character code: F11.0 Mental and behavioural disorders due to use of opioids: acute intoxication OR F11.4 Mental and behavioural disorders due to use of opioids withdrawal state with delirium OR F11.8 Mental and behavioural disorders due to use of opioids: other mental and behavioural disorders Use F11.8 if intoxication/withdrawal status is unknown. 6C43.6 Opioid-induced psychotic disorder F11.5 Mental and behavioural disorders due to use of opioids: psychotic disorder 6C43.70 Opioid-induced mood disorder F11.8 Mental and behavioural disorders due to use of opioids: other mental and behavioural disorders 6C43.71 Opioid-induced anxiety disorder F11.8 Mental and behavioural disorders due to use of opioids: other mental and behavioural disorders 6C43.Y Other specified disorder due to use of opioids F11.8 Mental and behavioural disorders due to use of opioids: other mental and behavioural disorders 6C43.Z Disorder due to use of opioids, unspecified F11.9 Mental and behavioural disorders due to use of opioids: unspecified mental and behavioural disorder 6C44 Disorders due to use of sedatives, hypnotics or anxiolytics F13 Mental and behavioural disorders due to use of sedatives or hypnotics 6C44.0 Episode of harmful use of sedatives, hypnotics or anxiolytics F13.8 Mental and behavioural disorders due to use of sedatives or hypnotics: other mental and behavioural disorders 6C44.1 Harmful pattern of use of sedatives, hypnotics or anxiolytics F13.1 Mental and behavioural disorders due to use of sedatives or hypnotics: harmful use 6C44.10 Harmful pattern of use of sedatives, hypnotics or anxiolytics,

episodic F13.1 Mental and behavioural disorders due to use of sedatives or hypnotics: harmful use 6C44.11 Harmful pattern of use of sedatives, hypnotics or anxiolytics, continuous F13.1 Mental and behavioural disorders due to use of sedatives or hypnotics: harmful use 6C44.1Z Harmful pattern of use of sedatives, hypnotics or anxiolytics, unspecified F13.1 Mental and behavioural disorders due to use of sedatives or hypnotics: harmful use 6C44.2 Sedative, hypnotic or anxiolytic dependence F13.2 Mental and behavioural disorders due to use of sedatives or hypnotics: dependence syndrome 6C44.20 Sedative, hypnotic or anxiolytic dependence, current use F13.24 Mental and behavioural disorders due to use of sedatives or hypnotics: dependence syndrome, currently using the substance [active dependence] 4-character code: F13.2 Mental and behavioural disorders due to use of sedatives or hypnotics: dependence syndrome

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C44.21 Sedative, hypnotic or anxiolytic dependence, early full remission F13.20 Mental and behavioural disorders due to use of sedatives or hypnotics: dependence syndrome, currently abstinent OR F13.21 Mental and behavioural disorders due to use of sedatives or hypnotics: dependence syndrome, currently abstinent, but in a protected environment 4-character code: F13.2 Mental and behavioural disorders due to use of sedatives or hypnotics: dependence syndrome Select the appropriate category based on clinical context. 6C44.22 Sedative, hypnotic or anxiolytic dependence, sustained partial remission F13.24 Mental and behavioural disorders due to use of sedatives or hypnotics: dependence syndrome, currently using the substance [active dependence] 4-character code: F13.2 Mental and behavioural disorders due to use of sedatives or hypnotics: dependence syndrome 6C44.23 Sedative, hypnotic or anxiolytic dependence, sustained full remission F13.20 Mental and behavioural disorders due to use of sedatives or hypnotics: dependence syndrome, currently abstinent 4-character code: F13.2 Mental and behavioural disorders due to use of sedatives or hypnotics: dependence syndrome 6C44.2Z Sedative, hypnotic or anxiolytic dependence, unspecified F13.2 Mental and behavioural disorders due to use of sedatives or hypnotics: dependence syndrome 6C44.3 Sedative, hypnotic or anxiolytic intoxication F13.0 Mental and behavioural disorders due to use of sedatives or hypnotics: acute intoxication 6C44.4 Sedative, hypnotic or anxiolytic withdrawal F13.3 Mental and behavioural disorders due to use of sedatives or hypnotics withdrawal state 6C44.40 Sedative, hypnotic or anxiolytic withdrawal, uncomplicated F13.30 Mental and behavioural disorders due to use of sedatives or hypnotics withdrawal state, uncomplicated 4-character code: F13.3 Mental and behavioural disorders due to use of sedatives or hypnotics withdrawal state 6C44.41 Sedative, hypnotic or anxiolytic withdrawal, with perceptual disturbances F13.3 Mental and behavioural disorders due to use of sedatives or hypnotics withdrawal state 6C44.42 Sedative, hypnotic or anxiolytic withdrawal, with seizures F13.31 Mental and behavioural disorders due to use of sedatives or hypnotics withdrawal state, with convulsions 4-character code: F13.3 Mental and behavioural disorders due to use of sedatives or hypnotics withdrawal state 6C44.43 Sedative, hypnotic or anxiolytic withdrawal, with perceptual disturbances and seizures F13.31 Mental and behavioural disorders due to use of sedatives or hypnotics withdrawal state, with convulsions 4-character code: F13.3 Mental and behavioural disorders due to use of sedatives or hypnotics withdrawal state 6C44.4Z Sedative, hypnotic or anxiolytic withdrawal, unspecified F13.3 Mental and behavioural disorders due to use of sedatives or hypnotics withdrawal state

777 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C44.5 Sedative, hypnotic or anxiolytic-induced delirium F13.03

Mental and behavioural disorders due to use of sedatives or hypnotics: acute intoxication with delirium 4-character code: F13.0 Mental and behavioural disorders due to use of sedatives or hypnotics: acute intoxication OR F13.4 Mental and behavioural disorders due to use of sedatives or hypnotics withdrawal state with delirium OR F13.8 Mental or behavioural disorders due to use of sedatives or hypnotics: other mental and behavioural disorders Use F13.8 if intoxication/ withdrawal status is unknown. 6C44.6 Sedative, hypnotic or anxiolytic-induced psychotic disorder F13.5 Mental and behavioural disorders due to use of sedatives or hypnotics: psychotic disorder 6C44.70 Sedative, hypnotic or anxiolytic-induced mood disorder F13.8 Mental and behavioural disorders due to use of sedatives or hypnotics: other mental and behavioural disorders 6C44.71 Sedative, hypnotic or anxiolytic-induced anxiety disorder F13.8 Mental and behavioural disorders due to use of sedatives or hypnotics: other mental and behavioural disorders 6C44.Y Other specified disorder due to use of sedatives, hypnotics or anxiolytics F13.8 Mental and behavioural disorders due to use of sedatives or hypnotics: other mental and behavioural disorders 6C44.Z Disorder due to use of sedatives, hypnotics or anxiolytics, unspecified F13.9 Mental and behavioural disorders due to use of sedatives or hypnotics: unspecified mental and behavioural disorder 6C45 Disorders due to use of cocaine F14 Mental and behavioural disorders due to use of cocaine 6C45.0 Episode of harmful use of cocaine F14.8 Mental and behavioural disorders due to use of cocaine: other mental and behavioural disorders 6C45.1 Harmful pattern of use of cocaine F14.1 Mental and behavioural disorders due to use of cocaine: harmful use 6C45.10 Harmful pattern of use of cocaine, episodic F14.1 Mental and behavioural disorders due to use of cocaine: harmful use 6C45.11 Harmful pattern of use of cocaine, continuous F14.1 Mental and behavioural disorders due to use of cocaine: harmful use 6C45.1Z Harmful pattern of use of cocaine, unspecified F 14.1 Mental and behavioural disorders due to use of cocaine: harmful use 6C45.2 Cocaine dependence F14.2 Mental and behavioural disorders due to use of cocaine: dependence syndrome 6C45.20 Cocaine dependence, current use F14.24 Mental and behavioural disorders due to use of cocaine: dependence syndrome, currently using the substance [active dependence] 4-character code: F14.2 Mental and behavioural disorders due to use of cocaine: dependence syndrome 6C45.21 Cocaine dependence, early full remission F14.20 Mental and behavioural disorders due to use of cocaine: dependence syndrome, currently abstinent OR F14.21 Mental and behavioural disorders due to use of cocaine: dependence syndrome, currently abstinent, but in a protected environment 4-character code: F14.2 Mental and behavioural disorders due to use of cocaine: dependence syndrome Select the appropriate category based on clinical context.

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C45.22 Cocaine dependence, sustained partial remission F14.23 Mental and behavioural disorders due to use of cocaine: dependence syndrome, currently using the substance [active dependence] 4-character code: F14.2 Mental and behavioural disorders due to use of cocaine: dependence syndrome 6C45.23 Cocaine dependence, sustained full remission F14.20 Mental and behavioural disorders due to use of cocaine: dependence syndrome, currently abstinent 4-character code: F14.2 Mental and behavioural disorders due to use of cocaine: dependence syndrome 6C45.2Z Cocaine dependence, unspecified F14.2 Mental and behavioural disorders due to use of cocaine: dependence syndrome 6C45.3 Cocaine intoxication F14.0 Mental and behavioural disorders due to use of cocaine: acute intoxication 6C45.4 Cocaine withdrawal F14.3 Mental and behavioural disorders due to use of cocaine withdrawal state 6C45.5 Cocaine-induced delirium F14.03 Mental and behavioural

disorders due to use of cocaine: acute intoxication with delirium 4-character code: F14.0 Mental and behavioural disorders due to use of cocaine: acute intoxication OR F14.4 Mental and behavioural disorders due to use of cocaine withdrawal state with delirium OR F14.8 Mental and behavioural disorders due to use of cocaine: other mental and behavioural disorders Use F14.8 if intoxication/ withdrawal status is unknown. 6C45.6 Cocaine-induced psychotic disorder F14.5 Mental and behavioural disorders due to use of cocaine: psychotic disorder 6C45.60 Cocaine-induced psychotic disorder with hallucinations F14.52 Mental and behavioural disorders due to use of cocaine: psychotic disorder, predominantly hallucinatory 4-character code: F14.5 Mental and behavioural disorders due to use of cocaine: psychotic disorder 6C45.61 Cocaine-induced psychotic disorder with delusions F14.51 Mental and behavioural disorders due to use of cocaine: psychotic disorder, predominantly delusional 4-character code: F14.5 Mental and behavioural disorders due to use of cocaine: psychotic disorder 6C45.62 Cocaine-induced psychotic disorder with mixed psychotic symptoms F14.56 Mental and behavioural disorders due to use of cocaine: psychotic disorder, mixed 4-character code: F14.5 Mental and behavioural disorders due to use of cocaine: psychotic disorder

779 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C45.6Z Cocaine-induced psychotic disorder, unspecified F14.5 Mental and behavioural disorders due to use of cocaine: psychotic disorder 6C45.70 Cocaine-induced mood disorder F14.8 Mental and behavioural disorders due to use of cocaine: other mental and behavioural disorders 6C45.71 Cocaine-induced anxiety disorder F14.8 Mental and behavioural disorders due to use of cocaine: other mental and behavioural disorders 6C45.72 Cocaine-induced obsessive-compulsive or related disorder F14.8 Mental and behavioural disorders due to use of cocaine: other mental and behavioural disorders 6C45.73 Cocaine-induced impulse control disorder F14.8 Mental and behavioural disorders due to use of cocaine: other mental and behavioural disorders 6C45.Y Other specified disorder due to use of cocaine F14.8 Mental and behavioural disorders due to use of cocaine: other mental and behavioural disorders 6C45.Z Disorder due to use of cocaine, unspecified F14.9 Mental and behavioural disorders due to use of cocaine: unspecified mental and behavioural disorder 6C46 Disorders due to use of stimulants, including amfetamines, methamphetamine and methcathinone F15 Mental and behavioural disorders due to use of other stimulants, including caffeine 6C46.0 Episode of harmful use of stimulants, including amfetamines, methamphetamine and methcathinone F15.8 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders 6C46.1 Harmful pattern of use of stimulants, including amfetamines, methamphetamine and methcathinone F15.1 Mental and behavioural disorders due to use of other stimulants, including caffeine: harmful use 6C46.10 Harmful pattern of use of stimulants, including amfetamines, methamphetamine and methcathinone, episodic F15.1 Mental and behavioural disorders due to use of other stimulants, including caffeine: harmful use 6C46.11 Harmful pattern of use of stimulants, including amfetamines, methamphetamine and methcathinone, continuous F15.1 Mental and behavioural disorders due to use of other stimulants, including caffeine: harmful use 6C46.1Z Harmful pattern of use of stimulants, including amfetamines, methamphetamine and methcathinone, unspecified F15.1 Mental and behavioural disorders due to use of other stimulants, including caffeine: harmful use 6C46.2 Stimulant dependence, including amfetamines, methamphetamine and methcathinone F15.2 Mental and behavioural disorders due to use of other stimulants, including caffeine: dependence syndrome 6C46.20 Stimulant dependence, including amfetamines, methamphetamine and methcathinone, current use F15.24 Mental and behavioural disorders due to use of other

stimulants, including caffeine: dependence syndrome, currently using the substance [active substance] 4-character code: F15.2 Mental and behavioural disorders due to use of other stimulants, including caffeine: dependence syndrome 6C46.21 Stimulant dependence, including amfetamines, methamphetamine and methcathinone, early full remission F15.20 Mental and behavioural disorders due to use of other stimulants, including caffeine: dependence syndrome, currently abstinent OR F15.21 Mental and behavioural disorders due to use of other stimulants, including caffeine: dependence syndrome, currently abstinent, but in a protected environment 4-character code: F15.2 Mental and behavioural disorders due to use of other stimulants, including caffeine: dependence syndrome Select the appropriate category based on clinical context.

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C46.22 Stimulant dependence, including amfetamines, methamphetamine and methcathinone, sustained partial remission F15.24 Mental and behavioural disorders due to use of other stimulants, including caffeine: dependence syndrome, currently using the substance [active dependence] 4-character code: F15.2 Mental and behavioural disorders due to use of other stimulants, including caffeine: dependence syndrome 6C46.23 Stimulant dependence, including amfetamines, methamphetamine and methcathinone, sustained full remission F15.20 Mental and behavioural disorders due to use of other stimulants, including caffeine: dependence syndrome, currently abstinent 4-character code: F15.2 Mental and behavioural disorders due to use of other stimulants, including caffeine: dependence syndrome 6C46.2Z Stimulant dependence, including amfetamines, methamphetamine and methcathinone, unspecified F15.9 Mental and behavioural disorders due to use of other stimulants, including caffeine: unspecified mental and behavioural disorder 6C46.3 Stimulant intoxication, including amfetamines, methamphetamine and methcathinone F15.0 Mental and behavioural disorders due to use of other stimulants, including caffeine: acute intoxication 6C46.4 Stimulant withdrawal, including amfetamines, methamphetamine and methcathinone F15.3 Mental and behavioural disorders due to use of other stimulants, including caffeine withdrawal state 6C46.5 Stimulant-induced delirium, including amfetamines, methamphetamine and methcathinone F15.03 Mental and behavioural disorders due to use of other stimulants, including caffeine: acute intoxication with delirium 4-character code: F15.0 Mental and behavioural disorders due to use of other stimulants, including caffeine: acute intoxication OR F15.4 Mental and behavioural disorders due to use of other stimulants, including caffeine withdrawal state with delirium OR F15.8 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders Use F15.8 if intoxication/ withdrawal status is unknown. 6C46.6 Stimulant-induced psychotic disorder, including amfetamines, methamphetamine and methcathinone F15.5 Mental and behavioural disorders due to use of other stimulants, including caffeine: psychotic disorder 6C46.60 Stimulant-induced psychotic disorder, including amfetamines, methamphetamine and methcathinone with hallucinations F15.52 Mental and behavioural disorders due to use of other stimulants, including caffeine: psychotic disorder, predominantly hallucinatory 4-character code: F15.5 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders 6C46.61 Stimulant-induced psychotic disorder, including amfetamines, methamphetamine and methcathinone with delusions F15.51 Mental and behavioural disorders due to use of other stimulants, including caffeine: psychotic disorder, predominantly delusional 4-character code: F15.5 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders

781 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C46.62 Stimulant-induced psychotic disorder, including amfetamines, methamphetamine and methcathinone with mixed psychotic symptoms F15.56 Mental and behavioural disorders due to use of other stimulants, including caffeine: psychotic disorder, mixed 4-character code: F15.5 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders 6C46.6Z Stimulant-induced psychotic disorder, including amfetamines, methamphetamine and methcathinone, unspecified F15.5 Mental and behavioural disorders due to use of other stimulants, including caffeine: psychotic disorder 6C46.70 Stimulant-induced mood disorder, including amfetamines, methamphetamine and methcathinone F15.8 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders 6C46.71 Stimulant-induced anxiety disorder, including amfetamines, methamphetamine and methcathinone F15.8 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders 6C46.72 Stimulant-induced obsessive-compulsive or related disorder, including amfetamines, methamphetamine and methcathinone F15.8 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders 6C46.73 Stimulant-induced impulse control disorder, including amfetamines, methamphetamine and methcathinone F15.8 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders 6C46.Y Other specified disorder due to use of stimulants, including amfetamines, methamphetamine and methcathinone F15.8 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders 6C46.Z Disorder due to use of stimulants, including amfetamines, methamphetamine and methcathinone, unspecified F15.9 Mental and behavioural disorders due to use of other stimulants, including caffeine: unspecified mental and behavioural disorder 6C47 Disorders due to use of synthetic cathinones F19 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances 6C47.0 Episode of harmful use of synthetic cathinones F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C47.1 Harmful pattern of use of synthetic cathinones F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C47.10 Harmful pattern of use of synthetic cathinones, episodic F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C47.11 Harmful use of synthetic cathinones, continuous F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C47.1Z Harmful pattern of use of synthetic cathinones, unspecified F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C47.2 Synthetic cathinone dependence F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C47.20 Synthetic cathinone dependence, current use F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C47.21 Synthetic cathinone dependence, early full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent OR F19.21 Mental and

behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent, but in a protected environment 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome Select the appropriate category based on clinical context. 6C47.22 Synthetic cathinone dependence, sustained partial remission F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C47.23 Synthetic cathinone dependence, sustained full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C47.2Z Synthetic cathinone dependence, unspecified F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C47.3 Synthetic cathinone intoxication F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication 6C47.4 Synthetic cathinone withdrawal F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state Use F19.8 if intoxication/ withdrawal status is unknown. 6C47.5 Synthetic cathinone-induced delirium F19.03 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication with delirium 4-character code: F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication OR F19.4 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state with delirium OR F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C47.6 Synthetic cathinone-induced psychotic disorder F19.5 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder

783 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C47.60 Synthetic cathinone-induced psychotic disorder with hallucinations F19.52 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder, predominantly hallucinatory 4-character code: F19.5 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder 6C47.61 Synthetic cathinone-induced psychotic disorder with delusions F19.51 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder, predominantly delusional 4-character code: F19.5 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder 6C47.62 Synthetic cathinone-induced psychotic disorder with mixed psychotic symptoms F19.56 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder, mixed 4-character code: F19.5 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder 6C47.6Z Synthetic cathinone-induced psychotic disorder, unspecified F19.5 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder 6C47.70 Synthetic cathinone-induced mood disorder F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C47.71 Synthetic cathinone-induced anxiety disorder

F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C47.72 Synthetic cathinone-induced obsessive-compulsive or related syndrome F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C47.73 Synthetic cathinone-induced impulse control disorder F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C47.Y Other specified disorder due to use of synthetic cathinones F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C47.Z Disorder due to use of synthetic cathinones, unspecified F19.9 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: unspecified mental and behavioural disorder 6C48 Disorders due to use of caffeine F15 Mental and behavioural disorders due to use of other stimulants, including caffeine 6C48.0 Episode of harmful use of caffeine F15.1 Mental and behavioural disorders due to use of other stimulants, including caffeine: harmful use 6C48.1 Harmful pattern of use of caffeine F15.8 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders 6C48.10 Harmful pattern of use of caffeine, episodic F15.1 Mental and behavioural disorders due to use of other stimulants, including caffeine: harmful use 6C48.11 Harmful pattern of use of caffeine, continuous F15.1 Mental and behavioural disorders due to use of other stimulants, including caffeine: harmful use 6C48.1Z Harmful pattern of use of caffeine, unspecified F15.1 Mental and behavioural disorders due to use of other stimulants, including caffeine: harmful use 6C48.2 Caffeine intoxication F15.0 Mental and behavioural disorders due to use of other stimulants, including caffeine: acute intoxication

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C48.3 Caffeine withdrawal F15.3 Mental and behavioural disorders due to use of other stimulants, including caffeine withdrawal state 6C48.40 Caffeine-induced anxiety disorder F15.8 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders 6C48.Y Other specified disorder due to use of caffeine F15.8 Mental and behavioural disorders due to use of other stimulants, including caffeine: other mental and behavioural disorders 6C48.Z Disorder due to use of caffeine, unspecified F15.9 Mental and behavioural disorders due to use of other stimulants, including caffeine: unspecified mental and behavioural disorder 6C49 Disorders due to use of hallucinogens F16 Mental and behavioural disorders due to use of hallucinogens 6C49.0 Episode of harmful use of hallucinogens F16.8 Mental and behavioural disorders due to use of hallucinogens: other mental and behavioural disorders 6C49.1 Harmful pattern of use of hallucinogens F16.1 Mental and behavioural disorders due to use of hallucinogens: harmful use 6C49.10 Harmful pattern of use of hallucinogens, episodic F16.1 Mental and behavioural disorders due to use of hallucinogens: harmful use 6C49.11 Harmful pattern of use of hallucinogens, continuous F16.1 Mental and behavioural disorders due to use of hallucinogens: harmful use 6C49.1Z Harmful pattern of use of hallucinogens, unspecified F16.1 Mental and behavioural disorders due to use of hallucinogens: harmful use 6C49.2 Hallucinogen dependence F16.2 Mental and behavioural disorders due to use of hallucinogens: dependence syndrome 6C49.20 Hallucinogen dependence, current use F16.24 Mental and behavioural disorders due to use of hallucinogens: dependence syndrome, currently using the substance [active dependence] 4-character code: F16.2 Mental and behavioural disorders due to use of hallucinogens: dependence syndrome 6C49.21 Hallucinogen dependence, early full remission F16.20 Mental and behavioural disorders due to use of

hallucinogens: dependence syndrome, currently abstinent OR F16.21 Mental and behavioural disorders due to use of hallucinogens: dependence syndrome, currently abstinent, but in a protected environment 4-character code: F16.2 Mental and behavioural disorders due to use of hallucinogens: dependence syndrome Select the appropriate category based on clinical context. 6C49.22 Hallucinogen dependence, sustained partial remission F16.24 Mental and behavioural disorders due to use of hallucinogens: dependence syndrome, currently using the substance [active dependence] 4-character code: F16.2 Mental and behavioural disorders due to use of hallucinogens: dependence syndrome 6C49.23 Hallucinogen dependence, sustained full remission F16.20 Mental and behavioural disorders due to use of hallucinogens: dependence syndrome, currently abstinent 4-character code: F16.2 Mental and behavioural disorders due to use of hallucinogens: dependence syndrome

785 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C49.2Z Hallucinogen dependence, unspecified F16.2 Mental and behavioural disorders due to use of hallucinogens: dependence syndrome 6C49.3 Hallucinogen intoxication F16.0 Mental and behavioural disorders due to use of hallucinogens: acute intoxication 6C49.4 Hallucinogen-induced delirium F16.03 Mental and behavioural disorders due to use of hallucinogens: acute intoxication with delirium 4-character code: F16.0 Mental and behavioural disorders due to use of hallucinogens: acute intoxication OR F16.8 Mental and behavioural disorders due to use of hallucinogens: other mental and behavioural disorders Use F16.8 if intoxication status is unknown. 6C49.5 Hallucinogen-induced psychotic disorder F16.5 Mental and behavioural disorders due to use of hallucinogens: psychotic disorder 6C49.60 Hallucinogen-induced mood disorder F16.8 Mental and behavioural disorders due to use of hallucinogens: other mental and behavioural disorders 6C49.61 Hallucinogen-induced anxiety disorder F16.8 Mental and behavioural disorders due to use of hallucinogens: other mental and behavioural disorders 6C49.Y Other specified disorder due to use of hallucinogens F16.8 Mental and behavioural disorders due to use of hallucinogens: other mental and behavioural disorders 6C49.Z Disorder due to use of hallucinogens, unspecified F16.9 Mental and behavioural disorders due to use of hallucinogens: unspecified mental and behavioural disorder 6C4A Disorders due to use of nicotine F17 Mental and behavioural disorders due to use of tobacco 6C4A.0 Episode of harmful use of nicotine F17.8 Mental and behavioural disorders due to use of tobacco: other mental and behavioural disorders 6C4A.1 Harmful pattern of use of nicotine F17.1 Mental and behavioural disorders due to use of tobacco: harmful use 6C4A.10 Harmful pattern of use of nicotine, episodic F17.1 Mental and behavioural disorders due to use of tobacco: harmful use 6C4A.11 Harmful pattern of use of nicotine, continuous F17.1 Mental and behavioural disorders due to use of tobacco: harmful use 6C4A.1Z Harmful pattern of use of nicotine, unspecified F17.1 Mental and behavioural disorders due to use of tobacco: harmful use 6C4A.2 Nicotine dependence F17.2 Mental and behavioural disorders due to use of tobacco: dependence syndrome 6C4A.20 Nicotine dependence, current use F17.24 Mental and behavioural disorders due to use of tobacco: dependence syndrome, currently using the substance [active dependence] 4-character code: F17.2 Mental and behavioural disorders due to use of tobacco: dependence syndrome 6C4A.21 Nicotine dependence, early full remission F17.20 Mental and behavioural disorders due to use of tobacco: dependence syndrome, currently abstinent OR F17.21 Mental and behavioural disorders due to use of tobacco: dependence syndrome, currently abstinent, but in a protected environment 4-character code: F17.2 Mental and behavioural disorders due to use of tobacco: dependence syndrome Select the appropriate category based on clinical context.

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C4A.22 Nicotine dependence, sustained partial remission F17.24 Mental and behavioural disorders due to use of tobacco: dependence syndrome, currently using the substance [active dependence] 4-character code: F17.2 Mental and behavioural disorders due to use of tobacco: dependence syndrome 6C4A.23 Nicotine dependence, sustained full remission F17.20 Mental and behavioural disorders due to use of tobacco: dependence syndrome, currently abstinent 4-character code: F17.2 Mental and behavioural disorders due to use of tobacco: dependence syndrome 6C4A.2Z Nicotine dependence, unspecified F17.2 Mental and behavioural disorders due to use of tobacco: dependence syndrome 6C4A.3 Nicotine intoxication F17.0 Mental and behavioural disorders due to use of tobacco: acute intoxication 6C4A.4 Nicotine withdrawal F17.3 Mental and behavioural disorders due to use of tobacco withdrawal state 6C4A.Y Other specified disorder due to use of nicotine F17.3 Mental and behavioural disorders due to use of tobacco withdrawal state 6C4A.Z Disorder due to use of nicotine, unspecified F17.3 Mental and behavioural disorders due to use of tobacco withdrawal state 6C4B Disorders due to use of volatile inhalants F18 Mental and behavioural disorders due to use of volatile solvents 6C4B.0 Episode of harmful use of volatile inhalants F18.8 Mental and behavioural disorders due to use of volatile solvents: other mental and behavioural disorders 6C4B.1 Harmful pattern of use of volatile inhalants F18.1 Mental and behavioural disorders due to use of volatile solvents: harmful use 6C4B.10 Harmful pattern of use of volatile inhalants, episodic F18.1 Mental and behavioural disorders due to use of volatile solvents: harmful use 6C4B.11 Harmful pattern of use of volatile inhalants, continuous F18.1 Mental and behavioural disorders due to use of volatile solvents: harmful use 6C4B.1Z Harmful pattern of use of volatile inhalants, unspecified F18.1 Mental and behavioural disorders due to use of volatile solvents: harmful use 6C4B.2 Volatile inhalant dependence F18.2 Mental and behavioural disorders due to use of volatile solvents: dependence syndrome 6C4B.20 Volatile inhalant dependence, current use F18.24 Mental and behavioural disorders due to use of volatile solvents: dependence syndrome, currently using the substance [active dependence] 4-character code: F18.2 Mental and behavioural disorders due to use of volatile solvents: dependence syndrome 6C4B.21 Volatile inhalant dependence, early full remission F18.20 Mental and behavioural disorders due to use of volatile solvents: dependence syndrome, currently abstinent OR F18.21 Mental and behavioural disorders due to use of volatile solvents: dependence syndrome, currently abstinent, but in a protected environment 4-character code: F18.2 Mental and behavioural disorders due to use of volatile solvents: dependence syndrome Select the appropriate category based on clinical context.

787 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C4B.22 Volatile inhalant dependence, sustained partial remission F18.24 Mental and behavioural disorders due to use of volatile solvents: dependence syndrome, currently using the substance [active dependence] 4-character code: F18.2 Mental and behavioural disorders due to use of volatile solvents: dependence syndrome 6C4B.23 Volatile inhalant dependence, sustained full remission F18.20 Mental and behavioural disorders due to use of volatile solvents: dependence syndrome, currently abstinent 4-character code: F18.2 Mental and behavioural disorders due to use of volatile solvents: dependence syndrome 6C4B.2Z Volatile inhalant dependence, unspecified F18.2 Mental and behavioural disorders due to use of volatile solvents: dependence syndrome 6C4B.3 Volatile inhalant intoxication F18.0 Mental and behavioural disorders due to use of volatile solvents: acute intoxication 6C4B.4 Volatile inhalant withdrawal F18.3 Mental and behavioural disorders due to use of volatile solvents withdrawal state

6C4B.5 Volatile inhalant-induced delirium F18.03 Mental and behavioural disorders due to use of volatile solvents: acute intoxication with delirium 4-character code: F18.0 Mental and behavioural disorders due to use of volatile solvents: acute intoxication OR F18.4 Mental and behavioural disorders due to use of volatile solvents withdrawal state with delirium OR F18.8 Mental and behavioural disorders due to use of volatile solvents: other mental and behavioural disorders Use F18.8 if intoxication/ withdrawal status is unknown. 6C4B.6 Volatile inhalant-induced psychotic disorder F18.5 Mental and behavioural disorders due to use of volatile solvents: psychotic disorder 6C4B.70 Volatile inhalant-induced mood disorder F18.8 Mental and behavioural disorders due to use of volatile solvents: other mental and behavioural disorders 6C4B.71 Volatile inhalant-induced anxiety disorder F18.8 Mental and behavioural disorders due to use of volatile solvents: other mental and behavioural disorders 6C4B.Y Other specified disorder due to use of volatile inhalants F18.8 Mental and behavioural disorders due to use of volatile solvents: other mental and behavioural disorders 6C4B.Z Disorder due to use of volatile inhalants, unspecified F18.9 Mental and behavioural disorders due to use of volatile solvents: unspecified mental and behavioural disorder 6C4C Disorders due to use of MDMA or related drugs, including MDA F19 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances 6C4C.0 Episode of harmful use of MDMA or related drugs, including MDA F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4C.1 Harmful pattern of use of MDMA or related drugs, including MDA F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4C.10 Harmful use of MDMA or related drugs, including MDA, episodic F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4C.11 Harmful use of MDMA or related drugs, including MDA, continuous F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4C.1Z Harmful pattern of use of MDMA or related drugs, including MDA, unspecified F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C4C.2 MDMA or related drug dependence, including MDA F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4C.20 MDMA or related drug dependence, including MDA, current use F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4C.21 MDMA or related drug dependence, including MDA, early full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent OR F19.21 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent, but in a protected environment 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome Select the appropriate category based on clinical context. 6C4C.22 MDMA or related drug dependence, including MDA, sustained partial remission F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple

drug use and use of other psychoactive substances: dependence syndrome 6C4C.23 MDMA or related drug dependence, including MDA, sustained full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4C.2Z MDMA or related drug dependence, including MDA, unspecified F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4C.3 MDMA or related drug intoxication, including MDA F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication 6C4C.4 MDMA or related drug withdrawal, including MDA F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state

789 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C4C.5 MDMA or related drug-induced delirium, including MDA F19.03 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication with delirium 4-character code: F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication OR F19.4 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state with delirium OR F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders Use F19.8 if intoxication/ withdrawal status is unknown. 6C4C.6 MDMA or related drug-induced psychotic disorder, including MDA F19.5 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder 6C4C.70 MDMA or related drug-induced mood disorder, including MDA F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4C.71 MDMA or related drug-induced anxiety disorder F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4C.Y Other specified disorder due to use of MDMA or related drugs, including MDA F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4C.Z Disorder due to use of MDMA or related drugs, including MDA, unspecified F19.9 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: unspecified mental and behavioural disorder 6C4D Disorders due to use of dissociative drugs, including ketamine and phencyclidine (PCP) F19 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances 6C4D.0 Episode of harmful use of dissociative drugs, including ketamine and PCP F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4D.1 Harmful pattern of use of dissociative drugs, including ketamine and PCP F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4D.10 Harmful pattern of use of dissociative drugs, including ketamine and PCP, episodic F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4D.11 Harmful pattern of use of dissociative drugs, including ketamine and PCP, continuous F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4D.1Z Harmful pattern of use of dissociative drugs, including ketamine and PCP, unspecified F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4D.2 Dissociative drug dependence, including ketamine and PCP F19.2

Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4D.20 Dissociative drug dependence, including ketamine and PCP, current use F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C4D.21 Dissociative drug dependence, including ketamine and PCP, early full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent OR F19.21 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent, but in a protected environment 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome Select the appropriate category based on clinical context. 6C4D.22 Dissociative drug dependence, including ketamine and PCP, sustained partial remission F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4D.23 Dissociative drug dependence, including ketamine and PCP, sustained full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4D.2Z Dissociative drug dependence, including ketamine and PCP, unspecified F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4D.3 Dissociative drug intoxication, including ketamine and PCP F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication 6C4D.4 Dissociative drug-induced delirium, including ketamine and PCP F19.03 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication with delirium 4-character code: F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication OR F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders Use F19.8 if intoxication status unknown. 6C4D.5 Dissociative drug-induced psychotic disorder, including ketamine and PCP F19.5 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder

791 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C4D.60 Dissociative drug-induced mood disorder, including ketamine and PCP F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4D.6 Dissociative drug-induced anxiety disorder, including ketamine and PCP F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4D.Y Other specified disorder due to use of dissociative drugs, including ketamine and PCP F19.8 Mental and behavioural disorders due to multiple drug use and use of other

psychoactive substances: other mental and behavioural disorders 6C4D.Z Disorder due to use of dissociative drugs, including ketamine and PCP, unspecified F19.9 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: unspecified mental and behavioural disorder 6C4E Disorders due to use of other specified psychoactive substances, including medications F19 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances 6C4E.0 Episode of harmful use of other specified psychoactive substance F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4E.1 Harmful pattern of use of other specified psychoactive substance F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4E.10 Harmful pattern of use of other specified psychoactive substance, episodic F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4E.11 Harmful pattern of use of other specified psychoactive substance, continuous F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4E.1Z Harmful pattern of use of other specified psychoactive substance, unspecified F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4E.2 Other specified psychoactive substance dependence F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4E.20 Other specified psychoactive substance dependence, current use F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4E.21 Other specified psychoactive substance dependence, early full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent OR F19.21 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent, but in a protected environment OR F19.23 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent, but receiving treatment with aversive or blocking drugs (e.g. naltrexone or disulfiram) 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome Select the appropriate category based on clinical context.

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C4E.22 Other specified psychoactive substance dependence, sustained partial remission F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4E.23 Other specified psychoactive substance dependence, sustained full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4E.2Z Other specified psychoactive substance dependence, unspecified F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4E.3 Other specified psychoactive substance intoxication

F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication 6C4E.4 Other specified psychoactive substance withdrawal F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4E.40 Other specified psychoactive substance withdrawal, uncomplicated F19.30 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state, uncomplicated 4-character code: F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4E.41 Other specified psychoactive substance withdrawal, with perceptual disturbances F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4E.42 Other specified psychoactive substance withdrawal, with seizures F19.31 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state, with convulsions 4-character code: F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4E.43 Other specified psychoactive substance withdrawal, with perceptual disturbances and seizures F19.31 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state, with convulsions 4-character code: F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4E.4Z Other specified psychoactive substance withdrawal, unspecified F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state

793 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C4E.5 Delirium induced by other specified psychoactive substance, including medications F19.03 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication with delirium 4-character code: F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication OR F19.4 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state with delirium OR F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders Use F19.8 if intoxication/ withdrawal status is unknown. 6C4E.6 Psychotic disorder induced by other specified psychoactive substance F19.5 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder 6C4E.70 Mood disorder induced by other specified psychoactive substance F19.8 Mental and behavioural disorder due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4E.71 Anxiety disorder induced by other specified psychoactive substance F19.8 Mental and behavioural disorder due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4E.72 Obsessive-compulsive or related disorder induced by other specified psychoactive substance F19.8 Mental and behavioural disorder due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4E.73 Impulse control disorder induced by other specified psychoactive substance F19.8 Mental and behavioural disorder due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4E.Y Other specified disorder due to use of other specified psychoactive substance, including medications F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4E.Z Disorder due to use of other specified psychoactive substance, including medications, unspecified F19.9 Mental and

behavioural disorders due to multiple drug use and use of other psychoactive substances: unspecified mental and behavioural disorder 6C4F Disorders due to use of multiple specified psychoactive substances, including medications F19 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances 6C4F.0 Episode of harmful use of multiple specified psychoactive substances F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4F.1 Harmful pattern of use of multiple specified psychoactive substances F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4F.10 Harmful pattern of use of multiple specified psychoactive substances, episodic F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4F.11 Harmful pattern of use of multiple specified psychoactive substances, continuous F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4F.1Z Harmful pattern of use of multiple specified psychoactive substances, unspecified F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4F.2 Multiple specified psychoactive substances dependence F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C4F.20 Multiple specified psychoactive substances dependence, current use F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4F.21 Multiple specified psychoactive substances dependence, early full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent OR F19.21 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent, but in a protected environment OR F19.23 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent, but receiving treatment with aversive or blocking drugs (e.g. naltrexone or disulfiram) 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome Select the appropriate category based on clinical context. 6C4F.22 Multiple specified psychoactive substances dependence, sustained partial remission F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4F.23 Multiple specified psychoactive substances dependence, sustained full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4F.2Z Multiple specified psychoactive substances dependence, unspecified F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4F.3 Intoxication due to multiple specified psychoactive substances F19.0 Mental and behavioural disorders due to multiple drug use and use

of other psychoactive substances: acute intoxication 6C4F.4 Multiple specified psychoactive substances withdrawal F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4F.40 Multiple specified psychoactive substances withdrawal, uncomplicated F19.30 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state, uncomplicated 4-character code: F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state

795 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C4F.41 Multiple specified psychoactive substances withdrawal, with perceptual disturbances F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4F.42 Multiple specified psychoactive substances withdrawal, with seizures F19.31 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state, with convulsions 4-character code: F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4F.43 Multiple specified psychoactive substances withdrawal, with perceptual disturbances and seizures F19.31 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state, with convulsions 4-character code: F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4F.4Y Other specified multiple specified psychoactive substances withdrawal F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4F.4Z Multiple specified psychoactive substances withdrawal, unspecified F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4F.5 Delirium induced by multiple specified psychoactive substances, including medications F19.03 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication with delirium 4-character code: F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication OR F19.4 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state with delirium OR F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders Use F19.8 if intoxication/ withdrawal status is unknown. 6C4F.6 Psychotic disorder induced by multiple specified psychoactive substances F19.5 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder 6C4F.70 Mood disorder induced by multiple specified psychoactive substances F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4F.71 Anxiety disorder induced by multiple specified psychoactive substances F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4F.72 Obsessive-compulsive or related disorder induced by multiple specified psychoactive substances F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4F.73 Impulse control syndrome induced by multiple specified psychoactive substances F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4F.Y Other specified disorder . due to use of multiple specified psychoactive substances, including medications F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural

disorders

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C4F.Z Disorder due to use of multiple specified psychoactive substances, including medications, unspecified F19.9 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: unspecified mental and behavioural disorder 6C4G Disorders due to use of unknown or unspecified psychoactive substances F19 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances 6C4G.0 Episode of harmful use of unknown or unspecified psychoactive substance F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4G.1 Harmful pattern of use of unknown or unspecified psychoactive substance F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4G.10 Harmful pattern of use of unknown or unspecified psychoactive substance, episodic F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4G.11 Harmful pattern of use of unknown or unspecified psychoactive substance, continuous F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4G.1Z Harmful pattern of use of unknown or unspecified psychoactive substance, unspecified F19.1 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: harmful use 6C4G.2 Unknown or unspecified psychoactive substance dependence F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4G.20 Unknown or unspecified psychoactive substance dependence, current use F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4G.21 Unknown or unspecified psychoactive substance dependence, early full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent OR F19.21 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent, but in a protected environment 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome Select the appropriate category based on clinical context. 6C4G.22 Unknown or unspecified psychoactive substance dependence, sustained partial remission F19.24 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently using the substance [active dependence] 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome 6C4G.23 Unknown or unspecified psychoactive substance dependence, sustained full remission F19.20 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome, currently abstinent 4-character code: F19.2 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: dependence syndrome

797 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C4G.2Z Unknown or unspecified psychoactive substance dependence, unspecified F19.2 Mental and behavioural disorders due to multiple drug use and use

of other psychoactive substances: dependence syndrome 6C4G.3 Intoxication due to unknown or unspecified psychoactive substance F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication 6C4G.4 Withdrawal due to unknown or unspecified psychoactive substance F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4G.40 Withdrawal due to unknown or unspecified psychoactive substance, uncomplicated F19.30 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state, uncomplicated 4-character code: F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4G.41 Withdrawal due to unknown or unspecified psychoactive substance, with perceptual disturbances F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4G.42 Withdrawal due to unknown or unspecified psychoactive substance, with seizures F19.31 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state, with convulsions 4-character code: F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4G.43 Withdrawal due to unknown or unspecified psychoactive substance, with perceptual disturbances and seizures F19.31 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state, with convulsions 4-character code: F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4G.4Z Withdrawal due to unknown or unspecified psychoactive substance, unspecified F19.3 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state 6C4G.5 Delirium induced by unknown or unspecified psychoactive substance F19.03 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication with delirium 4-character code: F19.0 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: acute intoxication OR F19.4 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state with delirium OR F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: Other mental and behavioural disorders Use F19.8 if intoxication/ withdrawal status is unknown.

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C4G.6 Psychotic disorder induced by unknown or unspecified psychoactive substance F19.5 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: psychotic disorder 6C4G.70 Mood disorder induced by unknown or unspecified psychoactive substance F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4G.71 Anxiety disorder induced by unknown or unspecified psychoactive substance F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4G.72 Obsessive-compulsive or related disorder induced by unknown or unspecified psychoactive substance F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4G.73 Impulse control disorder induced by unknown or unspecified psychoactive substance F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: other mental and behavioural disorders 6C4G.Y Other specified disorder due to use of unknown or unspecified psychoactive substance F19.8 Mental and behavioural disorders due to multiple drug use and use of other psychoactive

substances: other mental and behavioural disorders 6C4G.Z Disorder due to use of unknown or unspecified psychoactive substance, unspecified F19.9 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: unspecified mental and behavioural disorder 6C4H Disorders due to use of non-psychoactive substances F55 Abuse of non-dependence-producing substances No 4-character code available 6C4H.0 Episode of harmful use of non-psychoactive substance F55 Abuse of non-dependence-producing substances No 4-character code available 6C4H.1 Harmful pattern of use of non-psychoactive substance F55 Abuse of non-dependence-producing substances No 4-character code available 6C4H.10 Harmful pattern of use of non-psychoactive substance, episodic F55 Abuse of non-dependence-producing substances No 4-character code available 6C4H.11 Harmful pattern of use of non-psychoactive substance, continuous F55 Abuse of non-dependence-producing substances No 4-character code available 6C4H.1Z Harmful pattern of use of non-psychoactive substance, unspecified F55 Abuse of non-dependence-producing substances No 4-character code available 6C4H.Y Other specified disorder due to use of nonpsychoactive substance F55 Abuse of non-dependence-producing substances No 4-character code available

799 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C4H.Z Disorder due to use of non-psychoactive substance, unspecified F55 Abuse of non-dependence-producing substances No 4-character code available 6C4Z Disorder due to substance use, unspecified F19.9 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: unspecified mental and behavioural disorder OR F55 Abuse of non-dependence-producing substance For non-psychoactive (i.e. non-dependenceproducing) substances, use F55. Disorders due to addictive behaviours 6C50 Gambling disorder F63.0 Pathological gambling 6C50.0 Gambling disorder, predominantly offline F63.0 Pathological gambling 6C50.1 Gambling disorder, predominantly online F63.0 Pathological gambling 6C50.Z Gambling disorder, unspecified F63.0 Pathological gambling 6C51 Gaming disorder F63.8 Other habit and impulse disorders 6C51.0 Gaming disorder, predominantly online F63.8 Other habit and impulse disorders 6C51.1 Gaming disorder, predominantly offline F63.8 Other habit and impulse disorders 6C51.Z Gaming disorder, unspecified F63.8 Other habit and impulse disorders 6C5Y Other specified disorder due to addictive behaviours F63.8 Other habit and impulse disorders 6C5Z Disorder due to addictive behaviours, unspecified F63.9 Habit and impulse disorder, unspecified Impulse control disorders 6C70 Pyromania F63.1 Pathological fire setting [pyromania] 6C71 Kleptomania F63.2 Pathological stealing [kleptomania] 6C72 Compulsive sexual behaviour disorder F63.8 Other habit and impulse disorders 6C73 Intermittent explosive disorder F63.8 Other habit and impulse disorders 6C7Y Other specified impulse control disorder F63.8 Other habit and impulse disorders 6C7Z Impulse control disorder, unspecified F63.9 Habit and impulse disorder, unspecified Disruptive behaviour and dissocial disorders 6C90 Oppositional defiant disorder F91.3 Oppositional defiant disorder 6C90.0 Oppositional defiant disorder with chronic irritability-anger F91.3 Oppositional defiant disorder 6C90.00 Oppositional defiant disorder with chronic irritability-anger with limited prosocial emotions F91.3 Oppositional defiant disorder 6C90.01 Oppositional defiant disorder with chronic irritability-anger with typical prosocial emotions F91.3 Oppositional defiant disorder 6C90.0Z Oppositional defiant disorder with chronic irritability-anger, unspecified F91.3 Oppositional defiant disorder 6C90.1 Oppositional defiant disorder without chronic irritability-anger F91.3 Oppositional defiant disorder C90.10 Oppositional defiant disorder without chronic irritability-anger with limited prosocial emotions F91.3 Oppositional defiant disorder

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6C90.11 Oppositional defiant disorder without chronic irritability-anger with typical prosocial emotions F91.3 Oppositional defiant disorder 6C90.1Z Oppositional defiant disorder without chronic irritability-anger, unspecified F91.3 Oppositional defiant disorder 6C90.Z Oppositional defiant disorder, unspecified F91.3 Oppositional defiant disorder 6C91 Conduct-dissocial disorder F91 Conduct disorders 4-character code: F91.9 Conduct disorder, unspecified 6C91.0 Conduct-dissocial disorder, childhood onset F91 Conduct disorders 4-character code: F91.8 Other conduct disorders 6C91.00 Conduct-dissocial disorder, childhood onset with limited prosocial emotions F91 Conduct disorders 4-character code: F91.8 Other conduct disorders 6C91.01 Conduct-dissocial disorder, childhood onset with typical prosocial emotions F91 Conduct disorders 4-character code: F91.8 Other conduct disorders 6C91.0Z Conduct-dissocial disorder, childhood onset, unspecified F91 Conduct disorders 4-character code: F91.8 Other conduct disorders 6C91.1 Conduct-dissocial disorder, adolescent onset F91 Conduct disorders 4-character code: F91.8 Other conduct disorders 6C91.10 Conduct-dissocial disorder, adolescent onset with limited prosocial emotions F91 Conduct disorders 4-character code: F91.8 Other conduct disorders 6C91.11 Conduct-dissocial disorder, adolescent onset with typical prosocial emotions F91 Conduct disorders 4-character code: F91.8 Other conduct disorders 6C91.1Z Conduct-dissocial disorder, adolescent onset, unspecified F91 Conduct disorders 4-character code: F91.8 Other conduct disorders 6C91.Z Conduct-dissocial disorder, unspecified F91.9 Conduct disorder, unspecified 6C9Y Other specified disruptive behaviour or dissocial disorder F91.8 Other conduct disorders

801 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6C9Z Disruptive behaviour or dissocial disorder, unspecified F91.9 Conduct disorder, unspecified Personality disorders and related traits This ICD-11 grouping first requires the diagnosis and severity of a personality disorder using the following categories: • 6D10.0 Mild personality disorder • 6D10.1 Moderate personality disorder • 6D10.2 Severe personality disorder • 6D10.Z Personality disorder, severity unspecified. The 6D10.x category above can then be described by indicating the presence of one or more of the following trait domains included in 6D11 Prominent personality traits or patterns: • 6D11.0 Negative affectivity in personality disorder or personality difficulty • 6D11.1 Detachment in personality disorder or personality difficulty • 6D11.2 Dissociality in personality disorder or personality difficulty • 6D11.3 Disinhibition in personality disorder or personality difficulty • 6D11.4 Anankastia in personality disorder or personality difficulty • 6D11.5 Borderline pattern.

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6D10 Personality disorder F60 Specific Personality Disorders 4-character code: F60.9 Personality disorder, unspecified 6D10.0 Mild personality disorder F60.9 Personality disorder, unspecified Use if categories from 6D11 Prominent personality traits or patterns are not available. 6D10.1 Moderate personality disorder F60.9 Personality disorder, unspecified Use if categories from 6D11 Prominent personality traits or patterns are not available. 6D10.2 Severe personality disorder F60.9 Personality disorder, unspecified Use if categories from 6D11 Prominent personality traits or patterns are not available. 6D10.Z Personality disorder, severity unspecified F60.9 Personality disorder, unspecified Use if categories from 6D11 Prominent personality traits or patterns are not available. 6D10.x AND 6D11.0 Negative affectivity 6D11.1 Detachment 6D11.2 Dissociality

(6D10.x/6D11.0/6D11.1/6D11.2) F60.0 Paranoid personality disorder The x in the left column is a placeholder for the digit indicating the severity level of the personality disorder: • 0 = Mild • 1 = Moderate • 2 = Severe • Z = Severity unspecified. 6D10.x AND 6D11.1 Detachment (6D10.x/6D11.1) F60.1 Schizoid personality disorder The x in the left column is a placeholder for the digit indicating the severity level of the personality disorder: • 0 = Mild • 1 = Moderate • 2 = Severe • Z = Severity unspecified. 6D10.x AND 6D11.2 Dissociality 6D11.3 Disinhibition (6D10.x/6D11.2/6D11.3) F60.2 Dissocial personality disorder The x in the left column is a placeholder for the digit indicating the severity level of the personality disorder: • 0 = Mild • 1 = Moderate • 2 = Severe • Z = Severity unspecified.

803 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6D10.x AND 6D11.0 Negative affectivity 6D11.3 Disinhibition (6D10.x/6D11.0/6D11.3) OR 6D10.x AND 6D11.5 Borderline pattern, with or without any other combination of prominent personality traits or patterns (6D10.x/6D11.5/...) F60.31 Emotionally unstable personality disorder, borderline type 4-character code: F60.3 Emotionally unstable personality disorder The x in the left column is a placeholder for the digit indicating the severity level of the personality disorder: • 0 = Mild • 1 = Moderate • 2 = Severe • Z = Severity unspecified. 6D10.x AND 6D11.0 Negative affectivity 6D11.2 Dissociality 6D11.3 Disinhibition ((6D10.x/6D11.0/6D11.2/6D11.3) F60.4 Histrionic personality disorder The x in the left column is a placeholder for the digit indicating the severity level of the personality disorder: • 0 = Mild • 1 = Moderate • 2 = Severe • Z = Severity unspecified. 6D10.x AND 6D11.0 Negative affectivity 6D11.4 Anankastia (6D10.x/6D11.0/6D11.4) F60.5 Anankastic personality disorder The x in the left column is a placeholder for the digit indicating the severity level of the personality disorder: • 0 = Mild • 1 = Moderate • 2 = Severe • Z = Severity unspecified. 6D10.x AND 6D11.0 Negative affectivity 6D11.1 Detachment (6D10.x/6D11.0/6D11.1) F60.6 Anxious [avoidant] personality disorder The x in the left column is a placeholder for the digit indicating the severity level of the personality disorder: • 0 = Mild • 1 = Moderate • 2 = Severe • Z = Severity unspecified. 6D10.x AND 6D11.0 Negative affectivity (6D10.x/6D11.0) F60.7 Dependent personality disorder The x in the left column is a placeholder for the digit indicating the severity level of the personality disorder: • 0 = Mild • 1 = Moderate • 2 = Severe • Z = Severity unspecified.

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6D10.x AND any combination of prominent personality traits or patterns not listed above F60.8 Other specific personality disorders The x in the left column is a placeholder for the digit indicating the severity level of the personality disorder: • 0 = Mild • 1 = Moderate • 2 = Severe • Z = Severity unspecified. Paraphilic disorders 6D30 Exhibitionistic disorder F65.2 Exhibitionism 6D31 Voyeuristic disorder F65.3 Voyeurism 6D32 Paedophilic disorder F65.4 Paedophilia 6D33 Coercive sexual sadism disorder F65.8 Other disorders of sexual preference 6D34 Frotteuristic disorder F65.8 Other disorders of sexual preference 6D35 Other paraphilic disorder involving nonconsenting individuals F65.8 Other disorders of sexual preference 6D36 Paraphilic disorder involving solitary behaviour or consenting individuals F65.8 Other disorders of sexual preference 6D3Z Paraphilic disorder, unspecified F65.9 Disorder of sexual preference, unspecified Factitious disorders 6D50 Factitious disorder imposed on self F68.1 Intentional production or feigning of symptoms or disabilities, either physical or psychological [factitious disorder] 6D51 Factitious disorder imposed on another F68.1 Intentional production or feigning of symptoms or disabilities, either physical or psychological [factitious

disorder] 6D5Z Factitious disorder, unspecified F68.1 Intentional production or feigning of symptoms or disabilities, either physical or psychological [factitious disorder] Neurocognitive disorders 6D70 Delirium Etiology must be specified (see below). 6D70.0 Delirium due to disease classified elsewhere F05 Delirium, not induced by alcohol and other psychoactive substances 4-character code: F05.8 Other delirium

805 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6D70.1 Delirium due to psychoactive substances, including medications F1x.03 Mental and behavioural disorders due to psychoactive substance use: acute intoxication with delirium 4-character code: F1x.0 Mental and behavioural disorders due to psychoactive substance use: acute intoxication OR F1x.4 Mental and behavioural disorders due to psychoactive substance use: withdrawal state with delirium OR F1x.8 Mental and behavioural disorders due to psychoactive substance use: other mental and behavioural disorders The x in the middle column is a placeholder for the digit indicating the substance class in ICD-10: • 0 = alcohol • 1 = opioids • 2 = cannabinoids • 3 = sedatives or hypnotics • 4 = cocaine • 5 = stimulants, including caffeine • 6 = hallucinogens • 7 = tobacco • 8 = volatile solvents • 9 = multiple or other psychoactive substances. Use F1x.8 if intoxication/ withdrawal status is unknown. 6D70.2 Delirium due to multiple etiological factors F05 Delirium, not induced by alcohol and other psychoactive substances 4-character code: F05.8 Other delirium OR F19.4 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances withdrawal state with delirium Use F05 or F05.8 unless multiple etiological factors refer entirely to multiple psychoactive substances, in which case F19.4 should be used. 6D70.Y Delirium, other specified cause F05.8 Other delirium 6D70.Z Delirium, unknown or unspecified cause F05.9 Delirium, unspecified 6D71 Mild neurocognitive disorder F06.7 Mild cognitive disorder 6D72 Amnestic disorder Etiology must be specified (see below). 6D72.0 Amnestic disorder due to diseases classified elsewhere F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances No 4-character code available 6D72.1 Amnestic disorder due to psychoactive substances, including medications Substance must be specified (see below). 6D72.10 Amnestic disorder due to use of alcohol F10.6 Mental and behavioural disorders due to use of alcohol: amnesic syndrome 6D72.11 Amnestic disorder due to use of sedatives, hypnotics or anxiolytics F13.6 Mental and behavioural disorders due to use of sedatives or hypnotics: amnesic syndrome 6D72.12 Amnestic disorder due to other specified psychoactive substance, including medications F19.6 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: amnesic syndrome 6D72.13 Amnestic disorder due to use of volatile inhalants F18.6 Mental and behavioural disorders due to use of volatile solvents: amnesic syndrome

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6D72.Y Amnestic disorder, other specified cause F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances No 4-character code available 6D72.Z Amnestic disorder, unknown or unspecified cause F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances No 4-character code available OR F19.6 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substance uses: amnesic syndrome If insufficient information is available to make a general etiological determination, use F04. Dementia Etiology must be specified (see below). 6D80 Dementia due to Alzheimer disease F00 Dementia in Alzheimer disease 4-character code: F00.9 Dementia in Alzheimer disease, unspecified 6D80.0 Dementia due to Alzheimer

disease with early onset F00.0 Dementia in Alzheimer disease with early onset 6D80.1 Dementia due to Alzheimer disease with late onset F00.1 Dementia in Alzheimer disease with late onset 6D80.2 Alzheimer disease dementia, mixed type, with cerebrovascular disease F00.2 Dementia in Alzheimer disease, atypical or mixed type 6D80.3 Alzheimer disease dementia, mixed type, with other nonvascular etiologies F00.2 Dementia in Alzheimer disease, atypical or mixed type 6D80.Z Dementia due to Alzheimer disease, onset unknown or unspecified F00.9 Dementia in Alzheimer disease, unspecified 6D81 Dementia due to cerebrovascular disease F01 Vascular dementia 4-character code: F01.9 Vascular dementia, unspecified 6D82 Dementia due to Lewy body disease F02.8 Dementia in other diseases classified elsewhere 6D83 Frontotemporal dementia F02 Dementia in other diseases classified elsewhere No 4-character code available OR F02.0 Dementia in Pick disease 6D84 Dementia due to psychoactive substances, including medications Substance must be specified (see below).

807 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6D84.0 Dementia due to use of alcohol F10.73 Mental and behavioural disorders due to use of alcohol: residual and late-onset psychotic disorder, dementia 4-character code: F10.7 Mental and behavioural disorders due to use of alcohol: residual and late-onset psychotic disorder 6D84.1 Dementia due to use of sedatives, hypnotics or anxiolytics F13.73 Mental and behavioural disorders due to use of sedatives or hypnotics: residual and late-onset psychotic disorder, dementia 4-character code: F13.7 Mental and behavioural disorders due to use of sedatives or hypnotics: residual and late-onset psychotic disorder 6D84.2 Dementia due to use of volatile inhalants F18.73 Mental and behavioural disorders due to use of volatile solvents: residual and late-onset psychotic disorder, dementia 4-character code: F18.7 Mental and behavioural disorders due to use of volatile solvents: residual and late-onset psychotic disorder 6D84.Y Dementia due to other specified psychoactive substance F19.73 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: residual and late-onset psychotic disorder, dementia 4-character code: F19.7 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: residual and late-onset psychotic disorder 6D85 Dementia due to diseases classified elsewhere F02 Dementia in other diseases classified elsewhere No 4-character code available 6D85.0 Dementia due to Parkinson disease F02.3 Dementia in Parkinson disease 6D85.1 Dementia due to Huntington disease F02.2 Dementia in Huntington disease 6D85.2 Dementia due to exposure to heavy metals and other toxins F02.8 Dementia in other diseases classified elsewhere 6D85.3 Dementia due to HIV F02.4 Dementia in human immunodeficiency virus [HIV] disease 6D85.4 Dementia due to multiple sclerosis F02.8 Dementia in other diseases classified elsewhere 6D85.5 Dementia due to prion disease F02.1 Dementia in Creutzfeldt-Jakob disease OR F02.8 Dementia in other specified diseases classified elsewhere 6D85.6 Dementia due to normal-pressure hydrocephalus F02.8 Dementia in other diseases classified elsewhere 6D85.7 Dementia due to injury to the head F02.8 Dementia in other diseases classified elsewhere 6D85.8 Dementia due to pellagra F02.8 Dementia in other diseases classified elsewhere 6D85.9 Dementia due to Down syndrome F02.8 Dementia in other diseases classified elsewhere 6D85.Y Dementia due to other specified disease classified elsewhere F02.8 Dementia in other diseases classified elsewhere 6D8Y Dementia, other specified cause F02.8 Dementia in other specified diseases classified elsewhere

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders ICD-11 ICD-10 Notes 6D8Z Dementia, unknown or unspecified

cause F03 Unspecified dementia No 4-character code available Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium 6E20 Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, without psychotic symptoms O99.3 Mental disorders and diseases of the nervous system complicating pregnancy, childbirth and the puerperium 6E21 Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, with psychotic symptoms O99.3 Mental disorders and diseases of the nervous system complicating pregnancy, childbirth and the puerperium 6E2Z Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, unspecified O99.3 Mental disorders and diseases of the nervous system complicating pregnancy, childbirth and the puerperium Psychological or behavioural factors affecting disorders or diseases classified elsewhere 6E40 Psychological or behavioural factors affecting disorders and diseases classified elsewhere F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere No 4-character code available 6E40.0 Mental disorder affecting disorders and diseases classified elsewhere F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere No 4-character code available 6E40.1 Psychological symptoms affecting disorders and diseases classified elsewhere F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere No 4-character code available 6E40.2 Personality traits or coping style affecting disorders and diseases classified elsewhere F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere No 4-character code available 6E40.3 Maladaptive health behaviours affecting disorders and diseases classified elsewhere F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere No 4-character code available 6E40.4 Stress-related physiological response affecting disorders and diseases classified elsewhere F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere No 4-character code available 6E40.Y Other specified psychological or behavioural factor affecting disorders and diseases classified elsewhere F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere No 4-character code available

809 Crosswalk from ICD-11 mental, behavioural and neurodevelopmental disorders to ICD-10 for clinician use ICD-11 ICD-10 Notes 6E40.Z Psychological or behavioural factor affecting disorders and diseases classified elsewhere, unspecified F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere No 4-character code available Secondary mental or behavioural syndromes associated with disorders and diseases classified elsewhere 6E60 Secondary neurodevelopmental syndrome F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease 6E60.0 Secondary speech or language syndrome F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease 6E60.Y Other specified secondary neurodevelopmental syndrome F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease 6E60.Z Secondary neurodevelopmental syndrome, unspecified F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease 6E61 Secondary psychotic syndrome F06.0 Organic hallucinosis OR F06.2 Organic delusional [schizophrenia-like] disorder Select F06.0 or F06.2 based on whether hallucinations or delusions predominate, although both may occur in either category. 6E61.0 Secondary psychotic syndrome with hallucinations F06.0 Organic hallucinosis 6E61.1 Secondary psychotic syndrome with delusions F06.2 Organic delusional [schizophrenia-like] disorder 6E61.2 Secondary psychotic syndrome with hallucinations and delusions F06.2 Organic delusional [schizophrenia-like] disorder 6E61.3 Secondary psychotic

syndrome with unspecified symptoms F09 Unspecified organic or symptomatic mental disorder
6E62 Secondary mood syndrome F06.3 Organic mood [affective] disorders 6E62.0 Secondary mood
syndrome with depressive symptoms F06.32 Organic depressive disorder 4-character code: F06.3
Organic mood [affective] disorders 6E62.1 Secondary mood syndrome with manic symptoms
F06.30 Organic manic disorder 4-character code: F06.3 Organic mood [affective] disorders
6E62.2 Secondary mood syndrome with mixed symptoms F06.33 Organic mixed affective disorder
4-character code: F06.3 Organic mood [affective] disorders 6E62.3 Secondary mood syndrome with
unspecified symptoms F06.3 Organic mood [affective] disorders 6E63 Secondary anxiety syndrome
F06.4 Organic anxiety disorder 6E64 Secondary obsessive-compulsive or related syndrome F06.8
Other specified mental disorders due to brain damage and dysfunction and to physical disease
6E65 Secondary dissociative syndrome F06.5 Organic dissociative disorder 6E66 Secondary
impulse control syndrome F06.8 Other specified mental disorders due to brain damage and
dysfunction and to physical disease 6E67 Secondary neurocognitive syndrome F06.8 Other
specified mental disorders due to brain damage and dysfunction and to physical disease
6E68 Secondary personality change F07.0 Organic personality disorder 6E69 Secondary catatonia
syndrome F06.1 Organic catatonic disorder 6E6Y Other specified secondary mental or behavioural
syndrome F06.8 Other specified mental disorders due to brain damage and dysfunction and to
physical disease 6E6Z Secondary mental or behavioural syndrome, unspecified F06.9 Unspecified
mental disorder due to brain damage and dysfunction and to physical disease

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or
Neurodevelopmental Disorders