

# 04 - Mood disorders

## Mood disorders

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders Postcoordination for bipolar type I disorder: For all above bipolar type I disorder categories, specify additional features of current presentation or course by using additional code(s) if applicable: 6A80.0 with prominent anxiety symptoms 6A80.1 with panic attacks 6A80.2 current depressive episode persistent 6A80.3 current depressive episode with melancholia 6A80.4 with seasonal pattern of mood episode onset 6A80.5 with rapid cycling For all above bipolar type I disorder current or most recent episodes, specify if episode onset was during pregnancy or within 6 weeks after delivery by using additional code: 6E20 Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, without psychotic symptoms 6E21 Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, with psychotic symptoms 6E2Z Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, unspecified Mood disorders Bipolar and related disorders Bipolar type I disorder Specify type of current or most recent episode and/or remission: 6A60.0 ... current episode manic, without psychotic symptoms 6A60.1 ... current episode manic, with psychotic symptoms 6A60.2 ... current episode hypomanic 6A60.3 ... current episode depressive, mild 6A60.4 ... current episode depressive, moderate, without psychotic symptoms 6A60.5 ... current episode depressive, moderate, with psychotic symptoms 6A60.6 ... current episode depressive, severe, without psychotic symptoms 6A60.7 ... current episode depressive, severe, with psychotic symptoms 6A60.8 ... current episode depressive, unspecified severity 6A60.9 ... current episode mixed, without psychotic symptoms 6A60.A ... current episode mixed, with psychotic symptoms 6A60.B ... currently in partial remission, most recent episode manic or hypomanic 6A60.C ... currently in partial remission, most recent episode depressive 6A60.D ... currently in partial remission, most recent episode mixed 6A60.E ... currently in partial remission, most recent episode unspecified 6A60.F ... currently in full remission 6A60.Y Other specified bipolar type I disorder 6A60.Z Bipolar type I disorder, unspecified 6A60

45 List of categories Bipolar type II disorder Specify type of current or most recent episode and/or remission: 6A61.0 ... current episode hypomanic 6A61.1 ... current episode depressive, mild 6A61.2 ... current episode depressive, moderate, without psychotic symptoms 6A61.3 ... current episode depressive, moderate, with psychotic symptoms 6A61.4 ... current episode depressive, severe, without psychotic symptoms 6A61.5 ... current episode depressive, severe, with psychotic symptoms 6A61.6 ... current episode depressive, unspecified severity 6A61.7 ... currently in partial remission, most recent episode hypomanic 6A61.8 ... currently in partial remission, most recent episode depressive 6A61.9 ... currently in partial remission, most recent episode unspecified 6A61.A ... currently in full remission 6A61.Y Other specified bipolar type II disorder 6A61.Z Bipolar

type II disorder, unspecified 6A61 Postcoordination for bipolar type II disorder For all above bipolar type II disorder categories, specify additional features of current presentation or course by using additional code(s) if applicable: 6A80.0 with prominent anxiety symptoms 6A80.1 with panic attacks 6A80.2 current depressive episode persistent 6A80.3 current depressive episode with melancholia 6A80.4 with seasonal pattern of mood episode onset 6A80.5 with rapid cycling For all above bipolar type II disorder current or most recent episodes, specify if episode onset was during pregnancy or within 6 weeks after delivery by using additional code: 6E20 Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, without psychotic symptoms 6E21 Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, with psychotic symptoms 6E2Z Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, unspecified Cyclothymic disorder Other specified bipolar or related disorder Bipolar or related disorder, unspecified 6A62 6A6Y 6A6Z

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders Postcoordination for single episode depressive disorder For all above single episode depressive disorder categories, specify additional features of current presentation or course by using additional code(s) if applicable: 6A80.0 with prominent anxiety symptoms 6A80.1 with panic attacks 6A80.2 current depressive episode persistent 6A80.3 current depressive episode with melancholia 6A80.4 with seasonal pattern of mood episode onset For all above single episode depressive disorder current or most recent episodes, specify if episode onset was during pregnancy or within 6 weeks after delivery by using additional code: 6E20 Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, without psychotic symptoms 6E21 Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, with psychotic symptoms 6E2Z Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, unspecified Depressive disorders Single episode depressive disorder Specify severity or remission of current episode: 6A70.0 ... mild 6A70.1 ... moderate, without psychotic symptoms 6A70.2 ... moderate, with psychotic symptoms 6A70.3 ... severe, without psychotic symptoms 6A70.4 ... severe, with psychotic symptoms 6A70.5 ... unspecified severity 6A70.6 ... currently in partial remission 6A70.7 ... currently in full remission 6A70.Y Other specified single episode depressive disorder 6A70.Z Single episode depressive disorder, unspecified 6A70 Recurrent depressive disorder Specify severity or remission of current episode: 6A71.0 ... current episode mild 6A71.1 ... current episode moderate, without psychotic symptoms 6A71.2 ... current episode moderate, with psychotic symptoms 6A71.3 ... current episode severe, without psychotic symptoms 6A71

6A71.4 ... current episode severe, with psychotic symptoms 6A71.5 ... current episode, unspecified severity 6A71.6 ... currently in partial remission 6A71.7 ... currently in full remission 6A71.Y Other specified recurrent depressive disorder 6A71.Z Recurrent depressive disorder, unspecified Postcoordination for recurrent depressive disorder For all above recurrent depressive disorder categories, specify additional features of current presentation or course by using additional code(s) if applicable: 6A80.0 with prominent anxiety symptoms 6A80.1 with panic attacks 6A80.2 current depressive episode persistent 6A80.3 current depressive episode with melancholia 6A80.4 with seasonal pattern of mood episode onset For all above recurrent depressive disorder current or most recent episodes, specify if episode onset was during pregnancy or within 6 weeks after delivery by using additional code: 6E20 Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium, without psychotic symptoms 6E21 Mental and behavioural

disorders associated with pregnancy, childbirth or the puerperium, with psychotic symptoms 6E2Z  
Mental and behavioural disorders associated with pregnancy, childbirth or the puerperium,  
unspecified Dysthymic disorder 6A72 6A73 Mixed depressive and anxiety disorder Other specified  
depressive disorder 6A7Y Depressive disorder, unspecified 6A7Z Other specified mood disorder  
6A8Y Mood disorder, unspecified 6A8Z List of categories

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or  
Neurodevelopmental Disorders Secondary-parented categories From disorders due to substance  
use: Substance-induced mood disorders Specify substance class: Alcohol-induced mood disorder  
Specify clinical presentation: 6C40.700 ... with depressive symptoms 6C40.701 ... with manic  
symptoms 6C40.702 ... with mixed depressive and manic symptoms 6C40.70Z ... unspecified  
Cannabis-induced mood disorder Specify clinical presentation: 6C41.700 ... with depressive  
symptoms 6C41.701 ... with manic symptoms 6C41.702 ... with mixed depressive and manic  
symptoms 6C41.70Z ... unspecified Synthetic cannabinoid-induced mood disorder Specify clinical  
presentation: 6C42.700 ... with depressive symptoms 6C42.701 ... with manic symptoms 6C42.702  
... with mixed depressive and manic symptoms 6C42.70Z ... unspecified Opioid-induced mood  
disorder Specify clinical presentation: 6C43.700 ... with depressive symptoms 6C43.701 ... with  
manic symptoms 6C43.702 ... with mixed depressive and manic symptoms 6C43.70Z ...  
unspecified 6C40.70 6C41.70 6C42.70 6C43.70

Sedative, hypnotic or anxiolytic-induced mood disorder 6C44.70 Specify clinical presentation:  
6C44.700 ... with depressive symptoms 6C44.701 ... with manic symptoms 6C44.702 ... with mixed  
depressive and manic symptoms 6C44.70Z ... unspecified Cocaine-induced mood disorder 6C45.70  
Specify clinical presentation: 6C45.700 ... with depressive symptoms 6C45.701 ... with manic  
symptoms 6C45.702 ... with mixed depressive and manic symptoms 6C45.70Z ... unspecified  
Stimulant-induced mood disorder, including amfetamines, methamphetamine and methcathinone  
6C46.70 Specify clinical presentation: 6C46.700 ... with depressive symptoms 6C46.701 ... with  
manic symptoms 6C46.702 ... with mixed depressive and manic symptoms 6C46.70Z ...  
unspecified 6C47.70 Synthetic cathinone-induced mood disorder Specify clinical presentation:  
6C47.700 ... with depressive symptoms 6C47.701 ... with manic symptoms 6C47.702 ... with mixed  
depressive and manic symptoms 6C47.70Z ... unspecified 6C49.60 Hallucinogen-induced mood  
disorder Specify clinical presentation: 6C49.700 ... with depressive symptoms 6C49.701 ... with  
manic symptoms 6C49.702 ... with mixed depressive and manic symptoms 6C49.70Z ...  
unspecified List of categories

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or  
Neurodevelopmental Disorders Volatile inhalant-induced mood disorder Specify clinical  
presentation: 6C4B.700 ... with depressive symptoms 6C4B.701 ... with manic symptoms 6C4B.702  
... with mixed depressive and manic symptoms 6C4B.70Z ... unspecified MDMA or related drug-  
induced mood disorder, including MDA Specify clinical presentation: 6C4C.700 ... with depressive  
symptoms 6C4C.701 ... with manic symptoms 6C4C.702 ... with mixed depressive and manic  
symptoms 6C4C.70Z ... unspecified Dissociative drug-induced mood disorder, including ketamine  
and PCP Specify clinical presentation: 6C4D.700 ... depressive symptoms 6C4D.701 ... with manic  
symptoms 6C4D.702 ... with mixed depressive and manic symptoms 6C4D.70Z ... unspecified  
Mood disorder induced by other specified psychoactive substance Specify clinical presentation:  
6C4E.700 ... with depressive symptoms 6C4E.701 ... with manic symptoms 6C4E.702 ... with mixed  
depressive and manic symptoms 6C4E.70Z ... unspecified Mood disorder induced by multiple

specified psychoactive substances Specify clinical presentation: 6C4F.700 ... with depressive symptoms 6C4F.701 ... with manic symptoms 6C4F.702 ... with mixed depressive and manic symptoms 6C4F.70Z ... unspecified Mood disorder induced by unknown or unspecified psychoactive substances Specify clinical presentation: 6C4G.700 ... with depressive symptoms 6C4G.701 ... with manic symptoms 6C4D.60 6C4E.70 6C4F.70 6C4G.70 6C4B.70 6C4C.70

---

Revision #1

Created 2026-01-04 19:43:10 UTC by Omar Ayman

Updated 2026-01-04 19:43:10 UTC by Omar Ayman