

13 - Disorders due to substance use

Disorders due to substance use

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders Disorders of bodily distress or bodily experience Bodily distress disorder Specify level of severity: 6C20.0 Mild bodily distress disorder 6C20.1 Moderate bodily distress disorder 6C20.2 Severe bodily distress disorder 6C20.Z Bodily distress disorder, unspecified Body integrity dysphoria Other specified disorder of bodily distress or bodily experience Disorder of bodily distress or bodily experience, unspecified 6C20 6C21 6C2Y 6C2Z Disorders due to substance use and addictive behaviours Disorders due to substance use Disorders due to use of alcohol 6C40.0 Episode of harmful use of alcohol 6C40.1 Harmful pattern of use of alcohol

Specify pattern:

6C40.10 ... episodic

6C40.11 ... continuous

6C40.1Z ... unspecified 6C40.2 Alcohol dependence Specify pattern of substance use or remission: 6C40.20 ... current use, continuous 6C40.21 ... current use, episodic 6C40.22 ... early full remission 6C40.23 ... sustained partial remission 6C40.24 ... sustained full remission 6C40.2Z ... unspecified 6C40

6C40.3 Alcohol intoxication

Specify severity: 6C40.3&XS5W Alcohol intoxication, mild 6C40.3&XS0T Alcohol intoxication, moderate 6C40.3&XS25 Alcohol intoxication, severe 6C40.4 Alcohol withdrawal Specify clinical presentation: 6C40.40 ... uncomplicated 6C40.41 ... with perceptual disturbances 6C40.42 ... with seizures 6C40.43 ... with perceptual disturbances and seizures 6C40.4Z ... unspecified 6C40.5 Alcohol-induced delirium 6C40.6 Alcohol-induced psychotic disorder Specify clinical presentation: 6C40.60 ... with hallucinations 6C40.61 ... with delusions 6C40.62 ... with mixed psychotic

symptoms 6C40.6Z ... unspecified 6C40.70 Alcohol-induced mood disorder Specify clinical presentation: 6C40.700 ... with depressive symptoms 6C40.701 ... with manic symptoms 6C40.702 ... with mixed depressive and manic symptoms 6C40.70Z ... unspecified 6C40.71 Alcohol-induced anxiety disorder 6C40.Y Other specified disorder due to use of alcohol 6C40.Z Disorders due to use of alcohol, unspecified Disorders due to use of cannabis 6C41 6C41.0 Episode of harmful use of cannabis 6C41.1 Harmful pattern of use of cannabis Specify pattern: 6C41.10 ... episodic 6C41.11 ... continuous 6C41.1Z ... unspecified 6C41.2 Cannabis dependence Specify pattern of substance use or remission: 6C41.20 ... current use 6C41.21 ... early full remission 6C41.22 ... sustained partial remission 6C41.23 ... sustained full remission 6C41.2Z ... unspecified 6C41.3 Cannabis intoxication Specify severity: 6C41.3&XS5W Cannabis intoxication, mild 6C41.3&XS0T Cannabis intoxication, moderate 6C41.3&XS25 Cannabis intoxication, severe List of categories

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders 6C41.4 Cannabis withdrawal 6C41.5 Cannabis-induced delirium 6C41.6 Cannabis-induced psychotic disorder 6C41.70 Cannabis-induced mood disorder Specify clinical presentation: 6C41.700 ... with depressive symptoms 6C41.701 ... with manic symptoms 6C41.702 ... with mixed depressive and manic symptoms 6C41.70Z ... unspecified 6C41.71 Cannabis-induced anxiety disorder 6C41.Y Other specified disorder due to use of cannabis 6C41.Z Disorder due to use of cannabis, unspecified Disorders due to use of synthetic cannabinoids 6C42.0 Episode of harmful use of synthetic cannabinoids 6C42.1 Harmful pattern of use of synthetic cannabinoids Specify pattern: 6C42.10 ... episodic 6C42.11 ... continuous 6C42.1Z ... unspecified 6C42.2 Synthetic cannabinoid dependence Specify pattern of substance use or remission: 6C42.20 ... current use 6C42.21 ... early full remission 6C42.22 ... sustained partial remission 6C42.23 ... sustained full remission 6C42.2Z ... unspecified 6C42.3 Synthetic cannabinoid intoxication Specify severity: 6C42.3&XS5W Synthetic cannabinoid intoxication, mild 6C42.3&XS0T Synthetic cannabinoid intoxication, moderate 6C42.3&XS25 Synthetic cannabinoid intoxication, severe 6C42.4 Synthetic cannabinoid withdrawal 6C42.5 Synthetic cannabinoid-induced delirium 6C42.6 Synthetic cannabinoid-induced psychotic disorder 6C42.70 Synthetic cannabinoid-induced mood disorder Specify clinical presentation: 6C42.700 ... with depressive symptoms 6C42.701 ... with manic symptoms 6C42.702 ... with mixed depressive and manic symptoms 6C42.70Z ... unspecified 6C42.71 Synthetic cannabinoid-induced anxiety disorder 6C42.Y Other specified disorder due to use of synthetic cannabinoids 6C42.Z Disorder due to use of synthetic cannabinoids, unspecified 6C42

Disorders due to use of opioids 6C43 6C43.0 Episode of harmful use of opioids 6C43.1 Harmful pattern of use of opioids Specify pattern: 6C43.10 ... episodic 6C43.11 ... continuous 6C43.1Z ... unspecified 6C43.2 Opioid dependence Specify pattern of substance use or remission: 6C43.20 ... current use 6C43.21 ... early full remission 6C43.22 ... sustained partial remission 6C43.23 ... sustained full remission 6C43.2Z ... unspecified 6C43.3 Opioid intoxication Specify severity: 6C43.3&XS5W Opioid intoxication, mild 6C43.3&XS0T Opioid intoxication, moderate 6C43.3&XS25 Opioid intoxication, severe 6C43.4 Opioid withdrawal 6C43.5 Opioid-induced delirium 6C43.6 Opioid-induced psychotic disorder 6C43.70 Opioid-induced mood disorder Specify clinical presentation: 6C43.700 ... with depressive symptoms 6C43.701 ... with manic symptoms 6C43.702 ... with mixed depressive and manic symptoms 6C43.70Z ... unspecified 6C43.71 Opioid-induced anxiety disorder 6C43.Y Other specified disorder due to use of opioids 6C43.Z Disorder due to use of opioids, unspecified Disorders due to use of sedatives, hypnotics or anxiolytics 6C44 6C44.0

Episode of harmful use of sedatives, hypnotics or anxiolytics 6C44.1 Harmful pattern of use of sedatives, hypnotics or anxiolytics Specify pattern: 6C44.10 ... episodic 6C44.11 ... continuous 6C44.1Z ... unspecified 6C44.2 Sedative, hypnotic or anxiolytic dependence Specify pattern of substance use or remission: 6C44.20 ... current use List of categories

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders 6C44.21 ... early full remission 6C44.22 ... sustained partial remission 6C44.23 ... sustained full remission 6C44.2Z ... unspecified 6C44.3 Sedative, hypnotic or anxiolytic intoxication Specify severity: 6C44.3&XS5W Sedative, hypnotic or anxiolytic intoxication, mild 6C44.3&XS0T Sedative, hypnotic or anxiolytic intoxication,

moderate 6C44.3&XS25 Sedative, hypnotic or anxiolytic intoxication, severe 6C44.4 Sedative, hypnotic or anxiolytic withdrawal Specify clinical presentation: 6C44.40 ... uncomplicated 6C44.41 ... with perceptual disturbances 6C44.42 ... with seizures 6C44.43 ... with perceptual disturbances and seizures 6C44.4Z ... unspecified 6C44.5 Sedative, hypnotic or anxiolytic-induced delirium 6C44.6 Sedative, hypnotic or anxiolytic-induced psychotic disorder 6C44.70 Sedative, hypnotic or anxiolytic-induced mood disorder Specify clinical presentation: 6C44.700 ... with depressive symptoms 6C44.701 ... with manic symptoms 6C44.702 ... with mixed depressive and manic symptoms 6C44.70Z ... unspecified 6C44.71 Sedative, hypnotic or anxiolytic-induced anxiety disorder 6C44.Y Other specified disorder due to use of sedatives, hypnotics or

anxiolytics 6C44.Z Disorder due to use of sedatives, hypnotics or anxiolytics,

unspecified Disorders due to use of cocaine 6C45.0 Episode of harmful use of cocaine 6C45.1 Harmful pattern of use of cocaine Specify pattern: 6C45.10 ... episodic 6C45.11 ... continuous 6C45.1Z ... unspecified 6C45.2 Cocaine dependence Specify pattern of substance use or remission: 6C45.20 ... current use 6C45.21 ... early full remission 6C45.22 ... sustained partial remission 6C45.23 ... sustained full remission 6C45.2Z ... unspecified 6C45

65 List of categories 6C45.3 Cocaine intoxication Specify severity: 6C45.3&XS5W Cocaine intoxication, mild 6C45.3&XS0T Cocaine intoxication, moderate 6C45.3&XS25 Cocaine intoxication, severe 6C45.4 Cocaine withdrawal 6C45.5 Cocaine-induced delirium 6C45.6 Cocaine-induced psychotic disorder Specify clinical presentation: 6C45.60 ... with hallucinations 6C45.61 ... with delusions 6C45.62 ... with mixed psychotic symptoms 6C45.6Z ... unspecified 6C45.70 Cocaine-induced mood disorder Specify clinical presentation: 6C45.700 ... with depressive symptoms 6C45.701 ... with manic symptoms 6C45.702 ... with mixed depressive and manic symptoms 6C45.70Z ... unspecified 6C45.71 Cocaine-induced anxiety disorder 6C45.72 Cocaine-induced obsessive-compulsive or related disorder 6C45.73 Cocaine-induced impulse control disorder 6C45.Y Other specified disorder due to use of cocaine 6C45.Z Disorder due to use of cocaine, unspecified Disorders due to use of stimulants, including amfetamines, methamphetamine and methcathinone 6C46.0 Episode of harmful use of stimulants, including amfetamines, methamphetamine and methcathinone 6C46.1 Harmful pattern of use of stimulants, including amfetamines, methamphetamine and methcathinone Specify pattern: 6C46.10 ... episodic 6C46.11 ... continuous 6C46.1Z ... unspecified 6C46.2 Stimulant dependence, including amfetamines, methamphetamine and methcathinone Specify pattern of substance use or remission: 6C46.20 ... current use 6C46.21 ... early full remission 6C46.22 ... sustained partial remission 6C46.23 ... sustained full remission

6C46.2Z ... unspecified 6C46.3 Stimulant intoxication, including amfetamines, methamphetamine and methcathinone 6C46

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders Specify severity: 6C46.3&XS5W Stimulant intoxication, including amfetamines,

methamphetamine and methcathinone, mild 6C46.3&XS0T Stimulant intoxication, including amfetamines,

methamphetamine and methcathinone, moderate 6C46.3&XS25 Stimulant intoxication, including amfetamines,

methamphetamine and methcathinone, severe 6C46.4 Stimulant withdrawal, including amfetamines, methamphetamine and methcathinone 6C46.5 Stimulant-induced delirium, including amfetamines, methamphetamine and methcathinone 6C46.6 Stimulant-induced psychotic disorder, including amfetamines, methamphetamine and methcathinone Specify clinical presentation: 6C46.60 ... with hallucinations 6C46.61 ... with delusions 6C46.62 ... with mixed psychotic symptoms 6C46.6Z ... unspecified 6C46.70 Stimulant-induced mood disorder, including amfetamines, methamphetamine and methcathinone Specify clinical presentation: 6C46.700 ... with depressive symptoms 6C46.701 ... with manic symptoms 6C46.702 ... with mixed depressive and manic symptoms 6C46.70Z ... unspecified 6C46.71 Stimulant-induced anxiety disorder, including amfetamines, methamphetamine and methcathinone 6C46.72 Stimulant-induced obsessive-compulsive or related disorder, including amfetamines, methamphetamine and methcathinone 6C46.73 Stimulant-induced impulse control disorder, including amfetamines, methamphetamine and methcathinone 6C46.Y Other specified disorder due to use of stimulants, including amfetamines, methamphetamine and methcathinone 6C46.Z Disorder due to use of stimulants, including amfetamines, methamphetamine and methcathinone, unspecified Disorders due to use of synthetic cathinones 6C47.0 Episode of harmful use of synthetic cathinones 6C47.1 Harmful pattern of use of synthetic cathinones Specify pattern: 6C47.10 ... episodic 6C47.11 ... continuous 6C47.1Z ... unspecified 6C47

67 List of categories 6C47.2 Synthetic cathinone dependence Specify pattern of substance use or remission: 6C47.20 ... current use 6C47.21 ... early full remission 6C47.22 ... sustained partial remission 6C47.23 ... sustained full remission 6C47.2Z ... unspecified 6C47.3 Synthetic cathinone intoxication Specify severity: 6C47.3&XS5W Synthetic cathinone intoxication, mild 6C47.3&XS0T Synthetic cathinone intoxication, moderate 6C47.3&XS25 Synthetic cathinone intoxication, severe 6C47.4 Synthetic cathinone withdrawal 6C47.5 Synthetic cathinone-induced delirium 6C47.6 Synthetic cathinone-induced psychotic disorder Specify clinical presentation: 6C47.60 ... with hallucinations 6C47.61 ... with delusions 6C47.62 ... with mixed psychotic symptoms 6C47.6Z ... unspecified 6C47.70 Synthetic cathinone-induced mood disorder Specify clinical presentation: 6C47.700 ... with depressive symptoms 6C47.701 ... with manic symptoms 6C47.702 ... with mixed depressive and manic symptoms 6C47.70Z ... unspecified 6C47.71 Synthetic cathinone-induced anxiety disorder 6C47.72 Synthetic cathinone-induced obsessive-compulsive or related syndrome 6C47.73 Synthetic cathinone-induced impulse control disorder 6C47.Y Other specified disorder due to use of synthetic cathinones 6C47.Z Disorder due to use of synthetic cathinones, unspecified Disorders due to use of caffeine 6C48.0 Episode of harmful use of caffeine 6C48.1 Harmful pattern

of use of caffeine Specify pattern: 6C48.10 ... episodic 6C48.11 ... continuous 6C48.1Z ... unspecified 6C48.2 Caffeine intoxication Specify severity: 6C48.2&XS5W Caffeine intoxication, mild 6C48.2&XS0T Caffeine intoxication, moderate 6C48.2&XS25 Caffeine intoxication, severe 6C48

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders 6C48.3 Caffeine withdrawal 6C48.71 Caffeine-induced anxiety disorder 6C48.Y Other specified disorder due to use of caffeine 6C48.Z Disorder due to use of caffeine, unspecified Disorders due to use of hallucinogens 6C49.0 Episode of harmful use of hallucinogens 6C49.1 Harmful pattern of use of hallucinogens Specify pattern: 6C49.10 ... episodic 6C49.11 ... continuous 6C49.1Z ... unspecified 6C49.2 Hallucinogen dependence Specify pattern of substance use or remission: 6C49.20 ... current use 6C49.21 ... early full remission 6C49.22 ... sustained partial remission 6C49.23 ... sustained full remission 6C49.2Z ... unspecified 6C49.3 Hallucinogen intoxication Specify severity: 6C49.3&XS5W Hallucinogen intoxication, mild 6C49.3&XS0T Hallucinogen intoxication, moderate 6C49.3&XS25 Hallucinogen intoxication, severe 6C49.4 Hallucinogen-induced delirium 6C49.5 Hallucinogen-induced psychotic disorder 6C49.60 Hallucinogen-induced mood disorder Specify clinical presentation: 6C49.600 ... with depressive symptoms 6C49.601 ... with manic symptoms 6C49.602 ... with mixed depressive and manic symptoms 6C49.60Z ... unspecified 6C49.61 Hallucinogen-induced anxiety disorder 6C49.Y Other specified disorder due to use of hallucinogens 6C49.Z Disorder due to use of hallucinogens, unspecified Disorders due to use of nicotine 6C4A.0 Episode of harmful use of nicotine 6C4A.1 Harmful pattern of use of nicotine Specify pattern: 6C4A.10 ... episodic 6C4A.11 ... continuous 6C4A.1Z ... unspecified 6C4A 6C49

6C4A.2 Nicotine dependence Specify pattern of substance use or remission: 6C4A.20 ... current use 6C4A.21 ... early full remission 6C4A.22 ... sustained partial remission 6C4A.23 ... sustained full remission 6C4A.2Z ... unspecified 6C4A.3 Nicotine intoxication Specify severity: 6C4A.3&XS5W Nicotine intoxication, mild 6C4A.3&XS0T Nicotine intoxication, moderate 6C4A.3&XS25 Nicotine intoxication, severe 6C4A.4 Nicotine withdrawal 6C4A.Y Other specified disorder due to use of nicotine 6C4A.Z Disorder due to use of nicotine, unspecified Disorders due to use of volatile inhalants 6C4B 6C4B.0 Episode of harmful use of volatile inhalants 6C4B.1 Harmful pattern of use of volatile inhalants Specify pattern: 6C4B.10 ... episodic 6C4B.11 ... continuous 6C4B.1Z ... unspecified 6C4B.2 Volatile inhalant dependence Specify pattern of substance use or remission: 6C4B.20 ... current use 6C4B.21 ... early full remission 6C4B.22 ... sustained partial remission 6C4B.23 ... sustained full remission 6C4B.2Z ... unspecified 6C4B.3 Volatile inhalant intoxication Specify severity: 6C4B.3&XS5W Volatile inhalant intoxication, mild 6C4B.3&XS0T Volatile inhalant intoxication, moderate 6C4B.3&XS25 Volatile inhalant intoxication, severe 6C4B.4 Volatile inhalant withdrawal 6C4B.5 Volatile inhalant-induced delirium 6C4B.6 Volatile inhalant-induced psychotic disorder 6C4B.70 Volatile inhalant-induced mood disorder Specify clinical presentation: 6C4B.700 ... with depressive symptoms 6C4B.701 ... with manic symptoms 6C4B.702 ... with mixed depressive and manic symptoms 6C4B.70Z ... unspecified 6C4B.71 Volatile inhalant-induced anxiety disorder 6C4B.Y Other specified disorder due to use of volatile inhalants 6C4B.Z Disorder due to use of volatile inhalants, unspecified List of categories

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders Disorders due to use of MDMA or related drugs, including MDA 6C4C.0 Episode of harmful use of MDMA or related drugs, including MDA 6C4C.1 Harmful pattern of

use of MDMA or related drugs, including MDA Specify pattern: 6C4C.10 ... episodic 6C4C.11 ... continuous 6C4C.1Z ... unspecified 6C4C.2 MDMA or related drug dependence, including MDA Specify pattern of substance use or remission: 6C4C.20 ... current use 6C4C.21 ... early full remission 6C4C.22 ... sustained partial remission 6C4C.23 ... sustained full remission 6C4C.2Z ... unspecified 6C4C.3 MDMA or related drug intoxication, including MDA Specify severity: 6C4C.3&XS5W MDMA or related drug intoxication, including

MDA, mild 6C4C.3&XS0T MDMA or related drug intoxication, including

MDA, moderate 6C4C.3&XS25 MDMA or related drug intoxication, including

MDA, severe 6C4C.4 MDMA or related drug withdrawal, including MDA 6C4C.5 MDMA or related drug-induced delirium, including MDA 6C4C.6 MDMA or related drug-induced psychotic disorder, including MDA 6C4C.70 MDMA or related drug-induced mood disorder, including MDA Specify clinical presentation: 6C4C.700 ... with depressive symptoms 6C4C.701 ... with manic symptoms 6C4C.702 ... with mixed depressive and manic symptoms 6C4C.70Z ... unspecified 6C4C.71 MDMA or related drug-induced anxiety disorder, including MDA 6C4C.Y Other specified disorder due to use of MDMA or related drugs, including MDA 6C4C.Z Disorder due to use of MDMA or related drugs, including MDA, unspecified Disorders due to use of dissociative drugs, including ketamine and phencyclidine (PCP) 6C4D.0 Episode of harmful use of dissociative drugs, including ketamine and PCP 6C4D.1 Harmful pattern of use of dissociative drugs, including ketamine and PCP Specify pattern: 6C4D.10 ... episodic 6C4D.11 ... continuous 6C4D.1Z ... unspecified 6C4C 6C4D

71 List of categories 6C4D.2 Dissociative drug dependence, including ketamine and PCP Specify pattern of substance use or remission: 6C4D.20 ... current use 6C4D.21 ... early full remission 6C4D.22 ... sustained partial remission 6C4D.23 ... sustained full remission 6C4D.2Z ... unspecified 6C4D.3 Dissociative drug intoxication, including ketamine and PCP Specify severity: 6C4D.3&XS5W Dissociative drug intoxication, including ketamine

and PCP, mild 6C4D.3&XS0T Dissociative drug intoxication, including ketamine

and PCP, moderate 6C4D.3&XS25 Dissociative drug intoxication, including ketamine

and PCP, severe 6C4D.4 Dissociative drug-induced delirium, including ketamine and PCP 6C4D.5 Dissociative drug-induced psychotic disorder, including ketamine and PCP 6C4D.60 Dissociative drug-induced mood disorder, including ketamine and PCP Specify clinical presentation: 6C4D.600 ... with depressive symptoms 6C4D.601 ... with manic symptoms 6C4D.602 ... with mixed depressive and manic symptoms 6C4D.60Z ... unspecified 6C4D.61 Dissociative drug-induced anxiety disorder, including ketamine and PCP 6C4D.Y Other specified disorder due to use of dissociative drugs, including ketamine and PCP 6C4D.Z Disorder due to use of dissociative drugs, including ketamine and PCP, unspecified Disorders due to use of other specified psychoactive substances, including medications 6C4E.0 Episode of harmful use of other specified psychoactive substance, including medications 6C4E.1 Harmful pattern of use of other specified psychoactive substance, including medications Specify pattern: 6C4E.10 ... episodic 6C4E.11 ... continuous 6C4E.1Z ... unspecified 6C4E.2 Other specified psychoactive substance dependence Specify pattern of substance use or remission: 6C4E.20 ... current use 6C4E.21 ... early full remission

6C4E.22 ... sustained partial remission 6C4E.23 ... sustained full remission 6C4E.2Z ... unspecified
6C4E

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or
Neurodevelopmental Disorders 6C4E.3 Other specified psychoactive substance intoxication Specify
severity: 6C4E.3&XS5W Other specified psychoactive substance intoxication,

mild 6C4E.3&XS0T Other specified psychoactive substance intoxication,

moderate 6C4E.3&XS25 Other specified psychoactive substance intoxication,

severe 6C4E.4 Other specified psychoactive substance withdrawal Specify clinical presentation:

6C4E.40 ... uncomplicated 6C4E.41 ... with perceptual disturbances 6C4E.42 ... with seizures

6C4E.43 ... with perceptual disturbances and seizures 6C4E.4Z ... unspecified 6C4E.5 Delirium

induced by other specified psychoactive substance, including medications 6C4E.6 Psychotic

disorder induced by other specified psychoactive substance 6C4E.70 Mood disorder induced by

other specified psychoactive substance Specify clinical presentation: 6C4E.700 ... with depressive

symptoms 6C4E.701 ... with manic symptoms 6C4E.702 ... with mixed depressive and manic

symptoms 6C4E.70Z ... unspecified 6C4E.71 Anxiety disorder induced by other specified

psychoactive substance 6C4E.72 Obsessive-compulsive or related disorder induced by other

specified psychoactive substance 6C4E.73 Impulse control disorder induced by other specified

psychoactive substance 6C4E.Y Other specified disorder due to use of other specified psychoactive

substance, including medications 6C4E.Z Disorder due to use of other specified psychoactive

substance, including medications, unspecified Disorders due to use of multiple specified

psychoactive substances, including medications 6C4F.0 Episode of harmful use of multiple

specified psychoactive substances, including medications 6C4F.1 Harmful pattern of use of multiple

specified psychoactive substances, including medications Specify pattern: 6C4F.10 ... episodic

6C4F.11 ... continuous 6C4F.1Z ... unspecified 6C4F.2 Multiple specified psychoactive substances

dependence Specify pattern of substance use or remission: 6C4F.20 ... current use 6C4F.21 ...

early full remission 6C4F

73 List of categories 6C4F.22 ... sustained partial remission 6C4F.23 ... sustained full remission

6C4F.2Z ... unspecified 6C4F.3 Intoxication due to multiple specified psychoactive substances

Specify severity: 6C4F.3&XS5W Intoxication due to multiple specified psychoactive

substances, mild 6C4F.3&XS0T Intoxication due to multiple specified psychoactive

substances, moderate 6C4F.3&XS25 Intoxication due to multiple specified psychoactive

substances, severe 6C4F.4 Multiple specified psychoactive substances withdrawal Specify clinical

presentation: 6C4F.40 ... uncomplicated 6C4F.41 ... with perceptual disturbances 6C4F.42 ... with

seizures 6C4F.43 ... with perceptual disturbances and seizures 6C4F.4Z ... unspecified 6C4F.5

Delirium induced by multiple specified psychoactive substances, including medications 6C4F.6

Psychotic disorder induced by multiple specified psychoactive substances 6C4F.70 Mood disorder

induced by multiple specified psychoactive substances Specify clinical presentation: 6C4F.700 ...

with depressive symptoms 6C4F.701 ... with manic symptoms 6C4F.702 ... with mixed depressive

and manic symptoms 6C4F.70Z ... unspecified 6C4F.71 Anxiety disorder induced by multiple

specified psychoactive substances 6C4F.72 Obsessive-compulsive or related disorder induced by multiple specified psychoactive substances 6C4F.73 Impulse control disorder induced by multiple specified psychoactive substances 6C4F.Y Other specified disorder due to use of multiple specified psychoactive substances, including medications 6C4F.Z Disorder due to use of multiple specified psychoactive substances, including medications, unspecified Disorders due to use of unknown or unspecified psychoactive substances 6C4G.0 Episode of harmful use of unknown or unspecified psychoactive substance 6C4G.1 Harmful pattern of use of unknown or unspecified psychoactive substance Specify pattern: 6C4G.10 ... episodic 6C4G.11 ... continuous 6C4G.1Z ... unspecified 6C4G

Clinical Descriptions and Diagnostic Requirements for ICD-11 Mental, Behavioural or Neurodevelopmental Disorders 6C4G.2 Unknown or unspecified psychoactive substance dependence Specify pattern of substance use or remission: 6C4G.20 ... current use 6C4G.21 ... early full remission 6C4G.22 ... sustained partial remission 6C4G.23 ... sustained full remission 6C4G.2Z ... unspecified 6C4G.3 Intoxication due to unknown or unspecified psychoactive substance Specify severity: 6C4G.3&XS5W Intoxication due to unknown or unspecified

psychoactive substance, mild 6C4G.3&XS0T Intoxication due to unknown or unspecified

psychoactive substance, moderate 6C4G.3&XS25 Intoxication due to unknown or unspecified

psychoactive substance, severe 6C4G.4 Withdrawal due to unknown or unspecified psychoactive substance Specify clinical presentation: 6C4G.40 ... uncomplicated 6C4G.41 ... with perceptual disturbances 6C4G.42 ... with seizures 6C4G.43 ... with perceptual disturbances and seizures 6C4G.4Z ... unspecified 6C4G.5 Delirium induced by unknown or unspecified psychoactive substance 6C4G.6 Psychotic disorder induced by unknown or unspecified psychoactive substance 6C4G.70 Mood disorder induced by unknown or unspecified psychoactive substance Specify clinical presentation: 6C4G.700 ... with depressive symptoms 6C4G.701 ... with manic symptoms 6C4G.702 ... with mixed depressive and manic symptoms 6C4G.70Z ... unspecified 6C4G.71 Anxiety disorder induced by unknown or unspecified psychoactive substance 6C4G.72 Obsessive-compulsive or related disorder induced by unknown or unspecified psychoactive substance 6C4G.73 Impulse control disorder induced by unknown or unspecified psychoactive substance 6C4G.Y Other specified disorder due to use of unknown or unspecified psychoactive substance 6C4G.Z Disorder due to use of unknown or unspecified psychoactive substance, unspecified

Revision #1

Created 2026-01-04 19:43:14 UTC by Omar Ayman

Updated 2026-01-04 19:43:14 UTC by Omar Ayman