

# 08 - References

## References

906 The Maudsley® Prescribing Guidelines in Psychiatry CHAPTER 12 References

1. Rihs M, et al. Caffeine consumption in hospitalized psychiatric patients. *Eur Arch Psychiatry Clin Neurosci* 1996; 246:83–92.
2. Clementz GL, et al. Psychotropic effects of caffeine. *Am Fam Physician* 1988; 37:167–172.
3. Ogawa N, et al. Clinical importance of caffeine dependence and abuse. *Psychiatry Clin Neurosci* 2007; 61:263–268.
4. Desbrow B, et al. An examination of consumer exposure to caffeine from retail coffee outlets. *Food Chem Toxicol* 2007; 45:1588–1592.
5. McCusker RR, et al. Caffeine content of decaffeinated coffee. *J Anal Toxicol* 2006; 30:611–613.
6. Adolfo AB, et al. Effects of smoking cues on caffeine urges in heavy smokers and caffeine consumers with and without schizophrenia. *Schizophr Res* 2009; 107:192–197.
7. Grant JE, et al. Caffeine's influence on gambling behavior and other types of impulsivity. *Addict Behav* 2018; 76:156–160.
8. Sawynok J. Pharmacological rationale for the clinical use of caffeine. *Drugs* 1995; 49:37–50.
9. O'Keefe JH, et al. Effects of habitual coffee consumption on cardiometabolic disease, cardiovascular health, and all-cause mortality. *J Am Coll Cardiol* 2013; 62:1043–1051.
10. Pharmaceutical Press. Martindale: The Complete Drug Reference. 2024; [www.medicinescomplete.com](http://www.medicinescomplete.com).
11. Bergin JE, et al. Common psychiatric disorders and caffeine use, tolerance, and withdrawal: an examination of shared genetic and environmental effects. *Twin Res Hum Genet* 2012; 15:473–482.
12. Silverman K, et al. Withdrawal syndrome after the double-blind cessation of caffeine consumption. *N Engl J Med* 1992; 327:1109–1114.
13. Butler MA, et al. Determination of CYP1A2 and NAT2 phenotypes in human populations by analysis of caffeine urinary metabolites. *Pharmacogenetics* 1992; 2:116–127.
14. Kaplan GB, et al. Dose-dependent pharmacokinetics and psychomotor effects of caffeine in humans. *J Clin Pharmacol* 1997; 37:693–703.
15. Pharmaceutical Press. Medicines Complete: Stockley's Drug Interactions. 2024; [www.medicinescomplete.com](http://www.medicinescomplete.com).
16. Baethge C, et al. Coffee and cigarette use: association with suicidal acts in 352 Sardinian bipolar disorder patients. *Bipolar Disord* 2009; 11:494–503.

17. Carrillo JA, et al. Effects of caffeine withdrawal from the diet on the metabolism of clozapine in schizophrenic patients. *J Clin Psychopharmacol* 1998; 18:311–316.
18. Ohta R, et al. Serotonin syndrome triggered by overuse of caffeine and complicated with neuroleptic malignant syndrome: a case report. *Cureus* 2022; 14:e22468.
19. American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders*, 5th edn (DSM-5). Arlington, VA: American Psychiatric Association; 2013.
20. Wesnes KA, et al. An evaluation of the cognitive and mood effects of an energy shot over a 6h period in volunteers: a randomized, double-blind, placebo controlled, cross-over study. *Appetite* 2013; 67:105–113.
21. Szpak A, et al. A case of acute suicidality following excessive caffeine intake. *J Psychopharmacol* 2012; 26:1502–1510.
22. Trapp GS, et al. Energy drink consumption among young Australian adults: associations with alcohol and illicit drug use. *Drug Alcohol Depend* 2014; 134:30–37.
23. Pennington N, et al. Energy drinks: a new health hazard for adolescents. *J Sch Nurs* 2010; 26:352–359.
24. Sheehan BE, et al. Caffeinated and non-caffeinated alcohol use and indirect aggression: the impact of self-regulation. *Addict Behav* 2016; 58:53–59.
25. Görgülü Y, et al. A case of acute psychosis following energy drink consumption. *Noro Psikiyatri Arsivi* 2014; 51:79–81.
26. Kelsey D, et al. A case of psychosis and renal failure associated with excessive energy drink consumption. *Case Rep Psychiatry* 2019; 2019:3954161.
27. Rodrigues Cordeiro C, et al. Triggers for acute mood episodes in bipolar disorder: a systematic review. *J Psychiatr Res* 2023; 161:237–260.
28. Szoke A, et al. Clinical and pharmacological correlates of caffeine consumption in subjects with schizophrenia – data from the FACE-SZ cohort. *J Psychiatr Res* 2023; 161:206–212.
29. Han Almis B, et al. Is there a relationship between caffeine intake and smoking and positive and negative symptom severity in schizophrenia? *Psychiatr Danub* 2023; 35:56–61.
30. Wang HR, et al. Caffeine-induced psychiatric manifestations: a review. *Int Clin Psychopharmacol* 2015; 30:179–182.
31. De Freitas B, et al. Effects of caffeine in chronic psychiatric patients. *Am J Psychiatry* 1979; 136:1337–1338.
32. Koczapski A, et al. Effects of caffeine on behavior of schizophrenic inpatients. *Schizophr Bull* 1989; 15:339–344.
33. Dratcu L, et al. Clozapine-resistant psychosis, smoking, and caffeine: managing the neglected effects of substances that our patients consume every day. *Am J Ther* 2007; 14:314–318.
34. Achor MB, et al. Diet aids, mania, and affective illness. *Am J Psychiatry* 1981; 138:392.
35. Wang L, et al. Coffee and caffeine consumption and depression: a meta-analysis of observational studies. *Aust NZ J Psychiatry* 2016; 50:228–242.
36. Maremmani I, et al. Are “social drugs” (tobacco, coffee and chocolate) related to the bipolar spectrum? *J Affect Disord* 2011; 133:227–233.
37. Lee MA, et al. Anxiogenic effects of caffeine on panic and depressed patients. *Am J Psychiatry* 1988; 145:632–635.
38. Rizkallah E, et al. Could the use of energy drinks induce manic or depressive relapse among abstinent substance use disorder patients with comorbid bipolar spectrum

disorder? *Bipolar Disord* 2011; 13:578–580.

39. Machado-Vieira R, et al. Mania associated with an energy drink: the possible role of caffeine, taurine, and inositol. *Can J Psychiatry* 2001; 46:454–455.
40. Uhde TW, et al. Caffeine-induced escape from dexamethasone suppression. *Arch Gen Psychiatry* 1985; 42:737–738.
41. Cantu TG, et al. Caffeine in electroconvulsive therapy. *Ann Pharmacother* 1991; 25:1079–1080.

Other substances CHAPTER 12 42. Mester R, et al. Caffeine withdrawal increases lithium blood levels. *Biol Psychiatry* 1995; 37:348–350. 43. Bruce MS. The anxiogenic effects of caffeine. *Postgrad Med J* 1990; 66 Suppl 2:S18–S24. 44. Bruce MS, et al. Caffeine abstinence in the management of anxiety disorders. *Psychol Med* 1989; 19:211–214. 45. Santos VA, et al. Panic disorder and chronic caffeine use: a case-control study. *Clin Pract Epidemiol Ment Health* 2019; 15:120–125. 46. Klevebrant L, et al. Effects of caffeine on anxiety and panic attacks in patients with panic disorder: a systematic review and meta-analysis. *Gen Hosp Psychiatry* 2022; 74:22–31. 47. Ioannidis K, et al. Ostracising caffeine from the pharmacological arsenal for attention-deficit hyperactivity disorder – was this a correct decision? A literature review. *J Psychopharmacol* 2014; 28:830–836. 48. Panza F, et al. Coffee, tea, and caffeine consumption and prevention of late-life cognitive decline and dementia: a systematic review. *J Nutr Health Aging* 2015; 19:313–328.

---

Revision #1

Created 2026-01-04 20:18:18 UTC by Omar Ayman

Updated 2026-01-04 20:18:18 UTC by Omar Ayman